Zoological Record

Vol. 86, Sect. 12, 1949

ARACHNIDA

COMPILED BY

E. BROWNING

PRINTED FOR THE ZOOLOGICAL SOCIETY OF LONDON
SOLD AT THEIR HOUSE IN REGENT'S PARK
LONDON, N.W.8

PRICE SEVEN SHILLINGS AND SIXPENCE

November, 1951

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz.:—

	s.	d.
1. Comprehensive Zoology	2	6
2. Protozoa	7	6
3. Porifera	2	0
4. Coelenterata	4	0
5. Echinoderma	2	6
6. Vermes	10	0
7. Brachiopoda	3	0
8. Bryozoa	2	0
9. Mollusca	10	0
10. Crustacea	5	0
11. Trilobita	3	0
12. Arachnida	7	6
*13. Insecta	30	0
14. Protochordata	2	0
15. Pisces	7	0
16. Amphibia and Reptilia	7	6
17. Aves	7	6
18. Mammalia	7	6
19. List of New Genera and Subgenera	3	0

* Obtainable only from the Commonwealth Institute of Entomology, 41, Queen's Gate, London, S.W.7.

12. ARACHNIDA

to which are added

MEROSTOMATA, PANTOPODA, PENTASTOMIDA, TARDIGRADA, MYRIOPODA and ONYCHOPHORA

compiled by

E. BROWNING

CONTENTS

	PAGE
I. TITLES (All groups)	2
II. SUBJECT INDEX :—	
Merostomata	35
Arachnida (incl. Pantopoda, Pentastomida and Tardigrada)	35
Myriopoda	45
Onychophora	47
III. SYSTEMATIC INDEX :—	
Merostomata	47
Pantopoda	47
Scorpiones	48
Uropygi	50
Amblypygi	50
Palpigradi	50
Ricinulei	50
Pseudoscorpiones	50
Solifugae	52
Opiliones	53
Araneae...	64
Acari (except Ixodoidea and Hydrachnoidea)	74
Ixodoidea	85
Hydrachnoidea	85
Anthracomarti	90
Kustarachnida	90
Haptopoda	90
Trigonotarbi	90
Phalangiotarbi	90
Architarbi	91
Tardigrada	91
Pentastomida	91
Chilopoda	91
Diplopoda	93
Symphilida	97
Pauropoda	97
Onychophora	98

Papers on or including Acari are indicated in the List of Titles by the addition of [ACARI] following the reference.

I.—TITLES

1.—Anon. Dr. Ernest Warren—An appreciation. African Wild Life **2** 4 1949 pp. 75–76 photo.

2.—Anon. The tomato mite (*Vasates destructor*). Agric. Gaz. N.S.W. **60** 1 1949 pp. 43–44 fig. [ACARI.]

3.—Anon. Red-legged earth mites (Acarina). Agric. Gaz. N.S.W. **60** 2 1949 pp. 97–98 : 100 fig. [ACARI.]

4.—Anon. *Geophilella pyrenaica* Ribaut 1913 (Myriapodes, Symphiles). Bull. sci. Bourgogne **11** 1948 p. 54.

5.—Anon.—Pest infestation research 1948. Dept. Sci. & Indust. Res. H.M.S.O. London 1949 pp. 1–32 pls. 1–4 figs. 1–3. [ACARI.]

6.—Anon. The life of a sheep tick. Field, London 1950 **195** 5076 p. 612. [ACARI.]

7.—Anon. Control and eradication of tick-infestation in cattle in Bombay Province. Indian Farming, Allahabad **10** 1 1949 pp. 28–30. [ACARI.]

8.—Anon. Orchard and garden mites—*Bryobia* mite (*Bryobia praetiosa*)—Red spider (*Tetranychus urticae*). J. Dept. agric. Vict. **47** 5 1949 pp. 233–234. [ACARI.]

9.—Anon. Vector of scrub typhus in Bengal. Nature, London **163** 4133 1949 p. 107. [ACARI.]

10.—Anon. [Roy. Coll. Phys.] Nomenclature of Disease 7th edn. London H.M.S.O. 1948 pp. xiv + 385 [ACARI.]

11.—Anon. Fruit insects : Insects affecting man and domestic animals : Household insects. 80th Ann. Rep. Ent. Soc. Ontario **1949** 1950 pp. 71 : 74–75. [ACARI.]

12.—Abalos, J. W. Cuales son los animales venenosos de la Argentina Tucuman, 1949 pp. 1–23 text-figs. 1–15.

Abbas Ali Shah *vide* Raghavachari, K. **495.**

Abonnenc, E. *vide* Floch, H. **219.**

[**Abusalimov,** N. S.] *vide* [Kurtchatov, V. I.] **346.**

13.—Adams, E. G. P. Bee v. scorpion. J. Bombay nat. Hist. Soc. **48** 2 1949 p. 382.

14.—[Afanasieva, O. V.] Афанасьева, О. В. Новые данные о *Dermacentor pavlovskyi* Ol. 1927. [New data on *Dermacentor pavlovskyi* Ol. 1927.] Vestnik Acad. Sci. Kazakhstan **10** 1946 pp. 38–42. [Not seen.] [ACARI.]

Alfeeva, S. P. *vide* Pavlovskii, E. N. **460.**

15.—[Anayan, R. N.] Анаян, Р. Н. Действие серы и известково-серного отвара на яички паутинного клещика *Epitetranychus altheae* v. H. на хлопчатнике. [Influence of lime sulphur solution on the eggs of the mite *Epitetranychus altheae* v. H.] Collective papers Plant Prot., Sci. Inst. Tech. & Cult. Armenia **1** 1946 pp. 80–85. [Not seen.] [ACARI.]

16.—André, M. Une nouvelle espèce de Thrombidion (Stygothrombidiidae) recueillie, en France, dans un cours d'eau phréatique. Bull. Mus. Hist. nat. Paris (2) **21** 1 1949 pp. 67–71 text-figs. 1–6. [ACARI.]

17.—André, M. Sur le *Microthrombidium* (*Enemothrombium*) *kervillei* M. André. Bull. Mus. Hist. nat. Paris (2) **21** 1 1949 pp. 72–74 figs. 1–4. [ACARI.]

18.—André, M. Une forme mexicaine nouvelle de Thrombidion. Bull. Mus. Hist. nat. Paris (2) **21** 2 1949 pp. 232–233 figs. 1–7. [ACARI.]

19.—André, M. Phénomène tératologique chez un Thrombidion *Microthrombidium sucidum* C. L. Koch. Bull. Mus. Hist. nat. Paris (2) **21** 2 1949 pp. 234–238 text-figs. 1–4. [ACARI.]

20.—André, M. Nouvelle forme larvaire de Thrombidion (*Isothrombium oparbellae* (n.g., n. sp.) parasite d'un Solifuge. Bull. Mus. Hist. nat. Paris (2) **21** 3 1949 pp. 354–357 text-figs. 1–5. [ACARI.]

21.—André, M. Ordre des Acariens (Acari Nitzsch, 1818). GRASSÉ Traité de Zoologie Paris **6** 1949 pp. 794–892 figs. 598–665. [ACARI.]

22.—Angelier, C. Hydracariens nouveaux des Pyrénées. Bull. Mus. Hist. nat. Paris (2) **21** 1 1949 pp. 83–87 text-figs. 1–11. [ACARI.]

23.—Angelier, E. Diagnoses sommaires d'Hydracariens phréaticoles nouveaux. Bull. Mus. Hist. nat. Paris (2) **21** 1 1949 pp. 88–90. [ACARI.]

24.—Angelier, C. Hydacariens nouveaux des Pyrénées (2e series). Bull. Mus. Hist. nat. Paris (2) **21** 3 1949 pp. 358–362 figs. 1–12. [ACARI.]

25.—Angelier, E. Note sur les facteurs de la distribution des Hydracariens phreaticoles. C.R. Soc. Biogéographie, Paris 1949 No. 228–229 pp. 83–84. [ACARI.]

Armstrong, T. *vide* Ross, W. A. **529.**

26.—Arnold, R. M. Tick control measures: assessment of the value of chemical tickicides for *Boophilus* (*Margaropus*) *annulatus* var. *microplus* in Jamaica. Vet. Rec. London **61** 16–17 1949 pp. 198–201, 212–217 tables. [ACARI.]

27.—Arthur, D. R. The scutum of the tick, *Ixodes ricinus* L. Parasitology Cambridge **39** 1949 pp. 235–240 text-figs. 1–9. [ACARI.]

28.—Asanuma, K. An observation of the macroscopic fauna in the nests of some mice and voles, a quantitative study of the samples obtained in western Manchuria. Misc. Rep. Res. Inst. nat. Resourc. Tokyo No. 13 1949 pp. 31–37. [In Japanese.] [ACARI.]

29.—Asanuma, K. On the occurrence of a parasitic mite, *Eulaelaps stabularis* in northeastern Asia (Acari, Parasitiformes, Laelaptidae). Misc. Rep. Res. Inst. nat. Resourc. Tokyo No. 13 1949 pp. 37–38. [In Japanese.] [ACARI.]

30.—Attems, C. Myriopoden von der Gleinalpe und zwei neue Attemsiidae. Mitt. naturw. Ver. Steiern. **77–78** 1949 pp. 5–10 text-figs. 1–9.

31.—Attems, C. Die Myriopodenfauna der Ostalpen. Sitz Ber. öst. Akad. Wiss. Wien **158** A1, 1–2 1949 pp. 79–153 map.

32.—Audy, J. R. A summary topographical account of scrub typhus 1908–1946. Bull. Inst. Med. Res. Malaya no. 1 1949 pp. i–v; 1–77 figs. 1–26. [ACARI.]

33.—Audy, J. R. Practical notes on scrub typhus. J. roy. Army med. Corps, London 1949 **93** 6 pp. 273–288 figs. [ACARI.]

34.—Auerbach, S. I. A preliminary ecological study on certain deciduous forest centipedes. Amer. Midl. Nat. Notre Dame **42** 1 1949 pp. 220–227 figs. 1–5.

35.—Backbone, H. R. & **Wilde,** J. K. L. An investigation of the effect of gammexane in a half-bath on hard ticks on cattle. J. comp. Path. Croydon **59** 3 1949 pp. 155–167 figs., tables. [ACARI.]

36.—Bailly, J. Action du venin de scorpion sur le virus rabique. Arch. Inst. Pasteur, Alger **27** 4 1949 pp. 310–311.

37.—Baker, E. W. The genus *Brevipalpus* (Acarina: Pseudoleptidae). Amer. Midl. Nat. Notre Dame **42** 2 1949 pp. 350–402 pls. 1–14. [ACARI.]

38.—Baker, E. W. Pomerantziidae, a new family of prostigmatic mites. J. Wash. Acad. Sci. **39** 8 1949 pp. 269–271 text-figs. 1–7. [ACARI.]

39.—Baker, E. W. Paratydeidae, a new family of mites. Proc. ent. Soc. Washington **51** 3 1949 pp. 119–122 figs. 1–8. [ACARI.]

40.—Baker, E. W. A review of the mites of the family Cheyletidae in the United States National Museum. Proc. U.S. nat. Mus. **99** 3238 1949 pp. 267–320 pls. 6–17. [ACARI.]

41.—Balozet, L. Gite curieux et exceptionnel d'*Ornithodorus erraticus* dans une habitation urbaine. Bull. Soc. Sci. nat. Tunisie **2** 1 1949 pp. 16–17. [ACARI.]

42.—[Barabash-Nikiforov, I. I.] Барабаш-Никифоров, И. И. [Contribution to the knowledge of the litter fauna in the nests of beavers. C.R. Acad. Sci. Moscou N.S. **68** 1 1949 pp. 161–164 fig. 1. [In Russian.] [ACARI.]

43.—Bartoš, E. Sekáči skupiny *Nemastoma lugubre* v ČSR. The Opilionida of the group *Nemastoma lugubre*. Ent. Listy Brno **12** 1–4 1949 pp. 57–61 figs. A–I. [In Czech, English summary.]

44.—Bartoš, E. Drobnohladná fauna Slovenskych machov. [Microscopical fauna of Slovakian mosses]. Prírod. Sbornik. Bratislava **4** 1949 pp. 77–92 figs. 1–4. [With English summary.]

45.—Basu, B. C. Studies in Arthropod transmission of Surra. Proc. Indian Sci. Congr. 34th 3 (1947) 1948 p. 172. [ACARI.]

46.—Baudyš, E. Fourth contribution to the knowledge of plant galls in Bohemia (Czechoslovakia). Sbor. entomol. odd. národ. Mus. Praze **24** 1946 pp. 175–208. [Acta. Ent. Mus. Nac. Pragae.] [In Czech with English summary.]

47.—Beatty, H. A. The Arachnida of St. Croix, V.I. [Acari & Ixod.]. J. Agric. Univ. Puerto Rico **28** 1944 pp. 111–113. [ACARI.]

48.—Becker, E. R. The occurrence of *Rhipicephalus sanguineus* and *Liponyssus bacoti* in Iowa. Proc. Iowa Acad. Sci. **55** 1948 pp. 349–350 fig. 1. [ACARI.]

49.—[Bekker, E. G.] Беккер, Э. Г. К эволюции наружного скелета и мускулатуры Tracheata (Atelocerata). 2. плейральный и стернальный скелет и мускулатура Chilopoda epimorpha. [Contribution to the knowledge of the evolution of the external skeleton and musculature of Tracheata (Atelocerata). 2. Pleural and sternal skeleton and musculature of Chilopoda epimorpha.] Zool. J. Moscow **28** 1 1949 pp. 39–58 figs. 1–10. [In Russian.]

50.—[Beltyukova, K. N.] Бельтюкова, К. Н. Наблюдния над *Lephthyphantes nebulosus* (Sund.) (Fam. Linyphiidae). [Observations on *Lephthyphantes nebulosus* (Sund.). Ivest. Estestv. Nauk. Molotov. State Univ. Gorkin XII **3** 1946 pp. 33–38. [Not seen.]

51.—Bengry, R. P. Scorpions. Glimpses of Nat. Hist. of Jamaica, 2nd Ed. 1949 pp. 50–52.

52.—Bergmann, W. Comparative biochemical studies on the lipids of marine invertebrates, with special reference to the sterols. J. mar. Res. New Haven **8** 2 1949 pp. 137–176 figs. 1–3 tables 1–12.

53.—Berland, L. De Dakar au Maroc par le Sahara occidental: Remarques biogeographiques. C.R. Soc. Biogéographie, Paris **26** 222–224 1949 pp. 6–10.

54.—Berland, L. Ordre des Opilions (Opiliones Sundevall, 1833; Phalangidae Auct.). GRASSÉ. Traité de Zoologie Paris **6** 1949 pp. 761–793 figs. 553–597.

55.—Berland, L. Croisière du Bougainville aus ils australes françaises (2e Fascicule). XVI. Araignées. Mém. Mus. nat. Hist. nat. Paris N.S. **20** 1 1947 pp. 53–64 figs. 1–18. [See Z.R. 1948 no. 62.]

56.—Berland, L. Les araignées du genre *Nemoscolus*. Nature, Paris No. 3167 1949 p. 90 fig. 1.

57.—Bertram, D. S. Studies on the transmission of cotton rat filariasis. 1.—The variability of the intensities of infection in the individuals of the vector, *Liponyssus bacoti*, its causation and its bearing on the problem of quantitative transmission. Ann. Trop. Med. Parasit. L'pool **43** 3–4 1949 pp. 313–332 figs. 1–4 tables 1–3. [ACARI.]

58.—Bertram, D. S. Infection of the immature stages of the mite *Liponyssus bacoti* with *Litomosoides carinii*, the filarial parasite of the cotton rat. Trans. Soc. trop. Med. Hyg. Lond. **43** 1 1949 pp. 3–4. [Demonstration.] [ACARI.]

59.—Besseling, A. J. Watermijten uit Suriname. Tijdschr. Ent., Amsterdam **91** (1948) 1949 pp. 159–179 figs. 1–36. [German Zusammenfassung.] [ACARI.]

Bhattacharya *vide* Ray, H. N. **502.**

60.—Bianchi, C., **Caporiacco,** L. di, **Massera,** M. G. & **Valle,** A. Raccolte faunistiche della Grotta della Spipola (Bologna). Comment. pont. Acad. Scient. **13** 7 1949 pp. 493–527 figs. 1–9. [ACARI.]

61.—Biocca, E. Osservazioni sul comportamento dei "ragni granchio" all' avvelenamento curarico. Rend. Acc. Lincei (8) **7** 1–4 1949 pp. 128–136 text-figs. 1–2 table.

62.—Biraben, M. Sobre ecologia de la araña social *Eriophora bistriata* y el gregarsimo entre las arañas. C.R. XIII Congr. int. Zool. Paris 21 au 27 Juillet 1948, 1949 p. 458.

63.—Birabén, M. Necrologia — Cândido F. de Mello-Leitão, 1886–1948. Rev. Soc. ent. Argent. **14** 4 1949 pp. 238–240.

64.—Bishop, P. R. Cobwebs or flying-saucers ? Weather, London **4** 4 1949 pp. 121–122.

65.—Bishop, S. C. Spiders of the Nueltin Lake Expedition, Keewatin, 1947.—Canad. Ent. **81** 4 1949 pp. 101–104 figs. 1–13.

66.—Bishop, S. C. The function of the spur on the femur of the palpus of the male, *Leiobunum calcar* (Wood) (Arachnida : Phalangida). Ent. News, Lancaster, Pa. **60** 1949 pp. 10–11 text-fig. 1.

67.—Bishop, S. C. The Phalangida (Opiliones) of New York, with special reference to the species of The Edmund Niles Huyck Preserve, Rensselaerville, N.Y. Proc. Rochester Acad. Sci. **9** 3 1949 pp. 159–235 pls. 1–8 text-figs. 1–2.

68.—Blanc, G., **Martin,** L. A. & **Maurice,** A. Présence du virus de la " Q fever " dans le Maroc méridional. Bull. Acad. Méd. Paris **131** 7–8 1947 pp. 138–143 figs. 1–2. [ACARI.]

69.—Bochmann, G. v. Die Spinnenfauna der Strandhaferdünen an den deutschen Küsten. Kiel. Meeresforsch. **4** 1 1941 pp. 38–69.

Bonnet, A. *vide* Tuzet, O. **627, 628.**

70.—Bonnet, P. Un point compliqué de nomenclature dans le nom spécifique d'une Araignée : *cinerea, cicurea* ou *cicur* ? Bull. Soc. Hist. nat. Toulouse **84** 1–2 1949 pp. 65–72 pl. 1.

Bose, P. N. *vide* Krishnan, K. V. **337, 338, 339.**

Botnariuc, N. *vide* Motas, C. **437.**

71.—Bouvier, G. Répartition des ecto-parasites des Bovidés dans le canton de Vaud. Mitt. schweiz. ent. Ges. **20** 7 1947 pp. 686–688. [ACARI.]

72.—Boyd, E. M. A new genus and species of mite from the nasal cavity of the ring-billed gull (Acarina, Epidermoptidae). J. Parasit. Lancaster, Pa. **35** 3 1949 pp. 295–300 figs. 1–14. [ACARI.]

Bradford, B. *vide* Whitnall, A. B. M. **675.**

Branch, N. *vide* Thurman, D. C. **616.**

Breakey, E. P. *vide* Johansen, C. **308.**

73.—[Bregetova, N. G.] Брегетова, Н. Г. О паразитических клещах родов *Myonyssus* (Gamasoidea, Liponyssidae). [On the parasitic mites of the genus *Myonyssus* (Gamasoidea, Liponyssidae).] C.R. Acad. Sci. Moscow N.S. **67** 4 1949 pp. 751–753 fig. 1. [In Russian.] [ACARI.]

74.—Brehm, V. Nochmals die Biocoenosen der Lunzer Gewässer. Nach Mitteilungen verschiedener Besucher die Biologischen Station Lunz zusammengestellt und mit einem allgemeinen Vorwort versehen. Int. Rev. Hydrobiol. **42** 4–6 1942 pp. 289–316. [ACARI.]

75.—Brennan, J. M. Tracheation in chiggers with special reference to *Acomatacarus arizonensis* Ewing (Acarina, Trombiculidae). J. Parasit. Lancaster, Pa. **35** 5 1949 pp. 467–471 text-figs. 1–2. [ACARI.]

76.—Bresse, G. Sciences Naturelles. Classe de cinquième. Zoologie, Paris [1947] pp. 1–174 figs. 1–211.

77.—Brinck, P. & **Wingstrand,** K. G. The mountain fauna of the Virihaure area in Swedish Lapland. Acta Univ. lund. N.F. **45** 2 1949 pp. 1–70 figs. 1–25.

78.—Bristowe, W. S. The distribution of Harvestmen (Phalangida) in Great Britain and Ireland, with notes on their names, enemies and food. J. Animal Ecology **18** 1 1949 pp. 100–114 figs. 1–6 maps 21.

79.—Britten, H. Insects and Acari in 1947. Additions to the Lancashire and Cheshire lists. Rep. Lancs. Chesh. Fauna Comm. 28th 1949 pp. 22–30. [ACARI.]

80.—Brölemann, H. W. [Œuvre posthume.] Catalogue des Myriapodes Chilopodes de la collection de l'Institut Scientifique Chérifien. Bull. Soc. Sci. nat. Maroc **25–27** 1949 pp. 172–182.

81.—[**Bronshtein,** Z. S.] Бронштйн, З. С. [Check list of the Fauna and Flora of the Northern Seas of the U.S.S.R.] 1948 pp. 344–351 figs. [In Russian.]

82.—**Brown,** J. R. C. The anatomy of the gnathosoma of *Trombicula* (*Eutrombicula*) *alfreddugesi* (Oudemans, 1910). Master's thesis Duke Univ. 1949 52 pp. 8 pls. [Not seen.] [ACARI.]

83.—**Bryant,** E. B. The male of *Prodidomus rufus* Hentz (Prodidomidae, Araneae). Psyche, Cambridge, Mass. **56** 1 1949 pp. 22–25 text-fig. 1.

84.—**Bryant,** E. B. A new genus and species of Theridiidae from Eastern Texas (Araneae). Psyche, Lancaster, Pa. **56** 2 1949 pp. 66–69 text-figs. A–B.

85.—**Bücherl,** W. Chilopoda das ilhas da Queimada Grande e Pequena. Mem. Inst. Butantan, S. Paulo **21** 1949 pp. 1–8 figs. 1–4.

86.—**Bücherl,** W. Estudos sobre escutigeromorfos Brasileiros. Mem. Inst. Butantan, S. Paulo **21** 1949 pp. 9–54 figs. 1–7 + 1–13.

87.—**Bücherl,** W. Em tórno das três espécies insulares e praianas do gênero *Pamphobeteus* Pocock, 1901 (Mygalomorphae). Mem. Inst. Butantan, S. Paulo **21** 1949 pp. 117–135 col. pls. 1–3 tables 1–3.

88.—**Bücherl,** W. Estudos sôbre o gênero *Magulla* Simon, 1892 (Theraphosidae, Ischnocolinae). Mem. Inst. Butantan, S. Paulo **21** 1949 pp. 261–273 col. pls. 1–2 figs. 1–3.

89.—**Burnside,** C. E., **Sturtevant,** A. P. & **Holst,** E. C. Diagnosing bee diseases in the apiary. U.S. Dept. Agric. Washington, D.C. Circ. 392 revised 1949 pp. 1–31 text-figs. 1–8. [ACARI.]

90.—**Burton,** M. The strange appearance of the diadem spider. Illustrated London News **215** 5761 1949 p. 416 3 figs.

91.—**Burton,** M. The story of animal life. Elsevier Publishing Co., London 1949 **1** pp. 241–246, 351–364 illustr.

92.—**C.,** J. Water mites (*Diplodontus despiciens*). Water Life, London **4** 2 1949 p. 62 fig. [ACARI.]

93.—**Cagle,** L. R. Life history of the two-spotted spider mite. Virginia Agric. Exper. Sta. Blacksburg Tech. Bull. 113 1949 pp. 1–31 text-figs. 1–12 tables 1–11. [ACARI.]

Cailar, J. du *vide* Tuzet, O. **627, 628.**

Calvin, J. *vide* Ricketts, E. F. **516.**

94.—**Calvo Saiz,** B. Contribución al estudio de la piroplasmosis y theileriosis en el sur de España. Rev. Ibérica Parasit. Granada Tom. Extraord. 1945 pp. 251–259 figs. 1–10. [ACARI.]

95.—**Camin,** J. H. An attempt to clarify the status of the species in the genus *Ophionyssus* Mégnin (Acarina: Macronyssidae). J. Parasit. Lancaster, Pa. **35** 6 (1) 1949 pp. 583–589 text-fig. 1 table 1. [ACARI.]

96.—**Camin,** J. H. The behavior of the adult female snake mite, *Ophionyssus natricis*, in response to directed light and the effects of body weight on these reactions. 24 Ann. Meeting Amer. Soc. Parasitologists 1949. J. Parasit. Lancaster, Pa. **35** 6 (2) 1949 p. 26. [Abstract.] [ACARI.]

97.—**Caporiacco,** L. di. Aracnidi della Colonia del Kenya raccolti da Toschi e Meneghetti negli anni 1944–1946. Comm. Pont. Acad. Scient. **13** 6 1949 pp. 309–492 figs. 1–98.

98.—**Caporiacco,** L. di. Un manipolo di Araneidi dalla Cirenaica. Atti Mus. Stor. nat. Trieste **17** 1949 pp. 113–119 figs. 1–4.

99.—**Caporiacco,** L. di. Un nuovo opilione e qualche altro Aracnide delle Alpi Orobie. Atti Mus. Stor. nat. Trieste **17** 1949 pp. 120–121.

100.—**Caporiacco,** L. di. Alcuni Aracnidi Albanesi. Atti Mus. Stor. nat. Trieste **17** 1949 pp. 122–125 fig. 1.

101.—**Caporiacco,** L. di. Tre Aracnidi nuovi delle Madonie. Atti Mus. Stor. nat. Trieste **17** 1949 pp. 126–131 figs. 1–2.

102.—**Caporiacco,** L. di. Una piccola raccolta aracnologica dei monti di Calabria. Atti Mus. Stor. nat. Trieste **17** 1949 pp. 132–136 fig. 1.

103.—**Caporiacco,** L. di. Aracnidi della Venezia Giulia. Atti Mus. Stor. nat. Trieste **17** 1949 pp. 137–151 fig. 1.

104.—**Caporiacco,** L. di. Seconda nota su Aracnidi cavernicoli Veronesi. Mem. Mus. Stor. nat. Verona **1** 1947–48 [1949] pp. 133–140.

105.—**Caporiacco,** L. di. *Troglohyphantes zorzii* nuova specie cavernicola Veronese e notizie su altri ragni cavernicoli Veronesi. Mem. Mus. Stor. nat. Verona **1** 1947–48 [1949] pp. 237–239 text-figs. 1–5.

106.—**Caporiacco,** L. di. L'Aracnofauna di Rodi. Redia, Firenze **33** 1948 pp. 27–75 figs. 1–11.

107.—**Caporiacco,** L. di. L'Aracnofauna della Romagna in base alle raccolte Zangheri. Redia, Firenze **34** 1949 pp. 237–288 figs. 1–4.

Caporiacco, L. di *vide* Bianchi, C. **60.**

108.—**Carl,** J. Diplopodenstudien V. Zool. Anz. **133** 1941 pp. 285–295, figs. 1–2.

Carpenter, G. H. *vide* Praeger, R. L. **480.**

109.—**Castellani,** A. Little known tropical diseases. An. Inst. Med. trop. Lisboa **6** 1949 pp. 369–533 illust. [ACARI. : pp. 493–495.]

110.—**Chamberlin,** J. C. Insects of agricultural and household importance in Alaska with suggestions for their control. Alaska Agric. Exper. Station Circular 9 1949 pp. 1–59 figs. 1–21. [ACARI.]

111.—**Chamberlin,** J. C. New and little-known false scorpions from various parts of the world (Arachnida, Chelonetida), with notes on structural abnormalities in two species. Amer. Mus. Nov. No. 1430 1949 pp. 1–57 text-figs. 1–14 table 1.

112.—**Chamberlin,** R. V. On some American spiders of the family Erigonidae. Ann. Ent. Soc. Amer. Columbus **41** 4 1948 [1949] pp. 483–562 text-figs. 1–151.

113.—**Chamberlin,** R. V. A third species in the Chelodesmid genus *Semionellus* (Diplopoda). Ent. News Lancaster, Pa. **59** 10 1948 [1949] pp. 258–259 text-figs. 1–2.

114.—**Chamberlin,** R. V. On some centipeds from Northern Alaska. Ent. News Lancaster, Pa. **60** 1 1949 pp. 12–15.

115.—**Chamberlin,** R. V. Some millipeds of the families Polydesmidae and Xystodesmidae. J. Wash. Acad. Sci. **39** 3 1949 pp. 94–102 text-figs. 1–27.

116.—**Chamberlin,** R. V. On some western millipeds of the order Spirobolida. J. Wash. Acad. Sci. **39** 5 1949 pp. 163–169 text-figs. 1–19.

117.—**Chamberlin,** R. V. American millipeds of the family Paeromopidae. Nat. Hist. Misc. Chicago No. 52 1949 pp. 1–6 text-figs. 1–2.

118.—**Chamberlin,** R. V. A new genus and four new species in the Diplopod family Xystodesmidae. Proc. biol. Soc. Washington **62** 1949 pp. 3–6 pl. 1.

119.—**Chamberlin,** R. V. A new family in the Diplopod order Chordeumida. Proc. biol. Soc. Washington **62** 1949 pp. 7–8 text-figs. 1–2.

120.—**Chamberlin,** R. V. A new fossil Chilopod from the late Cenozoic. Trans. San Diego Soc. nat. Hist. **11** 7 1949 pp. 117–120 pl. 7.

121.—**Chandler,** A. C. Introduction to parasitology with special reference to the parasites of man. New York 1949 8th Ed. pp. xii + 756 figs. 1–273.

122.—**Chapman,** P. J. & **Pearce,** G. W. Susceptibility of the winter eggs of the European red mite to petroleum oils. and dinitro compounds. J. Econ. Ent. Menasha, Wis. **42** 1 1949 pp. 44–47 fig. 1 tables 1–3. [ACARI.]

123.—**Chaudonneret,** J. Sur la faune française des Hydracariens. I. Bull. Soc. Bourgogne Suppl. No. 2 1947 pp. 1–5. [ACARI.]

124.—**Chickering,** A. M. The Gnaphosidae (Araneae) of Panama. Trans. Amer. micr. Soc. Menasha **68** 4 1949 pp. 314–331 text-figs. 1–19.

125.—**Chopard,** L. La mimétisme—les colorations animales—dissimulation des formes et déguisements—ressemblances mimetiques. Paris 1949 [Payot] pp. 1–335 text-figs. 1–152.

126.—**Chrysanthus,** P. De gerande oeverspin (*Dolomedes*). Levende Nat. Amsterdam **52** 7 1949 pp. 133–138 text-figs. 1–3.

127.—Ciampolini, M. La comparsa in Italia del *Paratetranychus ununguis* Jacobi (Acarina: Tetranychidae). Redia, Firenze **34** 1949 pp. 339–346 figs. 1–3. [ACARI.]

Clark, J. C. *vide* Smith, C. N. **570.**

128.—Cloudsley-Thompson, J. L. On spiders from North-east Greenland, 1948. Ann. Mag. nat. Hist. (12) **2** 17 1949 pp. 398–400.

129.—Cloudsley-Thompson, J. L. The significance of migration in Myriapods. Ann. Mag. nat. Hist. (12) **2** 1949 pp. 947–962.

130.—Cloudsley-Thompson, J. L. Notes on Arachnida, 7–9.—Arachnids and Myriapods from Holme Fen, Hunts. Ent. mon. Mag. London **85** 1017 1949 pp. 46–47.

131.—Cloudsley-Thompson, J. L. Notes on Arachnida, 10. County records, etc.; 11. Schizomida in England; 12. Mating habits of *Hasarius adansoni* Sav. Ent. mon. Mag. London **85** 1025 1949 pp. 261–262.

132.—Cloudsley-Thompson, J. L. Notes on Arachnida. 13.—Mating habits of *Dysdera crocota* C. L. Koch. Ent. mon. Mag. London **85** 1025 1949 p. 262.

133.—Cloudsley-Thompson, J. L. A note on the Myriapods and Arachnids of Northern Italy. Ent. mon. Mag. London **85** 1026 1949 p. 285.

134.—Cloudsley-Thompson, J. L. The enemies of Myriapods. Naturalist, London No. 831 1949 pp. 137–141. [ACARI.]

135.—Cloudsley-Thompson, J. L. Solifugae. Zoo Life **4** 3 1949 pp. 84–85 2 figs.

136.—Coghill, N. F. Clinical manifestations of tick-borne relapsing fever with special reference to the disease in Cyprus. J.R. Army med. Corps, London **92** 7 1949 pp. 2–33 tables, charts. [ACARI.]

137.—Cole, La M. C. The measurement of interspecific association. Ecology, Lancaster, Pa. **30** 4 1949 pp. 411–424 figs. 1–2 tables. [ACARI.]

138.—Cole, M. M. & **Smith,** C. N. Tick repellent investigations at Bull's Island, S.C., 1948. J. Econ. Ent. Menasha, Wis. **42** 6 1949 pp. 880–883 tables 1–2. [ACARI.]

Cole, M. M. *vide* Smith, C. N. **570.**

139.—Collins, D. L., **Nardy,** R. V. & **Glasgow,** R. D. Some host relationships of Long Island ticks. J. Econ. Ent. Menasha, Wis. **42** 1 1949 pp. 110–112. [ACARI.]

140.—Collins, D. L., **Nardy,** R. V. & **Glasgow,** R. D. Further notes on the host relationship of ticks on Long Island. J. Econ. Ent. Menasha, Wis. **42** 1 1949 pp. 159–160 tables 1–2. [ACARI.]

141.—Condé, B. Un Polyxénidé inédit du Natal (Diplopodes Penicillates). Bull. Soc. ent. Fr. **54** 8 1949 pp. 124–128 figs. A–I.

142.—Cooper, J. Omer- & **Cooper,** J. Omer-. Ticks on a yellow-billed albatross. Ent. mon. Mag. London **85** 1021 1949 pp. 158–159. [ACARI.]

143.—Cooreman, J. Notes sur la faune des Hautes-Fagnes en Belgique. XVIII. Opiliones. Bull. Ann. Soc. ent. Belg. **85** 3–4 1949 pp. 71–73.

144.—Cooreman, J. *Suidasia nesbitti* Hughes, 1948. Bull. Ann. Soc. ent. Belg. **85** 3–4 1949 p. 102. [ACARI.]

145.—Cooreman, J. *Bryobia practiosa* C. L. Koch. Bull. Ann. Soc. ent. Belg. **85** 3–4 1949 pp. 102–103. [ACARI.]

146.—Cooreman, J. Note sur *Johnstoniana errans* (Johnston) (Acarien, Trombidiidae). Bull. Inst. R. Sci. nat. Belg. **25** 2 1949 pp. 1–16 pls. 1–2 fig. [ACARI.]

147.—Cooreman, J. Deux Trombidiides des polders argileux en Belgique. Bull. Inst. R. Sci. nat. Belg. **25** 27 1949 pp. 1–6 figs. 1–2. [ACARI.]

Courtines, H. *vide* Fauré-Fremiet, E. **209.**

148.—Crabill, R. E. Jr. Presence of a European centipede in New York State. Ent. News, Philad. **60** 4 1949 p. 101.

149.—Crabill, R. E. A new centipede from the Eastern United States (Chilopoda: Geophilidae). Ent. News Lancaster **60** 8 1949 pp. 210–213.

150.—Craighead, F. C. Insect enemies of eastern forests. Misc. Pub. U.S. Dept. Agric. Washington 1949 No. 657 pp. 1–679 figs. 1–197. [ACARI.]

151.—Crane, J. Comparative biology of Salticid spiders at Rancho Grande, Venezuela. Part III. Systematics and behaviour in representative new species. Zoologica, New York **34** 1949 pp. 31–52 text-figs. 1–8.

152.—Crane, J. Comparative biology of Salticid spiders at Rancho Grande, Venezuela. Part IV. An analysis of display. Zoologica, New York **34** 4 1949 pp. 159–214 pl. 1 figs. 1–9 tables 1–7.

Crewe, W. *vide* Kershaw, W. E. 323.

153.—Crogan, W. E. Trombidiosis of sheep in New South Wales. Aust. vet. J. **25** 5 1949 pp. 103–104. [ACARI.]

154.—Cross, H. F. & **Snyder,** F. M. Chigger control. Washing and aging tests of a selected group of compounds effective as clothing treatments against chiggers. Soap & sanit. Chem. New York **25** 2 1949 pp. 135–143. [ACARI.]

155.—Cuénot, L. Les Onychophores. GRASSÉ. Traité de Zoologie Paris **6** 1949 pp. 1–37 figs. 1–37.

156.—Cuénot, L. Les Tardigrades. GRASSÉ. Traité de Zoologie Paris **6** 1949 pp. 39–50 figs. 38–59.

157.—Cuénot, L. Les Pentastomides. GRASSÉ. Traité de Zoologie Paris **6** 1949 pp. 61–75 figs. 60–77.

158.—Cumber, R. A. Humble-bee parasites and commensals found within a thirty mile radius of London. Proc. R. ent. Soc. London (A) **24** 1949 pp. 119–127. [ACARI.]

159.—Cunliffe, F. *Hirstiella pelaezi*, a new lizard parasite from Mexico. Proc. ent. Soc. Washington **51** 1 1949 pp. 25–26 figs. 1–4. [ACARI.]

160.—Cunliffe, F. *Pimeliaphilus isometri*, a new scorpion parasite from Manila, P.I. Proc. ent. Soc. Washington **51** 3 1949 pp. 123–124 figs. 1–4. [ACARI.]

161.—Cutright, C. R. The use of acaricides in concentrate form. J. Econ. Ent. Menasha, Wis. **42** 2 1949 pp. 363–365 tables 1–3. [ACARI.]

162.—Dade, H. A. & **Waller,** S. New technique for mounting Fungi. Mycological papers, Kew, Surrey no. 27 1949 pp. 1–5 fig. 1.

163.—Dawydoff, C. II. Développement embryonnaires des Arachnides; GRASSÉ. Traité de Zoologie Paris **6** 1949 pp. 320–385 figs. 97–157.

164.—Deevey, G. B. The developmental history of *Latrodectus mactans* (Fabr.) at different rates of feeding. Amer. Midl. Nat. Notre Dame **42** 1 1949 pp. 189–219 figs. 1–7 tables 1–11.

165.—Delpy, L.-P. Essai critique de synonymié du genre *Hyalomma* C. L. Koch 1848 depuis Linné, 1758. Ann. Parasitol. Paris **24** 5–6 1949 pp. 464–494 pls. 16–22.

166.—Demange, J.-M. Résultats de chasses effectuées dans les Pyrenées-Orientales (Thuir, Corbère, Lluppia, Massone).—Chilopodes. Feuille Nat. Paris N.S. **4** 2–4 1949 pp. 13–14.

167.—Denis, J. L'étude des araignées. Bull. Soc. ent. Nord France suppl. to No. 39 1948 pp. 1–24.

168.—Denis, J. Araignées du Hoggar récoltées par M. de Peyerimhoff. Bull. Soc. Hist. nat. Alger. **39** 1948 pp. 146–149 fig. 1.

169.—Denis, J. Notes sur les Erigonides. XVI. Essai sur la détermination des femelles d'Erigonides. Bull. Soc. Hist. nat. Toulouse **83** 3–4 1949 pp. 129–158 text-figs. 1–5 tables 1–2.

170.—Denis, J. Simple observation à propos du developpement des deformations cephaliques chez certains males d'Araignées. Bull. Soc. linn. Lyon **18** 2 1949 pp. 31–32 text-figs. 1–2.

171.—Denis, J. Un nouveau cas d'anomalie sexuelle chez une araignée. Bull. Soc. linn. Lyon **18** 6 1949 pp. 126–127 text-figs. 1–2.

172.—Denis, J. Une araignée monstrueuse. Bull. Soc. Sci. Bretagne **23** 1–4 1949 pp. 111–112 figs. 1–3.

173.—Denis, J. Sur quelques araignées de Provence. Bull. Soc. zool. Fr. **74** 1 1949 pp. 16–18 text-figs. 1–4.

174.—Denis, J. Remarques biogéographiques sur les araignées des oasis de Libye. C.R. XIII Congr. int. Zool. Paris 21 au 27 Juillet 1948, 1949 pp. 556–559.

Derbez M., J. *vide* Pozo, E. C. del 478.

175.—Dewey, J. O. Scorpion stings. Lancet, London **256** 6557 1949 p. 757.

176.—Dias, J. A. Travassos Santos. Mais um Ixodideo do grupo *Aponomma* para a fauna de Moçambique.—*Ap. transversale* (Lucas, 1844) a carraça do piton. An. Inst. Med. trop. Lisboa **6** 1949 pp. 127–138 figs. 1–5. [ACARI.]

177.—Dias, J. A. Travassos Santos. Contribuição para o estudo da teratologia dos Ixodideos.—Dois monstros obtidos espontâneamente numa criação de *Amblyomma nuttalli* Dönitz, 1909. An. Inst. Med. trop. Lisboa **6** 1949 pp. 229–237 figs. 1–3. [ACARI.]

178.—Dias, J. A. Travassos Santos. Anomalias nos Ixodideos subsidios para o seu estudo. Moçambique, Lourenço Marques No. 51 1947 pp. 5–30 figs. 1–14. [ACARI.] [See Z.R. 1948 no. 581.]

179.—Dias, J. A. Travassos Santos. Contribuição para o conhecimento da fauna Ixodologica de Moçambique. Moçambique, Lourenço Marques No. 53 1948 pp. 81–110 figs. 1–8. [ACARI.]

180.—Dias, J. A. Travassos Santos. Estudo sobre a biologia do "*Amblyomma tholloni*" Neumann, 1899. Moçambique, Laurenço Marques No. 54 1948 pp. 127–139 pl. [ACARI.]

181.—Dias, J. A. Travassos Santos. Un caso de deformidade num "*Amblyomma tholloni*" Neumann, 1899. Moçambique, Lourenço Marques No. 55 1948 [1949] pp. 41–44 2 figs. [ACARI.]

182.—Dias, J. A. Travassos Santos. Estudo sobre o "*Amblyomma tholloni*" Neumann, 1899—Morfologia do ovo, da larva e da ninfa. Moçambique, Lourenço Marques No. 55 1948 [1949] pp. 45–51 4 figs. [ACARI.]

183.—Dias, J. A. Travassos Santos. Três casos de malformação observados na espécie *Amblyomma variegatum* (Fabricius, 1794). Moçambique, Lourenço Marques No. 56 1949 pp. 47–55 text-figs. 1–4. [ACARI.]

184.—Dinnik, J. & **Zumpt,** F. The integumentary sense organs of the larvae of Rhipicephalinae (Acarina). Psyche, Cambridge, Mass. **56** 1 1949 pp. 1–17 pls. 1–3 text-figs. 1–2. [ACARI.]

185.—[Djaparidze, N. I.] Джапаридзе, Н. И. Описание личинок и [illegible] Can. et Franz. и *Boophilus calcaratus* Bir. [Description of larvae and nymphs of ticks, *Rhipicephalus bursa* and *Boophilus calcaratus* Bir. Trav. Acad. Sci. Gruzia U.S.S.R. **6** 1946 pp. 377–380. [Not seen.] [ACARI.]

186.—Docters van Leeuwen, W. M. Nieuwe Gallen van Nederland. Ent. Ber. Amsterdam **12** 287 1949 pp. 333–340. [ACARI.]

187.—Doetschman, W. H. & **Furman,** D. P. A tropical chigger, *Eutrombicula batatas* (Linn.) attacking man in California. Amer. J. trop. Med. Baltimore **29** 4 1949 pp. 605–608. [ACARI.]

188.—Downing, W. Control of ectoparasites of domestic animals. Vet. Rec. London **61** 19 1949 pp. 239–243. [ACARI.]

189.—Dresco, E. Un Opilion nouveau. Bull. Soc. ent. Fr. **54** 3 1949 pp. 40–42 text-figs. 1–6.

190.—[Dubinin, V. B.] Дубинин, В. Б. [New feather mites parasitic in the down of the flight feathers.] C.R. Acad. Sci. Moscow N.S. **66** 4 1949 pp. 777–781 figs. 1–3. [In Russian.] [ACARI.]

191.—[Dubinin, V. B.] Дубинин, В. Б. Особенноси строения и биологии перьевых клещей, обитающих в очинах перьев крачек. [Peculiarities of the structure and biology of feather mites inhabiting the basal part of the shafts of the feathers of terns.] Zool. J., Moscow **28** 5 1949 pp. 421–430 figs. 1–5. [In Russian.] [ACARI.]

192.—Duncan, W. Webs in the wind—The habits of web-weaving spiders. Ronald Press, New York 1949 pp. xv + 387 74 pls. 101 text-figs.

193.—Dunn, R. A. New Pedipalpi from Australia and the Solomon Islands. Mem. nat. Mus. Victoria No. 16 1949 pp. 7–15 figs. 1–6.

194.—Eads, R. B. Notes on *Ixodes scapularis* Say with an additional lizard host. Ent. News, Lancaster, Pa. **60** 9 1949 pp. 238–240. [ACARI.]

195.—Efrati, P. Poisoning by scorpion sting in Israel. Amer. J. trop. Med. Baltimore **29** 2 1949 pp. 249–257 tables 1–3.

196.—**Eichler-Aschersleben,** W. In Memoriam. Heinrich Fahrenholz—dem verdienten deutschen Läusespezialisten zur Erinnerung. Anz. Schädlingskunde **21** 5 1948 pp. 78–79.

197.—**Eidmann,** H. Zur Kenntnis der *Crematogaster impressa* Em. (Hym. Formicidae) und ihrer Gäste. 12. Beitrag zu den wissenschaftlichen Ergebnissen der Forschungsreise H. Eidmann nach Spanish-Guinea 1939–40. Zool. Anz. Leipzig **136** 1942 pp. 207–220 figs. 1–5. [ACARI.]

198.—[**Emtchuk,** E. M.] **Емчук, Е. М.** [Contribution to the fauna and ecology of Ixodidae in Kiev district.] Trud. Inst. Zool. Akad. Nauk Ukr. RSR. **2** 1949 pp. 86–93. [In Ukrainian.] [ACARI.]

199.—**Enami,** M. Water mites from Izu. 1. Rheophilous water-mites from River Inôzawa. Sci. Rep. Tôhoku Univ. (4) Biol. **15** 2 1940 pp. 203–259 figs. 1–46. [ACARI.]

200.—**Enigk,** K. Zur Kenntnis der Demodexräude des Hundes. Zbl. Bakt. Jena. I. Orig. **153** 3–5 1949 pp. 76–90. [ACARI.]

201.—**Ewing,** H. E. The origin and classification of the trombiculid mites, or Trombiculidae. J. Wash. Acad. Sci. **39** 7 1949 pp. 229–237 figs. 1–6. [ACARI.]

202.—**Eyndhoven,** G. L. van. Anomalieën bij Acari. Verslag Wetenschappelijke Meded. 80 Wintervergadering Nederl. Ent. Ver. 1949 pp. xxv–xxvi. [ACARI.]

203.—**Fage,** L. Pycnogonides du Congo Belge. Arch. Zool. exp. gèn. Paris Notes & Revue **86** 1 1949 pp. 20–31 text-figs. 1–6.

204.—**Fage,** L. A propos de quelques Araignées cavernicoles de Crète. Bull. Mus. Hist. nat. Paris (2) **17** 2 1945 pp. 109–114 text-figs. 1–3. [See Z.R. 1946 No. 180.]

205.—**Fage,** L. Classe des Mérostomacés [Merostomata, Woodward (1866)]. GRASSÉ. Traité de Zoologie Paris **6** 1949 pp. 219–262 figs. 1–46.

206.—**Fage,** L. Classe des Pycnogonides Latreille 1810. (Podosomata Leach, 1815, Pantopoda Gerstaecker, 1863). GRASSÉ. Traité de Zoologie Paris **6** 1949 pp. 906–941 figs. 687–719.

Fahrenholz, H. *vide* Eichler-Aschersleben, W. **196.**

207.—**Fain,** A. Contribution à l'étude des Arthopodes piqueurs dans le territoire de Banningville (Régions du Bas-Kwango et Bas-Kwilu). Rev. Zool. Bot. afr. Tervuren **42** 2 1949 pp. 175–178. [ACARI.]

208.—**Farrell,** C. E. & **Wharton,** G. W. A culture medium for chiggers (Trombiculidae). J. Parasit. Lancaster, Pa. **35** 4 1949 p. 435. [ACARI.]

209.—**Fauré-Fremiet,** E., **Courtines,** H. & **Mugard,** H. Previtellogénèse et Vitellogénèse chez *Glomeris marginata*. C.R. XIII Congr. int. Zool. Paris 21 au 27 Juillet 1948, 1949 pp. 208–209.

210.—[**Fedushin,** A. V.] **Федюшин, А. В.** Экология и география клема *Dermacentor marginatus* Sulz. в вопросах борьбы е пироплазмозом ломадеп в Тарском округе. [Ecology and geography of the tick *Dermacentor marginatus* Sulz. in the question of the struggle with piroplasmosis of horses in the Tarsk district.] Omsk Sci. Inst. Vet. Inst. Omgiz 1946 136 pp. [Not seen.] [ACARI.]

211.—[**Fedyushin,** A. V.] **Федюшин, А. В.** [The rôle of the field-under-grass system of agriculture in the control of pasture ticks and tick-borne diseases of man and farm animals.] Zool. J., Moscow **28** 6 1949 pp. 485–494. [In Russian.] [ACARI.]

212.—**Feider,** Z. Un acarian parazit pe acridienii din Republica Populară Română. An. Acad. Rep. Pop. Rom. **2** 6 1949 pp. — —. [Not seen.] [ACARI.]

213.—**Feider,** Z. Un acarian parazit pe musca de casă. An. Acad. Rep. Pop. Rom. **2** 26 1949 pp. — —. [Not seen.] [ACARI.]

214.—**Feider,** Z. Catalogue des Acariens terrestres de la Roumanie. Ann. Sci. Un. Jassy **31** 1948 p. 203. [Not seen.] [ACARI.]

215.—**Feldman-Muhsam,** B. Hibernation of *Hyalomma savignyi* (Ixodidae) in Palestine. Bull. ent. Res. London **40** 2 1949 pp. 305–306. [ACARI.]

216.—**Ferguson,** F. F. & **Jones,** E. R., Jr. A survey of the shore-line fauna of the Norfolk Peninsula. Amer. Midl. Nat. Notre Dame **41** 2 1949 pp. 436–446.

217.—**Fernández,** J. R. L. & **Llosa,** L. A. T. de la. Ciclo evolutivo de nuestro "bicho colorado" *Eutrombicula talicei* n. sp. (*Trombicula irritans* Riley var. *uruguayensis* André 1930 emend.). An. Inst. Hig. Montevideo **2** 1 1948 pp. 92–106 figs. 1–11. [English summary.] [ACARI.]

218.—**Flaver,** R. H. A new Deepkill Eurypterid. Amer. Midl. Nat. Notre Dame **34** 3 1945 pp. 717–719 fig. 1.

219.—**Floch,** H. & **Abonnenc,** E. Trombididés de la Guyane française (IV). Sur un *Trombicula* nouveau (*T. psittaci*) parasite d'un perroquet. Pub. Inst. Pasteur Guyane, Cayenne No. 191 1949 pp. 1–7 figs. 1–4. [ACARI.]

220.—**Folkmanova,** B. Novi Lithobiové (Chilopoda) z Balkánských jeskyň (Pátá předběžná zpráva). Příroda, Brno **38** 3–4 1946 pp. 1–14 figs. 1–7. [In Czech.]

221.—**Folkmanová,** B. Příspěvek k poznání stonožek severního Slezska. [Contribution to the knowledge of centipedes of Northern Silesia.] Přír. Sborn. Ostrav. Kraje **10** 3 1949 pp. 234–246.

222.—**Folkmanová,** B. Příspěvek k poznání stonožek severního Slezska. (Dokončení.) [Contribution to the knowledge of centipedes of Northern Silesia (Continuation).] Přír. Sborn. Ostrav. Kraje **10** 4 1949 pp. 342–361. [French résumé.] [Not seen.]

223.—**Folkmanová,** B. Sur les subspecies de *Lithobius mutabilis* Koch dans nos pays. Vest. Ceskosl. zool. Spolnec. Praze **13** 1949 pp. 56–68. [In Czech with French résumé.]

224.—**Forster,** R. R. Australian Opiliones. Mem. nat. Mus. Victoria No. 16 1949 pp. 59–89 figs. 1–44.

225.—**Forster,** R. R. Opiliones from the Solomon Islands. Rec. Aust. Mus. Sydney **22** 2 1949 pp. 141–147 text-figs. 1–16.

226.—**Forster,** R. R. New Zealand spiders of the family Archaeidae. Rec. Canterbury (N.Z.) Mus. **5** 4 1949 pp. 193–203 pls. 40–42.

227.—**Forster,** R. R. The zoogeographical relationships of the New Zealand Opiliones. Trans. Roy. Soc. N.Z. **77** 5 1949 pp. 233–235. (Rept. 6th Sci. Congr. May 20–23, 1947.)

228.—**Forster,** R. R. A key to the common spiders of the Wellington district. Tuatara, Wellington, N.Z. **1** 2 1948 pp. 22–30 text-figs. 1–10.

229.—**Fountain,** H. C. Halacaridae (Arachnida : Acarina). Notes on the Plymouth marine fauna. J. Mar. biol. Ass. Plymouth **28** 3 1949 pp. 808–809. [ACARI.]

230.—**Fountain,** H. C. *Limnesia turki*, a new species of water-mite from the Lake District. J. Quekett micr. Cl. (4) **3** 1949 pp. 37–40 text-figs. 1–5. [ACARI.]

231.—**Fox,** I. Five new mites from rats in Puerto Rico. Florida Ent. **32** 1 1949 pp. 37–40 figs. 1–5. [ACARI.]

232.—**Franganillo,** P. Balboa, S. J. Arañas nuevas. Mem. Soc. cubana Hist. nat. **18** 1 1946 pp. 97–102 pls. 9–9A.

233.—**Franke,** A. *Prodinychus cicatricosus* n. sp., eine neue Milbenart aus dem Gimmlitzquellmoor bei Hermsdorf (Erzgeb.). Zool. Anz. Leipzig **136** 1941 pp. 73–75 figs. 1–2. [ACARI.]

234.—**Franke,** A. *Valgothrombium longipes*, eine neue Species der Trombidiidae (Acari). Zool. Anz. Leipzig **137** 1942 pp. 166–168 figs. 1–3. [ACARI.]

235.—**Franz,** H. Erster Nachtrag zur Landtierwelt der mittleren Hohen Tauern. Sitz Ber. öst. Akad. Wiss. Wien **158** A1, 1–2 1949 pp. 1–77.

236.—**Freeman,** R. S. Temperature, Oribatid mites and the development of *Monoecocestus* (Cestoda : Anoplocephalidae). 24 Ann. Meeting Amer. Soc. Parasitologists 1949. J. Parasit. Lancaster, Pa. **35** 6 (2) 1949 p. 26. [Abstract.] [ACARI.]

237.—**Fuller,** H. S. A new name for the genotype of *Walchia* Ewing (Acarina : Trombiculidae). Proc. biol. Soc. Washington **62** 1949 pp. 1–2. [ACARI.]

Furman, D. P. *vide* Doetschman, W. H. **187.**

Gaines, J. C. *vide* Iglinsky, W. J. **299.**

238.—[**Galuzo,** I. G.] Галузо, И. Г. Кровососущие клещи Казахстана. Ред. Е. И. Павловский. [Blood-sucking mites of Kazakhstan edited by

E. N. Pavlovski. 1. Introduction to the study of mites.] Zool. Inst. Acad. Sci. Kazakhstan USSR. Alma Ata 1946 145 pp. [Not seen.] [ACARI.]

239.—Garman, P. & **Kennedy,** B. H. Effect of soil fertilization on the rate of reproduction of the two-spotted spider mite. J. Econ. Ent. Menasha, Wis. **42** 1 1949 pp. 157–158 tables 1–2. [ACARI.]

240.—Garnet, J. R. Some spiders of Lake Mountain. Vict. Nat. Melbourne **66** 8 1949 p. 159.

241.—Gaul, A. T. Habits and control of the Black Widow spider. J. Econ. Ent. Menasha, Wis. **42** 4 1949 pp. 700–701 table 1.

242.—Geldiay, R. Etude comparée sur les faunes macroscopique et microscopique du barrage de tchoubouk et du lac d'Emir (Voisinage d'Ankara). Commun. Fac. Sci. Univ. Ankara **2** 1949 pp. 151–199 23 pls. 25 figs. tables 1–6. [ACARI.]

243.—George, J. L. & **Stickel,** W. H. Wildlife effects of DDT dust used for tick control on a Texas Prairie. Amer. Midl. Nat. Notre Dame **42** 1 1949 pp. 228–237 tables 1–4. [ACARI.]

244.—Gertsch, W. J. American Spiders. New York 1949 van Nostrand pp. i–xiii + 1–285 col. pls. 1–32 pls. 1–32.

Ghosh, M. *vide* Krishnan, K. V. **337, 338, 339.**

245.—Ghosh, S. M. & **Ghosh,** L. M. 'Scabies'—Report of 42 cases treated with 'Tetmosol.' Indian med. Gaz. **84** 8 1949 pp. 342–344 1 table. [ACARI.]

246.—Gillard A. Etude sur les tiques et la babésiellose bovine à la Réunion. Rev. Agric. Ile Réunion **49** 1949 pp. 5–11 tables. [ACARI.]

247.—Gisin, H. Symphyles de la Suisse. Arch. Sci. Genève **2** 1 1949 pp. 182–186.

248.—Gislén, T. Zoologiska höstexkursioner till sydöstra Sverige 1947 och 1948. Fauna och Flora, Uppsala Nos. 2–3 1949 pp. 105–128 figs. 1–25. [Swedish with English summary.]

249.—Gispen, R., **Smit,** A. M. & **Westermann,** C. D. Epidemische scrubtyphus in Batavia. Med. Maandbl. Indonesie **2** 8 1949 pp. 238–246 1 map. [ACARI.]

Glasgow, R. D. *vide* Collins, D. L. **139, 140.**

250.—[Glashinskaya-Babenko, L. V.] Глащинская-Бабенко, Л. В. Хетотаксия тела лиуинок клещей сем. Ixodidae и ее таксономиуеское значение. [The chaetotaxy of the body of the larva of the ticks of the family Ixodidae and its taxonomic significance. C.R. Acad. Sci. Moscou N.S. **65** 2 1949 pp. 245–248 text-figs. 1–2. [In Russian.] [ACARI.]

Glennie, E. A. *vide* Hazelton, M. **274.**

251.—Goetsch, W. & **Lawatsch,** E. Beiträge zur Biologie und Verbreitung südamerikanischer Walzenspinnen. Zool. Anz. Leipzig **144** 5–6 1944 pp. 73–90.

252.—Good, N. E. & **Kotcher,** E. Murine typhus fever in Louisville, Kentucky. Pub. Hlth. Rep. Washington, D.C 64 8 1949 pp. 229–237. [ACARI.]

253.—Goodnight, C. & **Goodnight,** M. Report on a collection of Phalangids from Rancho Grande, Venezuela. Zoologica New York **34** 1949 pp. 21–24 text-figs. 1–4.

Gordon, R. M. *vide* Kershaw, W. E. **323.**

254.—Gorirossi, F. E. The mouth parts of *Liponyssus bacoti* Hirst. 24 Ann. Meeting Amer. Soc. Parasitologists 1949. J. Parasit. Lancaster, Pa. **35** 6 (2) 1949 p. 23. [Abstract.] [ACARI.]

255.—Goux, L. Etude d'un *Schizotetranychus* nouveau de la region Lyonnaise (Acar. Tetranychidae). Bull. Soc. linn. Lyon **18** 6 1949 pp. 100–104 figs. 1–14. [ACARI.]

256.—Graham, N. P. H. & **Montgomery,** I. W. The use of new insecticides in the control of ectoparasites. Aust. vet. J. **26** 10 1949 pp. 239–251. [ACARI.]

257.—Grandjean, F. Les Enarthronota (Acariens) (2e Série). Ann. Sci. nat. Paris (11) **10** 1948 [1949] pp. 29–58 text-figs. 1–7. [ACARI.]

258.—Grandjean, F. Quelques caractères des Tétranyques. Bull. Mus. Hist. nat. Paris (2) **20** 6 1948 [1949] pp. 517–524 text-figs. 1–3. [ACARI.]

259.—Grandjean, F. Remarques sur l'évolution numérique des papilles genitales et de l'organe de Claparède chez les Hydracariens. Bull. Mus. Hist. nat. Paris (2) **21** 1 1949 pp. 75–82. [ACARI.]

260.—Grandjean, F. Sur le genre *Hydrozetes* Berl. (Acariens). Bull. Mus. Hist. nat. Paris (2) **21** 2 1949 pp. 224–231. [ACARI.]

261.—Grandjean, F. Observation et conservation des très petits Arthropodes. Bull. Mus. Hist. nat. Paris (2) **21** 3 1949 pp. 363–370 figs. 1–5. [ACARI.]

262.—Grassé, P.-P. Traité de Zoologie — anatomie — systématique — biologie. **6.** Onychophores, Tardigrades, Arthropodes—Trilobitomorphes. Chélicerates, Paris 1949 pp. 1–979 4 col. pls. figs. 1–719. [ACARI.]

263.—Gregson, J. D. Notes on the occurrence of *Ornithodoros hermsi* in British Columbia, and its probable relation to relapsing fever. Argasidae, Ixodoidea. Proc. ent. Soc. B.C. **45** 1949 pp. 15–16. [ACARI.]

264.—Griffith, G. A. & **Wilson,** S. G. The practice of running goats with cattle. Uganda J. London **13** 1 1949 p. 113. [ACARI.]

265.—Gros, A. E. Le. Notes on the spiders of the bombed sites. London Nat. No. 28 1949 pp. 37–39.

Halbert, J. N. *vide* Praeger, R. L. **480.**

266.—Hall, W. J. & **Wehr,** E. E. Diseases and parasites of poultry. Farmers' Bull. Washington, D.C. **1652** 1949 pp. 1–96 figs. 1–37. (Reprint 1931.) [ACARI.]

267.—Halstead, B. W. & **Ryckman,** R. Injurious effects from contacts with millipedes. Med. Arts Sci. **3** 1 1949 pp. 16–18 fig.

268.—Hammen, L. van der. Over levend naar Nederland getransporteerde exotishe spinnen. Ent. Ber. Amsterdam **12** 289 1949 p. 374.

269.—Hammen, L. van der. On Arachnida collected in Dutch greenhouses. Tijdschr. Ent. Amsterdam **91** (1948) 1949 pp. 72–82 figs. 1–3.

270.—Hardouin, R. Le mimétisme animal. Presses Universitaires de France, Paris 1946 pp. 1–221 text-figs. 1–88.

Hardy, F. *vide* Thorp, J. M. **615.**

271.—Hare, T. Sheep ticks and grouse. Field, London **193** 5029 1949 pp. 605–606. [ACARI.]

Harmston, F. C. *vide* Pratt, H. D. **481.**

272.—Hartman, A. G. A new species of *Nanhermannia* with notes on the genus. Proc. ent. Soc. Washington **51** 4 1949 pp. 169–171 text-fig. 1. [ACARI.]

273.—Harvey, A. E. C. The care and maintenance of laboratory animals and arthropod vectors of disease. E. Afr. med. J. **24** 1 1947 pp. 58–71. [ACARI.]

Hayes, W. J. Jr. *vide* Skaliy, P. **567.**

274.—Hazelton, M. & **Glennie,** E. A. Cave fauna—preliminary list. Pub. Cave Res. Group [1947] No. 1 pt. 2 pp. 1–20. [ACARI.] [See Z.R. 1947 no. 219 correction of authors.]

275.—Hedgpeth, J. W. Report on the Pycnogonida collected by the Albatross in Japanese waters in 1900 and 1906. Proc. U.S. nat. Mus. **98** 3231 1949 pp. 233–321 text-figs. 18–51 tables 1–2 map.

276.—Henry, L. M. The nervous system and the segmentation of the head in a scorpion (Arachnida). Microentomology Stanford Univ. **14** 4 1949 pp. 121–126 text-figs. 68–70.

277.—Herwarth von Bittenfeld, H. W. *Aromia moschata* (L.) als Spinnen-eter. Ent. Ber. Amsterdam **12** 280 1948 p. 232.

278.—Heymons, R. Zur Kenntnis der Häutung von Samboniden und Sebekiden nebst Bemerkungen über die Gattung *Raillietiella* (Pentastomidae). Zool. Anz. **130** 1940 pp. 89–91. [See Z.R. 1941 no. 165.]

279.—Hickman, V. V. Tasmanian littoral spiders with notes on their respiratory systems, habits and taxonomy. Pap. roy. Soc. Tasm. **1948** 1949 pp. 31–43 text-figs. 1–15.

280.—Hill, E. L. & **Ingraham** II, S. C. A study of murine typhus fever in Coffee County, Alabama. Publ. Hlth. Rep. Washington **62** 24 1947 pp. 875–881.

281.—Hill, H. R. Annotated bibliography of the Linguatulida. Bull. S. Calif. Acad. Sci. **47** 2 1948 pp. 56–73.

282.—Hoff, C. C. The Pseudoscorpions of Illinois. Bull. Illinois nat. Hist. Surv. **24** 4 1949 pp. 407–498 pl. 1 text-figs. 1–51.

283.—Hoff, C. C. *Wyochernes hutsoni*, a new genus and species of Chernetid Pseudoscorpion. Trans. Amer. micr. Soc. Menasha **68** 1 1949 pp. 40–48 text-figs. 1–8.

284.—Hoffman, R. L. The identity of *Apheloria coriacea* (Diplopoda, Xystodesmidae). Amer. Mus. Nov. No. 1405 1949 pp. 1–6 figs. 1–4.

285.—Hoffman, R. L. A new genus of Xystodesmid millipeds from the Riu Kiu Archipelago with notes on related Oriental genera. Nat. Hist. Misc. Chicago No. 45 1949 pp. 1–6 text-figs. 1–2.

286.—Hoffman, R. L. A new milliped of the genus *Toltecolus* from the United States (Anocheta : Atopetholidae). Nat. Hist. Misc. Chicago No. 46 1949 pp. 1–3 text-figs. 1 A–B.

287.—Hoffman, R. L. Three new species of Diplopoda from Virginia. Proc. biol. Soc. Washington **62** 1949 pp. 81–88 pl. 5.

288.—Hoffman, R. L. Nine new Xystodesmid millipeds from Virginia and West Virginia, with records of established species. Proc. U.S. nat. Mus. **99** 3244 1949 pp. 371–389 pls. 26–27.

289.—Hoffman, A. Contribuciones al conocimiento de los Trombiculidos mexicanos. Rev. Soc. Mexicana Hist. nat. **10** 1–4 1949 pp. 185–190 figs. 1–5. [English summary.] [ACARI.]

290.—Hoffmann, C. H., **Townes,** H. K., **Swift,** H. H. & **Sailer,** R. I. Field studies of the effects of airplane applications of DDT on forest invertebrates. Ecol. Monogr. **19** 1949 pp. 1–46 figs. 1–3 tables 1–16.

Holst, E. C. *vide* Burnside, C. E. **89.**

291.—Homann, H. Über die Jugendform von *Micrommata viridissima* (Deg.) (Araneae). Biol. Zbl. Leipzig **65** 4–6 1946 pp. 82–83.

292.—Homann, H. Beiträge zur Physiologie der Spinnenaugen. V. Der Lichtsinn von *Aranea sexpunctata* (Argiopidae). Biol. Zbl. Leipzig **66** 7–8 1947 pp. 251–261 figs. 1–3, table 1.

293.—Homann, H. Blutdruck und Häutung bei Spinnen. Naturwissenschaften, Berlin **36** 1 1949 pp. 21–24 text-figs. 1–6.

294.—Homann, H. Über das Wachstum und die Mechanischen Vorgänge bei der Häutung von *Tegenaria agrestis* (Araneae). Z. vergl. Physiol. Berlin **31** 4 1949 pp. 413–440 figs. 1–7.

295.—Howse, A. C. External parasites of poultry. N.Z.J. Agric. **78** 1 1949 pp. 47–49 2 figs. [ACARI.]

296.—Hughes, T. E. The functional morphology of the mouth-parts of *Liponyssus bacoti*. Ann. Trop. Med. Parasit. L'pool **43** 3–4 1949 pp. 349–360 text-figs. 1–12. [ACARI.]

297.—Hull, J. E. Some spiders new to Suffolk. Trans. Suffolk Nats.' Soc. **7** 1 1949 pp. 16–17. [ACARI.]

298.—Hurlbut, H. S. Arthropods of potential medical and veterinary importance from Ponape, Caroline Islands. Pacific. Sci. Honolulu **3** 3 1949 p. 278.

299.—Iglinsky, W. Jr. & **Gaines,** J. C. Tests of insecticides to control red spider mites. J. Econ. Ent. Menasha, Wis. **42** 4 1949 pp. 703–705. [ACARI.]

Ingraham II, S. C. *vide* Hill, E. L. **280.**

300.—[Ishukov, G. H. & **Ishukova,** F. A.] Ишуков, Г. Х. и Ишукова, Ф. А. Рольпастбищных клещей из рода *Dermacentor marginatus* в эпизоотологии инфекционного энцефаломиелита лошадей [The rôle of the grazing ground ticks of the species *Dermacentor marginatus* in epizoology of infective encephalomyelitis of horses. Bashkirian Station Vet. Sci. Inst. **5** 1946 pp. 51–63. [Not seen.] [ACARI.]

301.—Jahnel, J. Neues Gerät zum schnellen Nachweis von Räudemilben. Mikroskopie, Wien **4** 3–4 1949 pp. 116–121 text-figs. 1–6. [ACARI.]

302.—Jameson, E. W., Jr. A new mite, *Ichoronyssus hubbardi*, from the mountain beaver, *Aplodontia rufa* (Rafinesque). J. Parasit. Lancaster, Pa. **35** 2 1949 pp. 109–115 text-figs. 1–3. [ACARI.]

303.—Jameson, E. W., Jr. Myobiid mites (Acarina : Myobiidae) from *Condylura cristata* (Linnaeus) and *Neurotrichus gibbsii* (Baird) (Mammalia : Talpidae). J. Parasit. Lancaster, Pa. **35** 4 1949 pp. 423–430 text-figs. 1–4. [ACARI.]

304.—Janetschek, H. Tierische Successionen auf hochalpinem Neuland. Ber. naturw.-med. Ver. Innsbruck **48–49** (1948–1949) 1949 pp. 1–215 pls. 1–7 figs. 1–18 tables 1–19. [ACARI.]

305.—Jawłowski, H. Wije (Myriapoda) Bialowieskiego Parku Narodowego.—Myriapoda of the National Park in Bialowieza. Ann. Univ. M.C.-Skłodowska, Lublin **4C** 15 1949 pp. 309–323 figs. 1–4. [In Polish with English summary.]

306.—Jenkins, D. W. Trombiculid mites affecting man. IV.—Revision of *Eutrombicula* in the American hemisphere. Ann. ent. Soc. Amer., Columbus **42** 3 1949 pp. 289–318 text-figs. 1–15 tables 1–5. [ACARI.]

307.—Jenkins, D. W. Trombiculid mites affecting man. III.—*Trombicula* (*Eutrombicula*) *splendens* Ewing in North America. J. Parasit. Lancaster, Pa. **35** 2 1949 pp. 201–203 pl. 1. [ACARI.]

308.—Johansen, C. & **Breakey,** E. P. Insecticides tested against the Willamette mite on red raspberries. J. Econ. Ent. Menasha, Wis. **42** 3 1949 pp. 562–563. [ACARI.]

309.—Johnsen, P. Notes on the Danish house-flies (Diptera—Hippoboscidae). Ent. Medd. København **35** 1949 pp. 278–297. [ACARI.]

Jones, E. A. *vide* Smith, C. N. **570.**

Jones, E. R. Jr. *vide* Ferguson, F. F. **216.**

310.—Jones, J. R. E. A further ecological study of calcareous streams in the "Black Mountain" District of South Wales. J. Animal Ecol. **18** 2 1949 pp. 142–159 pls. 4–6 figs. 1–2 tables 1–4. [ACARI.]

311.—Jones, S. E. Descriptions of some species of the spider genus *Dictyna*. Field & Lab., Dallas **15** 1 1947 pp. 1–35 figs. 1–87.

312.—Jones, S. E. The species of *Dictyna* (Arachnida) in the Exline Collection. Field & Lab., Dallas **16** 1 1948 pp. 29–44 figs. 1–36.

313.—Kaestner, A. Über den Farbsinn der Spinnen. Naturwissenschaften, Berlin **36** 2 1949 pp. 58–59.

314.—Kästner, A. Zur Entwicklungsgeschichte von *Thelyphonus caudatus* L. (Pedipalpi). 2. Teil. Die Entwicklung der Mundwerkzeuge, Beinhüften und Sterna. Zool. Jahrb. Jena (Anat.) **70** 2 1949 pp. 169–197 figs. 1–37.

[**Kagramanov,** S. V. *vide* Olsuf'ev, N. G.] **452.**

315.—Kaisila, J. A revision of the Pseudoscorpion fauna of eastern Fennoscandia. Ann. ent. fenn., Helsinki **15** 1949 pp. 72–92 figs. 1–2 maps 1–13.

316.—Kaisila, J. Muutamia Suomen faunalle uusia valeskorpionilajeja. [Some Pseudoscorpionids new for the Finnish fauna.] Arch. Soc. Zool. Bot. Fenn. Helsinki **2** 1947 (1949) pp. 74–76. [With English summary.]

317.—[Kalandadze, L. P. & **Sakhareylidze,** A. N.] Кала дадзе, Л. П. и Сахарулидзе, А. Н. Материалы к научению клещика тендипальпуса на чае. [Materials to the knowledge of the mite *Tenuipalpus* on tea. Bull. Sci. Inst. Tea Indust. & Subtropical Cultivation **2** 1946 pp. 57–62. [Not seen.] [ACARI.]

318.—Kalra, S. L. & **Rao,** K. N. A. Typhus group of fevers in Jubbulpore area. Ind. J. med. Res. **37** 1949 pp. 373–384 tables 1–4 graphs 1–2. [ACARI.]

Kalra, S. L. *vide* Rao, K. N. A. **497, 498.**

319.—Kauri, H. Om några zoologiska iakttagelser på Gotland. Fauna och Flora, Uppsala **1949** 4–5 pp. 201–207.

320.—Keegan, H. L. *Euhaemogamasus utahensis* Ewing, 1933, redescribed as type species of a new genus *Brevisterna* (Acarina, Laelaptidae). Trans. Amer. micr. Soc. Menasha **68** 3 1949 pp. 222–227 pls. 1–2. [ACARI.]

321.—Kemper, H. E. & **Roberts,** I. H. Benzine hexachloride dip to destroy scab mites on unshorn sheep. Vet. Med. Chicago **44** 4 1949 pp. 163–169 figs. 1–4. [ACARI.]

322.—Kenk, R. The animal life of temporary and permanent ponds in Southern Michigan. Misc. Pub. Mus. Zool. Univ. Mich. no. 71 1949 pp. 1–66 pls. 1–3 figs. 1–7.

Kennedy, B. H. *vide* Garman, P. **239.**

323.—Kershaw, W. E., **Crewe,** W., & **Gordon,** R. M. The local reaction of the animal host to the bites of snakes and the stings of venomous creatures. Trans. Soc. trop. Med. Hyg. Lond. **43** 1 1949 pp. 6–7. [Demonstration.]

324.—[Kharitonov, D. E.] Харитонов, Д. Е. Arachnoidea из пемеры Сатапле (Кутаиси). [Arachnida of the caverns of Sataple (Kutais).] Acad. Sci. Gruzia USSR **3** 1946 pp. 145–147. [Not seen.]

325.—[Khartcheva, A. I.] Харчева, А. И. Некоторые особенности трахеиной сиетчмы губоногих многоножек. [Some peculiarities in the tracheal system of Chilopoda.] C.R. Acad. Sci. Moscow N.S. **69** 4 1949 pp. 589–592 figs. 1–3. [In Russian.]

Kilpiö, O. *vide* Pirilä, V. **467.**

326.—Knowlton, G. F. Spider feeds on honeybee. Bull. Brooklyn ent. Soc. **44** 1 1949 p. 36.

327.—Kohl, J. Über die Fauna der Soos bei Franzensbad. Int. Rev. Hydrobiol. **42** 4–6 1942 pp. 394–406 figs. 1–2 map 1. [ACARI.]

328.—Kohls, G. M. *Haemaphysalis centropi,* a new species of tick from birds in the Far East. J. Parasit. Lancaster, Pa. **35** 4 1949 pp. 388–390 fig. 1.A–L. [ACARI.]

329.—Koller, G. Daten zur Geschichte der Zoologie. Bonn 1949 pp. 1–64 tables 1–2.

330.—Kolosváry, G. v. The biogeography of the spiders of Transylvania. C.R. XIII Congr. int. Zool. Paris 21 au 27 Juillet 1948, 1949 p. 461.

331.—Kolosváry, G. v. Ueber die Ergebnisse meiner Spinnen-ökologischen Forschungen in Rovigno. Folia ent. hung., Budapest **4** 1938 pp. 39–46 2 pls.

332.—Kolosvary, G. v. Weitere Angaben über das Ueberwintern einiger Spinnenarten. Veröff. dtsch. Kolon.-uebersee Mus. Bremen **3** 1 1940 pp. 56–57.

333.—Kolosváry, G. v. Eine neue Opilionide : *Odiellus hungaricus* n. sp. aus Siebenbürgen (Ungarn). Zool. Anz. Leipzig **136** 1941 pp. 190–191 fig. 1 chart 1.

334.—Kone, K. Accidents mortels chez les zebus causes par des piqures d'ornithodores. Bull. Serv. Élevage, Industr. Animal. Dakar N.S. **2** 1 1949 pp. 25–26. [ACARI.]

335.—[Korshunova, O. S. & **Petrova-Piontkovskaia,** S. P.] Корщунова, О. С. ; Петрова-Ционтковская, С. П. О переносчиике марселбьской лихорадки. [On the carrier of the Marseille disease.] C.R. Acad. Sci. Moscow N.S. **68** 6 1949 pp. 1151–1153 fig.

336.—[Korshunova, O. S. & **Piontkovskaya,** S. P.] Коршунова, О. С. и Ционтковская, С. И. [On the virus isolated from the ticks *Hyalomma marginatum marginatum* Koch.] Zool. J., Moscow **28** 2 1949 pp. 186–187. [In Russian.] [ACARI.]

Kotcher, E. *vide* Good, N. E. **252.**

Kratochvil, J. *vide* Miller, Fr. **413.**

337.—Krishnan, K. V., **Smith,** R. O. A., **Bose,** P. N., **Neogy,** K. N., **Roy,** B. K. G. & **Ghosh,** M. The breeding and maintenance of *Trombicula deliensis* in the laboratory for experimental purposes. Indian med. Gaz. **84** 2 1949 pp. 39–41 1 pl. [ACARI.]

338.—Krishnan, K. V., **Smith,** R. O. A., **Bose,** P. N., **Neogy,** K. N., **Roy,** B. K. G. & **Ghosh,** M. Transmission of *Rickettsia orientalis* by the bite of the larvae of *Trombicula deliensis.* Indian med. Gaz. **84** 2 1949 pp. 41–43 1 table. [ACARI.]

339.—Krishnan, K. V., **Smith,** R. O. A., **Bose,** P. N., **Neogy,** K. N., **Roy,** B. K. G. & **Ghosh,** M. Epidemiological observations on XK or mite-borne typhus in Barrackpore, Bengal.—Ind. Med. Gaz. **84** 2 1949 pp. 63–68 charts 1–3. [ACARI.]

340.—Kuenen, D. J. The fruit tree red spider (*Metatetranychus ulmi* Koch, Tetranychidae, Acari) and its relation to its host plant. Tijdschr. Ent. Amsterdam **91** (1948) 1949 pp. 83–102 tables 1–9 figs. 1–15. [ACARI.]

341.—Kühnelt, W. Die Leitformenmethode in der Ökologie der Landtiere. Biol. gen. **17** 1–2 1943 pp. 107–146 figs. 1–3. [ACARI.]

342.—Kühnelt, W. Ein Beitrag zur Kenntnis der Bodentierwelt einiger Waldtypen Kärntens. Carinthia II, Klagenfurt **137–138** 1948 pp. 165–173. [ACARI.]

343.—Kurata, T. B. Spiders (Order, Aranea) from the district of Mackenzie. Canad. Ent. **81** 5 1949 pp. 127–131.

344.—Kurata, T. B. Spiders. Handb. Roy. Ont. Mus. Zool. Toronto no. 6 1949 pp. 1–33 illustr.

345.—Kurien, C. V. A collection of Pycnogonids from the Vizhinjam coast. Proc. Indian Sci. Congr. 35th 3 (1948) 1949 p. 195.

346.—[Kurtchatov, V. I., **Murzabekov,** D. A. & **Abusalimov,** N. S.] Курчатов, В. И., Мурзабеков, Д. А., Абусалимов, Н. С. Некоторые данные по биологии и экологии клещей в Азербайджане [Some data on biology and ecology of the mites in Azerbaidjan. Inst. Zool. Azerbaidjan **11** 1946 pp. 92–112. [Not seen.] [ACARI.]

347.—Laing, F. Review—A. M. Hughes—The mites associated with stored food products. Ent. mon. Mag. London **85** 1949 pp. iii–iv. [ACARI.]

348.—[Lamikhov, K. F.] Ламихов, К. Ф. Влияние низких температур на жизнеспособность уесотоных клещей. [Influence of low temperature of the vitality of the mange mites.] Horsebreaking **8–9** 1946 pp. 29–32. [Not seen.] [ACARI.]

Lane, J. E. *vide* Pratt, H. D. **481.**

349.—Lapage, G. Parasitic animals and the World's food. Indian Farming, Delhi **9** 5 1949 pp. 203–208.

Lawatsch, E. *vide* Goetsch, W. **251.**

350.—Lawrence, R. F. The larval Trombiculid mites of South African vertebrates. Ann. Natal Mus. P'mburg. **11** 3 1949 pp. 405–486 figs. 1–48.

351.—Lawrence, R. F. Observations on the habits of a female Solifuge, *Solpuga caffra* Pocock. Ann. Transv. Mus. **21** 2 1949 pp. 197–200 pl. 2.

352.—Lawrence, R. F. New species of Solifugae in the collection of the Transvaal Museum. Ann. Transv. Mus. **21** 2 1949 pp. 201–208 text-figs. 1–3.

353.—Lawrence, R. F. A collection of Opiliones and Scorpions from North-East Angola made by Dr. A. de Barros Machado in 1948. Pub. Cult. Comp. Diam. Angola, 1949 pp. 1–20 text-figs. 1–8.

354.—Leão, A. E. A., **Mello,** M. T. de & **Mayor,** V. Acarianos infestadores de culturas de cogumelos. Biologia—Classificação—Métodos de combate. Mem. Inst. Osw. Cruz, Rio de J. 1945 **42** 3 pp. 559–608 pls. 1–4. [English summary.] [ACARI.]

355.—Lebour, M. V. Two new Pycnogonids from Bermuda.. Proc. zool. Soc. London **118** 1949 pp. 929–932 text-figs. 1–3.

356.—Legg, J. A preliminary note on the use of two recently introduced insecticides, chlordane and toxaphene, in the control of the cattle tick (*Boophilus microplus*). Aust. vet. J. **25** 4 1949 pp. 65–66. [ACARI.]

357.—Lehmann, W. M. *Palaeoscorpius devonicus* n.g. n.sp., ein Skorpion aus dem rheinischen Unterdevon. N. Jahrb. Min. Geol. Palaont. Monatshefte Stuttgart **B 7–9** 1944 pp. 177–185 figs. 1–4.

358.—Leitner, E. Zur Kenntnis der Gattung *Digamasellus* Berlese 1905. Zbl. Gesamt Geb. Ent. Lienz **3** 1949 pp. 51–62 figs. 1 a–m : 2 a–k : 3 a–m : 4 a–f. [ACARI.]

359.—Leleup, N. La propagation des arthropodes pholeophiles commensaux reguliers de la Taupe. (Cas du Chelonèthe *Lasiochernes pilotus* (Ellingsen). Ann. Soc. zool. Belge **78** 1948 pp. 45–50.

360.—León, L. A. & **León,** B. C. de. Estado actual de los conocimientos sobre la fiebre recurrente en el Ecuador. Rev. Kuba Med. trop. Parasit. **3** 7 1947 pp. 145–150 figs. 1–2. [ACARI.]

361.—Lépiney, J. de & **Nemeth,** F. Notes de Zoologie marocaine. Bull. Soc. Sci. nat. Maroc **25–27** 1945–46–47 1949 pp. 227–233.

362.—Lerma, B. de. Opilionidi cavernicoli della Campania. Boll. Soc. Nat. Napoli **57** 1948 [1949] pp. 160–164 text-figs. 1–2.

363.—Lewis, C. B. Jamaica's black spider. Glimpses of Nat. Hist. of Jamaica 2nd Edn. 1949 pp. 45–50.

364.—Linck, O. Die Buntsandstein-Kleinfährten von Nagold. (*Limuludichnulus nagoldensis* n.g. n.sp. *Merostomichnites triassicus* n. sp.). N. Jahrb. Min. Geol. Paläont. Monatshefte Stuttgart **B1** 1943 pp. 9–27 pls. 1–2 fig. 1.

List, G. M. *vide* Newton, J. H. **449.**

Llosa, L. A. T. de la *vide* Fernández, J. R. L. **217.**

365.—Lohmander, H. *Lithobius nigrifrons fennoscandius* n. ssp. (*Chilopoda, Lithobiidae*). Ann. ent. fenn., Helsinki **14** 1948 [1949] pp. 97–99.

366.—Lombardini, G. Acari nuovi. Redia. Firenze **34** 1949 pp. 67–74 figs. 1–6. [ACARI.]

367.—Loomis, H. F. New millipeds of the spiroboloid genus *Watichelus* from the Pacific Coast. J. Wash. Acad. Sci. **39** 7 1949 pp. 241–244 text-figs. 1–10.

368.—López Fernández, J. A. & **Torres de la Llosa,** L. A. Ciclo evolutivo de nuestro "Bicho Colorado" *Eutrombicula talicei* n. sp. (*Trombicula irritans* Riley var. *uruguayensis* André 1930 emend.). Descripción de la ninfa y del adulto. An. Inst. Hig. Montevideo **2** 1 1948 [1949] pp. 92–106 text-figs. 1–11. [ACARI.]

369.—Lopez-Neyra, C. R. La parasitologia humana en el Marruecos Español. Rev. Ibérica Parasit. Granada **9** 4 1949 pp. 373–443. [ACARI.]

370.—Lord, F. T. The influence of spray programs on the fauna of apple orchards in Nova Scotia. III. Mites and their predators. Canad. Ent. **81** 8 1949 pp. 202–214 tables 1–10. [ACARI.]

371.—[Lototzkii, B. V.] Лотоцкий, Б. В. Хетотаксия личинок клещей рода *Dermacentor* Koch фауны Таджикистана. [The chaetotaxy of the larvae of the ticks of the genus *Dermacentor* Koch of the fauna of Tadzhikistan. C.R. Acad. Sci. Moscou N.S. **65** 3 1949 pp. 389–392 fig. 1. [In Russian.] [ACARI.]

372.—Lucas, J. R. Méthode de lutte contre la Scutigerelle immaculée (*Scutigerella immaculata* Newport). C.R. Ac. Agric. **35** 1949 pp. 475–477. [Not seen.]

373.—Lundblad, O. Hydrachnellae. Explor. Parc. Nation. Albert, Bruxelles Mission H. Damas (1935–36) Fasc. 18 1949 pp. 1–87 pls. 1–8 figs. 1–50. [ACARI.]

374.—Lyell, A. Scorpion stings. Lancet, London **256** 6560 1949 p. 889.

375.—Macan, T. T. Survey of a moorland fishpond. J. Animal Ecol. **18** 2 1949 pp. 160–186 pls. 7–9 figs. 1–5 tables 1–13. [ACARI.]

376.—Macchiavello, A. Cutaneous arachnoidism or gangrenous spot of Chile. P.R.J. publ. Hlth. **22** 4 1947 pp. 425–466 figs. 1–5.

377.—Macchiavello, A. Cutaneous arachnoidism experimentally produced with the glandular poison of *Loxosceles laeta*. P.R.J. publ. Hlth. **23** 2 1947 pp. 266–293 figs. 1–3.

378.—Mac Ginitie, G. E. & **Mac Ginitie,** N. Natural History of Marine Animals, New York 1949 pp. i–xii + 1–473 pl. figs. 1–282.

379.—Machado, A. de B. Araignées nouvelles pour la faune portugaise (III). Mem. Mus. zool. Univ. Coimbra 191 1949 pp. 1–69 figs. 1–24.

McHardy, W. M. *vide* Whitnall, A. B. M. **676.**

380.—Mackinnon, J. E. Observaciones sobre el arañismo cutáneo-gangrenoso y hemolítico y sobre la araña que lo produce. An. Inst. Hig. Montevideo **2** 1 1948 [1949] pp. 107–112. [English summary.]

381.—McSorley, J. G. A. & **Perry,** W. L. M. Scorpion stings. Lancet, London **256** 6560 1949 p. 889.

382.—Main, H. Some trap-door spiders from Algarve (S. Portugal). Proc. S. London ent. nat. Hist. Soc. **1947–48** 1949 pp. 194–195 pls. 8–9.

383.—Manfredi, P. Alcuni Miriapodi della regione del Tanganica. Atti Soc. ital. Milano **88** 3–4 1949 pp. 241–242.

384.—Manfredi, P. Sulla presenza di *Serradium hirsutipes* Verh. (Diplopoda Trichopolydesmidae) in una grotta del Veronese. Mem. Mus. Stor. nat. Verona **1** 1947–48 [1949] pp. 293–295 text-figs. 1–3.

385.—Manfredi, P. Miriapodi mirmecofili. Natura, Milano **40** 3–4 1949 pp. 82–83.

386.—Mann, F. G. Nueva araña venenosa para Chile. Bol. Inform. Parasit. Chilenas **4** 4 1949 p. 53.

387.—Manso Soto, A. E. & **Pletneff,** P. Identificación de Múridos y sus ectoparásitos. Mision de estudios de patologia regional Argentina. Pub. Minis. Educ. Univ. Buenos Aires 1949 No. 76 pp. 5–41 text-figs. 1–25. [ACARI.]

388.—Manton, S. M. (Harding, J. R.) Studies on the Onychophora. VII. The early embryonic stages of *Peripatopsis*, and some general considerations concerning the morphology and phylogeny of the Arthropoda. Philos. Trans. London **233B** 606 1949 pp. 483–580 pls. 31–41 text-figs. 1–7 tables 1–2.

389.—Manton, S. M. Peripatus: A zoological curiosity. [In Burton] The story of animal life, London **1** 1949 pp. 241–244 3 figs.

390.—[Marikovski, P. I.] Мариковский, П. И. К экологии ядовитого паука кара-курта. [On the ecology of the venomous spider, Kara-kurta.] Iev. Acad. Sci. Kazakhistan USSR **33** 1946 pp. 84–92. [Not seen.]

391.—[Marikovskii, P. I.] Мариковский, П. И. К экологии ювенильных возрасгов ядовитого паука кара-курта (*Latrodectes tredecimguttatus* R., 1790). [Contribution to the ecology of the juvenile stages of the venomous spider (*Latrodectes tredecimguttatus* R.) 1790.] Zool. J. Moscow **26** 6 1947 pp. 531–538 figs. 1–7. [In Russian.] [ACARI.]

392.—Mariotte, C. O. & **Varela,** G. Cultivo del *Rhipicephalus sanguineus* en el laboratorio y vacuna hecha con esta garrapata. Medicina, Mexico **29** 586 1949 pp. 323–335 figs. [English summary.] [ACARI.]

393.—Marples, B. J. An unusual type of web constructed by a Samoan spider of the family Argiopidae. Trans. Roy. Soc. N.Z. **77** 5 1949 pp. 232–233. (Rept. 6th Sci. Congr. May 20–23, 1947.)

Marshall, J. *vide* Morgan, C. V. G. **431.**

394.—Martin, L. Scorpion stings. Lancet, London **256** 6559 1949 p. 839.

Martin, L. A. *vide* Blanc, G. **68.**

395.—Massee, A. M. Notes on some interesting insects observed in 1943. [*Tarsonemus pallidus* Banks; *Tetranychus* sp.; *Pediculopsis graminum* Reuter; *Petrobia lapidum* Hermann.] Ann. Rep. East Malling Res. Sta. **1943** 1944 pp. 64–65. [ACARI.]

396.—Massee, A. M. A new method of rearing the fruit tree red spider (*Oligonychus ulmi* Koch) on apple seedlings. 34th Rep. E. Malling Res. Sta. 1947 pp. 122–123 pl. 1. [ACARI.]

Massera, M. G. *vide* Bianchi, C. **60.**

397.—Mathew, A. P. Nutrition of the advanced embryos of the scorpion, *Palamnaeus scaber* Thorell. Proc. Indian Sci. Congr. **34th** 3 (1947) 1948 pp. 177–178.

398.—Mathieu, G. Sur quelques fossiles nouveaux ou rares du terrain houiller. Ann. soc. géol. Nord, Lille **65** 1940–45 pp. 74–89 pl. 2 fig. 1.

399.—Maubeuge, P. L. Données paléontologiques nouvelles sur la Dolomie dite "Dolomie de Beaumont" du Keuper moyen de Lorraine. Bull. Soc. géol. Fr. 5 **19** 1–3 1949 pp. 43–49 pl. iii figs. 1–2.

Maurice, A. *vide* Blanc, G. **68.**

400.—May, A. W. S. The mite problem at Stanthorpe. Queensl. Agric. J. **68** 5 1949 pp. 273–274. [ACARI.]

Mayor, V. *vide* Leão, A. E. A. **354.**

401.—Maze, M. G. Animals that produce galls in Allegheny County. Proc. Penn. Acad. Sci. **23** 1949 pp. 133–150 tables 1–6. [ACARI.]

402.—Mazzotti, L. Sobre una nueva espiroqueta de la fiebre recurrente, encontrada en Mexico. Rev. Inst. Salubr. Enferm. trop. Mexico **10** 3 1949 pp. 277–281 tables 1–2. [ACARI.]

Meerholz, F. *vide* Whitnall, A. B. M. **676.**

403.—Mehta, D. R. Studies on typhus in the Simla Hills. Pt. IX. On the life-history of *Trombicula deliensis*, Walck, a suspected vector of typhus in the Simla Hills. Ind. J. med. Res. **36** 2 1948 [1949] pp. 159–171 pl. 3 tables 1–3. [ACARI.]

Meillon, B. de *vide* Thorp, J. M. **615.**

404.—Meléndez, B. Un Miriápodo fósil en el Estefaniense de Llombera (León). Bol. Soc. esp. Hist. nat. **46** 9–10 1949 pp. 737–741 pl. 66.

Mello, M. T. de *vide* Leão, A. E. A. **354.**

405.—Mello-Leitão, A. C. da G. de. Nova espécie de *Halosoma* Cole, 1904 (Pantopoda, Phoxichlidiidae Sars, 1891). An. Acad. Bras. Cienc. Rio **21** 2 1949 pp. 167–173 text-figs. 1–4.

406.—Mello-Leitão, A. C. da G. de. Uma nova espécie de *Pallenopsis* do Atlántico Sul (Pantopoda, Pallenidae). Arq. Mus. Paranaense, Curitiba **7** 1949 pp. 299–307 pls. 9–10.

407.—Mello-Leitão, C. de. Aranhas da Foz do Koluene. Bol. Mus. nac. Rio Zool. no. 92 1949 pp. 1–19 figs. 1–21.

Mello-Leitão, C. F. de *vide* Birabén, M. **63.**

Menzies, G. C. *vide* Strandtmann, R. W. **591.**

408.—Merle, R. La Limule. Nature, Paris **77** 3174 1949 pp. 315–316 figs. 1–6.

409.—Michelbacher, A. E. The ecology of Symphyla. Pan. Pacific Ent. S. Francisco **25** 1 1949 pp. 1–12.

410.—Middlekauff, W. W. & **Pritchard,** A. E. Field tests to control the mite *Pentbaleus major*. J. Econ. Ent. Menasha, Wis. **42** 5 1949 p. 852. [ACARI.]

411.—Mikačić, D. Krpeiji (Ixodidae) Cresa i Lošinja s osvrtom na geografsku proširenost projedinik vosta Krpelja a Jugoslaviji. [Ixodidae of the Islands of Cres and Lošinj with a map of distribution of tick species in Yugoslavia.] Vet. Arkiv Zagreb **19** 1–2 1949 pp. 14–31 figs. [With English summary.] [ACARI.]

412.—Miller, F. Novi Pavouci z hadcové stepi u Mohelna. The new spiders from the serpentine rocky heath near Mohelno (Moravia OCC). Ent. Listy, Brno **12** 1–4 1949 pp. 88–98 figs. 1–30. [Descriptions in English.]

413.—Miller, Fr. & **Kratochvil,** J. Ein Beitrag zur Revision der Mitteleuropäischen Spinnenarten aus der Gattung *Porrhomma* E. Sim. Zool. Anz. **130** 1940 pp. 161–190 figs. 1–13. [See Z.R. 1941 no. 261.]

414.—Millot, J. Classe des Arachnides (Arachnida). I. Morphologie générale et anatomie interne. Grassé. Traité de Zoologie, Paris **6** 1949 pp. 263–319 figs. 47–96.

415.—Millot, J. Ordre des Palpigrades. Palpigradi Thorell 1800: Microtelyphonida Grassi et Calandruccio 1885. Grassé. Traité de Zoologie, Paris **6** 1949 pp. 520–532 figs. 274–286.

416.—Millot, J. Ordre des Uropyges (Uropygi Thorell). Grassé. Traité de Zoologie Paris **6** 1949 pp. 533–562 figs. 287–317.

417.—Millot, J. Ordre des Amblypyges — Amblypygi Thorell 1900. Grassé. Traité de Zoologie Paris **6** 1949 pp. 563–588 figs. 318–348.

418.—Millot, J. Ordre des Aranéides (Araneae). Grassé. Traité de Zoologie Paris **6** 1949 pp. 589–743 figs. 349–528.

419.—Millot, J. Ordre des Ricinuléides (Ricinulei Thorell, 1892, Podogonata Cook, 1800). Grassé. Traité de Zoologie Paris **6** 1949 pp. 744–760 figs. 529–552.

420.—Millot, J. & **Vachon,** M. Ordre des Scorpions. Scorpionides Latreille, 1810: Scorpiones Hemprich et Ehrenberg, 1810: Scorpiides C. L. Koch 1837. Grassé. Traité de Zoologie, Paris **6** 1949 pp. 386–436 figs. 158–195.

421.—Millot, J. & **Vachon,** M. Ordre des Solifuges.—Solifugae Sundevall 1833: Solpugae C. L. Koch 1842: Solpugides Gervais 1844. Grassé. Traité de Zoologie, Paris **6** 1949 pp. 482–519 figs. 242–273.

422.—Milne, A. The ecology of the sheep tick, *Ixodes ricinus* L.—Host relationships of the tick.—Part 1. Review of previous work in Britain. Parasitology Cambridge **39** 1949 pp. 167–172. [ACARI.]

423.—Milne, A. The ecology of the sheep tick, *Ixodes ricinus* L.—Host relationships of the tick.—Part 2. Observations on hill and moorland grazings in Northern England. Parasitology Cambridge **39** 1949 pp. 173–197 tables 1–8, Appendix 1–2. [ACARI.]

424.—Minnen, G. van. Gallen op Schiermonnikoog. Ent. Ber. Amsterdam **12** 288 1949 p. 360. [ACARI.]

425.—[**Mishin,** A. V.] Мишин, А. В. Переносник весеннего энцефалита-таежный клещ в лесах удмуртии. [Carriers of the spring encephalitis by the marsh forest tick in the forest of Udmurtia.] Ishev. State Med. Inst. **5** 1946 pp. 295–298. [Not seen.] [ACARI.]

426.—**Mohler,** J. R. Tick fever. Farmers Bull. Washington D.C. 1625 revised 1949 pp. 1–28 text-figs. 1–5. [ACARI.]

427.—**Mönnig,** H. O. Veterinary Helminthology and Entomology. The diseases of domesticated animals caused by Helminth and Arthropod parasites. 3rd Edit. London 1949 pp. xviii + 427 text-figs. 1–274. [ACARI.]

428.—**Monterosso,** B. Note Araneologiche XXVIII—Raccolta e preparazione degli Araneidi. Boll. Ass. romana Ent., Rome **4** 1949 pp. 15–18.

429.—**Monterosso,** B. Temperatura dell' ambiente e fecondità in *Teutana triangulosa* (Walck.). Boll. zool. Torino **15** 1948 pp. 25–31 tables 1–2.

430.—**Monterosso,** B. Note Araneologiche. XVIII. Forza di gravità e blastogenesi in *Teutana triangulosa* (Walck.). Riv. Biol. Perugia **41** 3 1949 pp. 237–247 pl. 1.

Montgomery, I. W. *vide* Graham, N. P. H. **256.**

431.—**Morgan,** C. V. G. & **Marshall,** J. Dinitrophenol derivatives as summer Acaricides in British Columbia. Scient. Agric. Ottawa **29** 4 1949 pp. 191–199 tables 1–5. [ACARI.]

432.—**Morlan,** H. B. & **Strandtmann,** R. W. The occurrence of neotropical mites in the United States. J. Parasit. Lancaster, Pa. **35** 2 1949 p. 217. [ACARI.]

433.—[**Morley,** C.] Harvest mite new to Suffolk. (*Trombicula autumnalis* L.) Trans. Suffolk Nats.' Soc. **7** 1 1949 p. 24. [ACARI.]

434.—[**Morley,** C.] Obscure centipede. Trans. Suffolk Nats.' Soc. **7** 1 1949 p. 25.

435.—**Motas,** C. & **Tanasachi,** J. Espèces nouvelles et connues du genre *Megapus* Neumann (Hydrachnelles) trouvées dans les eaux souterrains. Ann. Sci. Univ. Jassy (2) **31** 1948 17 pp. [Not seen.] [ACARI.]

436.—**Motas,** C. & **Tanasachi,** J. Diagnoses de trois nouvelles Hydrachnelles phréaticoles de Roumanie. Ann. Sci. Univ. Jassy (2) **31** 1948 6 pp. [Not seen.] [ACARI.]

437.—**Motas,** C., **Tanasachi,** J. & **Botnariuc,** N. Sur quelques Hydracariens récueillis en Yougoslavie dans la basin de la Bosna. Bull. Ecole Polytech. Jassy **3** 2 1948 28 pp. 7 figs. [Not seen.] [ACARI.]

Mugard, H. *vide* Fauré-Fremiet, E. **209.**

438.—**Müller,** H. W. Herstellung eines guten Chitin-Dauer-präparates. Mikrokosmos, Stuttgart **38** 8 1949 pp. 191–192 fig.

Mulrennan, J. A. *vide* Thurman, D. C. Jr. **616.**

439.—**Muma,** M. H. & **Muma,** K. E. Studies on a population of prairie spiders. Ecology, Lancaster, Pa. **30** 4 1949 pp. 485–503 figs. 1–2 tables 1–8.

440.—**Muma,** M. H. & **Spencer,** W. T. Dog mange control tests with chlorinated chemicals. J. Amer. vet. Med. Ass. **113** 857 1948 pp. 167–168 fig. 1. [ACARI.]

441.—**Murray,** I. The water spider. Aquarist London **13** 12 1949 pp. 447–449 photos 1–3.

[**Murzabekov,** D. A.] *vide* Kurtchatov, V. I. **346.**

442.—**Musgrave,** A. Spiders harmful to man. Aust. Mus. Mag. Sydney **9** 11 1949 pp. 385–388 fig.

443.—**Musgrave,** A. Spiders harmful to man. II. Aust. Mus. Mag. Sydney **9** 12 1949 pp. 411–419 5 figs.

Nardy, R. V. *vide* Collins, D. L. **139, 140.**

444.—**Nauck,** E. G. Tropical medicine and parasitology. Fiat review of German Science 1939–1946. Office Military Govt. Germany, Field Information Agencies Tech. Wiesbaden 1948 253 pp. [ACARI.]

445.—**Navarro Cándido,** A. Clasificación de los animales—claves dicotómicas para prácticas de zoologia. Madrid 1949 pp. 1–317 pls. 1–26 text-figs. 1–164.

Nemeth, F. *vide* Lépiney, J. **361.**

Neogy, K. N. *vide* Krishnan, K. V. **337**, **338**, **339**.

446.—**Nesbitt**, H. H. J. Six new Mexican mites of the subfamily Rhizoglyphinae. Pan-Pacific Ent. S. Francisco **25** 2 1949 pp. 57–70 text-figs. 1–9 table 1. [ACARI.]

447.—**Neumann**, K.-W. Einige vergleichend morphologische Betrachtungen an der Fledermausmilbengattung *Spinturnix* v. Heiden 1826 nebst einem Beitrag zu ihrer Anatomie. Zool. Jahrb. Jena (Anat.) **69** 1945 pp. 273–320 text-figs. 1–24. [ACARI.]

448.—**Newell**, I. M. New genera and species of Halacaridae (Acari). Amer. Mus. Nov. No. 1411 1949 pp. 1–22 figs. 1–63. [ACARI.]

449.—**Newton**, J. H. & **List**, G. M. Codling moth and mite control in 1948. J. Econ. Ent. Menasha, Wis. **42** 2 1949 pp. 346–348 table 1. [ACARI.]

450.—**Nordberg**, S. Biologisch-Okologische Untersuchungen uber die Volgennidicolen. Acta zool. fenn. Helsingfors **21** 1936 pp. 1–168 figs. 1–4 tables 1–30 diag. 1–20. [ACARI.]

451.—**O'Brien**, M. V. Observations upon the ecology of the Phalangida of the Chicago area. Bull. Ecol. Soc. Amer. **28** 1947 p. 61. [Not seen.]

452.—[**Olsuf'ev**, N. G. & **Kagramanov**, S. V.] Олсуфьев, Н. Г. и Каграманов, С. В. [On the pathogenic action of the nymphs of the tick *Dermacentor pictus* Herm. (Acari, Ixodidae) on Murid rodents.] Ent. Obozr., Moscow **29** 3–4 1947 pp. 256–259. [In Russian.] [ACARI.]

453.—**Oudemans**, A. C. Neue Funde auf dem Gebiete der Systematik und der Nomenklatur der Acari. VIII. Zool. Anz. Leipzig **136** 1941 pp. 177–186 figs. 1–15. [ACARI.]

Pack-Beresford, D. R. *vide* Praeger, R. L. **480**.

454.—**Palmén**, E. The Chilopoda of Eastern Fennoscandia. Ann. Zool. Soc. zool. bot. fenn. Vanamo, Helsinki **13** No. 4 1948 [1949] pp. 1–45 maps 1–15.

455.—**Palmén**, E. The Diplopoda of Eastern Fennoscandia. Ann. Zool. Soc. zool. bot. fenn. Vanamo **13** 6 1949 pp. 1–54 maps 1–16 table 1.

456.—**Palmgren**, P. Om Lycosidernas fortplantningsinstinkter—On the maternal behaviour of Lycosid spiders. Ann. ent. fenn. Helsinki **14** Suppl. 1948 [1949] pp. 179–180. [English summary.]

457.—**Palmgren**, P. Für die Fauna neue oder seltene Spinnen. Memoranda Soc. Fauna Flora fenn. Helsingfors **24** 1947–1948 (1948–49) pp. 24–25.

458.—**Parish**, H. E. Recent studies of life history and habits of the ear tick. J. Econ. Ent. Menasha, Wis. **42** 3 1949 pp. 416–419. [ACARI.]

459.—[**Pavlovskiĭ**, E. N.] Павловский, Е. Н. Handbook of human parasitology, II. pp. 527–1022 1948 5th Edn. Moscow illust. [In Russian.]

460.—[**Pavlovskiĭ**, E. N. & **Alfeeva**, S. P.] Павловский, Е. Н.; Алфеева, С. П. [Comparative pathology of the skin in mammals. Action of the bites of *Hyalomma* on the skin of bull, cow, goat and dog.] Bull. Acad. Sci. Moscow **1949** 6 pp. 709–715. [In Russian.] [ACARI.]

Pearce, G. W. *vide* Chapman, P. J. **122**.

461.—**Perreau**, A. Note entomologique sur "*Argas reflexus*." Rev. Sci. nat. Auvergne N.S. **11** 1–2 1945 p. 54. [ACARI.]

Perry, W. L. M. *vide* McSorley, J. G. A. **381**.

462.—[**Pervomayski**, G. S. & **Tchagin**, K. P.] Первомайский, Г. С. и Чагин, К. П. Клещевая разведка—один из основных элементов эпидемиологической медицина в Великую отечеств. [Mite recognition one of the essential elements of the epidemiological mediums during the Great War.] **3** 1946 pp. 446–452. [Not seen.] [ACARI.]

463.—[**Pervomaĭskiĭ**, G. S.] Первомайский, Г. С. О партеногенетическом развитии у клещей сем. Ixodidae. [On the parthenogenetic development in the Ticks of the Fam. Ixodidae.] Zool. J., Moscow **28** 6 1949 pp. 523–526 fig. 1. [In Russian.] [ACARI.]

464.—**Peters**, H. M. & **Witt**, P. N. Die Wirkung von Substanzen auf den Netzbau der Spinnen. Experientia, Basel **5** 4 1949 pp. 161–162.

465.—[**Petrish-cheva,** P. I. & **Zhmaeva,** Z. M.] Петрищева, П. А.; Жмаева, З. М. О естественных в рагах пастбищных клещей. [On the enemies of ticks of grazing-grounds.] Zool. J. Moscow **28** 5 1949 pp. 479–481. [In Russian.] [ACARI.]

[**Petrova-Piontkovskaia,** S. P. *vide* Korshunova, O. S.] **335.**

466.—**Petrunkevitch,** A. A study of Palaeozoic Arachnida—A study of the structure, classification and relationships of the Palaeozoic Arachnida based on the collections of the British Museum. Trans. Conn. Acad. Arts Sci. **37** 1949 pp. 69–315 pls. 1–83.

[**Piontkovskaya,** S. P. *vide* Korshunova, O. S.] **336.**

467.—**Pirilä,** V. & **Kilpiö,** O. Rat mite dermatitis. Acta Derm.-Vener. Helsingfors **29** 1 1949 pp. 70–76 figs. 1–2. [ACARI.]

468.—**Piza,** S. de T. Chromosomal races and types of scorpions (Exhibits). Proc. 8th Internat. Congr. Genetics issued as Suppl. Vol. to Hereditas, Lund 1949 pp. 675–677.

469.—**Piza,** S. de T. "Ouro Preto," nova e interessante raça cromossômica de *Tityus bahiensis* (Scorpiones—Buthidae). Scient. Genet. Torino **3** 2 1949 pp. 147–159 figs. 1–39. [Summary in English and German.]

Pletneff, P. *vide* Manso Soto, A. E. **387.**

470.—**Ploskoniówna,** M. Galasy wydmy Zadroże—The gall-nuts of the dune Zadroże. Stud. Soc. Scient. Toruń 1949 Suppl. 1 p. 39. [ACARI.]

471.—[**Pokrovskaya,** E. I.] Покровская, Е. И. К биологии клеща *Dermacentor marginatus* Sulz в условиях воронежской области. (Contribution to the biology of *Dermacentor marginatus* Sulz under conditions of the Province of Voronezh.) Zool. J. Moscow **28** 3 1949 pp. 225–230. [In Russian.] [ACARI.]

472.—[**Pomerantzev,** B. I.] Померанцев, Б. И. Клещи (сем. Ixodidæ) СССР и сопредельных стран. [The ticks of the family Ixodidae of USSR and adjacent countries.] Acad. Sci. U.S.S.R. 1946 28 pp. [Not seen.] [ACARI.]

473.—**Portman,** R. W. Preparing Ixodid ticks for mounting. Ent. News Lancaster, Pa. **60** 6 1949 pp. 155–156. [ACARI.]

474.—[**Pospelova-Shtrom,** M. V. K.] Поспелова-Штром, М. В. К. О системе Argasidae (с описанием двух новых подсемейств, трех новых триб и одноро нового рода). [On the system of Argasidae (with descriptions of two new sub-families, three new tribes and one new genus). Med. Parasit. & Parasitic Diseases **3** 1946 pp. 47–58. [Not seen.] [ACARI.]

475.—**Powell,** A. W. B. A second record of a King-Crab from New Zealand waters. Rec. Auckland Inst. Mus. **3** 6 1949 p. 372.

476.—**Powell,** A. W. B. Biological primary types in the Auckland Museum. Rec. Auckland Inst. Mus. 1949 **3** 6 pp. 403–409.

477.—**Pozo,** E. C. del. Ressemblances et différences dans les actions physiologiques des venins des Scorpions. Arch. Inst. Pasteur, Alger. **27** 1 1949 pp. 35–38.

478.—**Pozo,** E. C. del & **Derbez M.,** J. Relaciones entre la actividad anticolinesterasica, las propiedades de activacion muscular y la toxicidad de los venenos de diversos alacranes de Mexico. Rev. Inst. Salubr. Enferm. trop. Mexico **10** 2 1949 pp. 203–213 fig. 1 a–d tables 1–3. [English summary.]

479.—**Prada,** J. de. La fiebre "Q" en España. Med. Colon. Madrid **14** 5 1949 pp. 471–495 8 figs.

480.—**Praeger,** R. L. Some Irish naturalists—a biographical note-book. Dundalk (Dundalgan Press) 1949 pp. 1–208 with 60 portraits.

481.—**Pratt,** H. D., **Lane,** J. E. & **Harmston,** F. C. New locality records for *Allodermanyssus sanguineus* vector of rickettsialpox. J. Econ. Ent. Menasha, Wis. **42** 3 1949 pp. 414–415 fig. [ACARI.]

482.—**Price,** J. H. A spider spinning its web. Trans. Rochdale lit. Soc. **23** 1949 pp. 15–17.

483.—**Priest,** D. A. Spiders. Scient. J. roy. Coll. Sci. London **19** 1949 pp. 72–80.

Pritchard. A. E. *vide* Middlekauff, W. W. **410.**

484.—Prosen, A. F. *Neps farhati* sp. n. (Arach., Caponiidae). An. Inst. Med. Req. Tucuman **2** 3 1949 pp. 321–323 figs. A–C.

485.—Prüffer, J. Badania zoocenozy wydmy Zadroze.—Investigations of the zoocenoze of the dune Zadroże. Stud. Soc. Scient. Toruń 1949 Suppl. **1** pp. 41–56. [Separately paged 1–16.] [ACARI.]

Ptchelkina, A. A. *vide* Talisin, F. F. **599.**

486.—Pujatti, D. *Nesocia bandicota* Bechstein (Muridae) ospite intermedio della *Linguatula serrata* Frölich. Natura. Milano **40** 1–2 1949 pp. 18–22 text-fig. I.

487.—Pupiska, F. Clubionidae, Drassidae i Dysderidae (Arachn.) okolie Wilna.—Clubionidae, Drassidae und Dysderidae (Arachn.) der Umgebung von Wilno. Trav. Soc. Sci. Wilno **13** 45 1939 pp. 1–33. [German Zussammenfassung.]

488.—[Pyontkovskaya, S. P.] Пионтковская, С. П. Клещи *Hyalomma marginatum marginatum* Koch. Как носители риккетсий. [*Hyalomma marginatum marginatum* Koch., as a carrier of Rickettsia.] Zool. J. Moscow **28** 5 1949 pp. 419–420 pl. 5. [In Russian.] [ACARI.]

489.—Rabaud, E. L'instinct et le comportement animal. 1. Réflexes et tropismes. 2. Étude analytique et vue d'ensemble. Armand Colin, Sect. Biol. Nos. 253–254 Paris 1949 pp. 1–224 text-figs. 1–35: pp. 1–208 text-figs. 1–29.

490.—Radford, C. D. A revision of the fur mites Myobiidae (Acarina). Bull. Mus. Hist. nat. Paris (2) **20** 6 1948 [1949] pp. 525–531 figs. 5–18. [ACARI.]

491.—Radford, C. D. A revision of the fur mites Myobiidae (Acarina) (Suite). Bull. Mus. Hist. nat. Paris (2) **21** 1 1949 pp. 91–94 text-figs. 19–30. [ACARI.]

492.—Radford, C. D. A revision of the fur mites Myobiidae (Acarina). (Suite.) Bull. Mus. Hist. nat. Paris (2) **21** 4 1949 pp. 425–429 figs. 31–38. [ACARI.]

493.—Radford, C. D. New parasitic mites (Acarina: Myialgesidae and Listrophoridae). Proc. zool. Soc. London **118** 1949 pp. 933–937 text-figs. 1–5. [ACARI.]

494.—Rafalski, I. Pseudoscorpionidea from the Caucasus in collection of Polish Zoological Museum. Ann. Mus. zool. polon. **14** 6 1949 pp. 75–120 figs. 1–17 tables 1–5. [In Polish with English summary.]

495.—Raghavachari, K., **Abbas Ali Shah** & **Ray,** H. N. Control of acute Theileriasis in calves in the Punjab. Ind. J. vet. Sci. **15** 2 1946 pp. 149–151 pl. 1.

496.—Ramazzotti, G. Gli Idracnidi del bacino delle isole Borromee (Lago Maggiore). Mem. Ist. Ital. Idrobiol. Milano **3** 1947 pp. 325–398 figs. 1–54. [ACARI.]

497.—Rao, K. N. A. & **Kalra,** S. L. Tick-borne relapsing fever in Kashmir. Current Sci. Bangalore **18** 7 1949 p. 249. [ACARI.]

498.—Rao, K. N. A. & **Kalra,** S. L. Tick-borne relapsing fever in Kashmir. Ind. J. med. Res. **37** 1949 pp. 385–394 tables 1–5. [ACARI.]

Rao, K. N. A. *vide* Kalra, S. L. **318.**

499.—Ravoux, P. Myriapodes de Bourgogne (1re liste). Chilopodes avec des notes complémentaires sur la spinulation des espèces de Lithobies. Bull. sci. Bourgogne **11** 1948 pp. 55–90.

500.—Ray, H. N. Observations on the transmission of theileriasis to their progeny by the ticks, *Hyalomma aegyptium* Neumann. Proc. Indian Sci. Congr. 34th 3 (1947) 1948 p. 171. [ACARI.]

501.—Ray, H. N. A modification of Feulgen's technique for demonstrating Protozoa in the salivary glands of ticks. Proc. nat. Inst. Sci. India **15** 6 1949 pp. 245–247 pl. 11. [ACARI.]

502.—Ray, H. N. & **Bhattacharya,** A simple method for cutting sections of ticks. Proc. Indian Sci. Congr. 34th 3 (1947) 1948 p. 178. [ACARI.]

Ray, H. N. *vide* Raghavachari, K. **495.**

503.—Rayment, T. Mites "French moult," and bees. Vict. Nat. Melbourne **66** 6 1949 pp. 118–119 fig. [ACARI.]

504.—[**Redikortzev,** V. V.] Редикорцев, В. В. Клещ *Pediculoides ipidarius*, sp. n. (Acari, Pediculoididae) жуков короедов. [The mite *Pediculoides ipidarius* sp. n. (Acari, Pediculoididae) a parasite of barkbeetles.] Ent. Obozr. Moscow **29** 3–4 1947 pp. 247–249 fig. 1. [In Russian.] [ACARI.]

505.—[**Redikorzev,** V. V.] Редикорцев, В. В. Ложноскорпионы Средней Азии. [Pseudoscorpionidea of Central Asia.] Trav. Inst. Zool. Acad. Sci. U.R.S.S. **8** 4 1949 pp. 638–668 figs. 1–37. [In Russian.]

506.—**Reiff,** M. Physiologische Merkmale bei Spinnmilben (Acari, Tetranychidae) nach Veränderung des Blattstoffwechsels. Verh. Schweiz. naturf. Ges. **129** 1949 pp. 165–166. [ACARI.]

507.—**Remy,** P. Palpigrades de Corse. Bull. Mus. Hist. nat. Paris (2) **21** 2 1949 pp. 218–223 text-figs. 1–2.

508.—**Remy,** P. Palpigrades du Mexique et de Cuba. Ciencia, Mexico **9** 1–3 1948 pp. 33–36 figs. 1–3.

509.—**Remy,** P. Nouvelle contribution a la faune des Myriapodes de Corse. Mém. Mus. nat. Hist. nat. Paris N.S. **21** 4 1945 [1946] pp. 117–152 figs. 1–6.

510.—**Remy,** P. Pauropodes de la Côte d'Ivoire, Afrique Occidentale Française. (Récoltes de M. Cl. Delamare-Deboutteville.) Mém. Mus. nat. Hist. nat. Paris N.S. **27** 5 1948 pp. 115–151 figs. 1–26.

511.—**Remy,** P. Sur quelques Pauropodes d'Australie. (Récoltes de M. le Professeur O. W. Tiegs.) Mem. nat. Mus. Victoria No. 16 1949 pp. 51–58 fig. 1.

512.—**Ribaut,** H. Espèces nouvelles de Diplopodes des grottes de l'Aveyron. Bull. Soc. Hist. nat. Toulouse **83** 3–4 1949 pp. 159–162 text-figs. 1–10.

513.—**Richards,** A. G. Studies on arthropod cuticle. III. The chitin of *Limulus*. Science, Lancaster, Pa. **109** 2841 1949 pp. 591–592.

514.—**Richardson,** C. H. Orchard mites in Iowa. Proc. Iowa St. Hortic. Soc. **82** [1948] pp. 139–141. [ACARI.]

515.—**Ricket,** W. E. Our eight-footed friends. Canad. Field Nat. **63** 3 1949 pp. 95–98. [ACARI.]

516.—**Ricketts,** E. F. & **Calvin,** J. Between Pacific Tides. Stanford 1948 pp. i–xxvii + 1–365 illustr. [Pycnogonida.]

517.—**Rijlant,** P. Automatisme et conduction dans le coeur de *Limulus polyphemus*. Bull. Acad. R. Belg. Cl. Sci. (5) **29** 1943 pp. 790–813 figs. 1–4.

518.—**Ringuelet,** R. Zooparasitos dè interes veterinario. Su distribucion en la Argentina segun comprobaciones de la direccion de patologia animal 1935–1945. Buenos Aires (Direccion de Informaciones) 1948 54 pp. 20 text-maps. [ACARI.]

Rizvi, S. W. H. *vide* Sreenivasan, M. K. **585.**

519.—**Roberts,** I. H. Benzine hexachloride dips for the destruction of psoroptic scabies mites on shorn sheep. Vet. Med. Chicago **44** 11 1949 pp. 471–475 figs. 1–3. [ACARI.]

Roberts, I. H. *vide* Kemper, H. E. **321.**

520.—**Rodaniche,** E. C. de. Experimental transmission of Q fever by *Amblyomma cajennense*. Amer. J. trop. Med. Baltimore **29** 5 1949 pp. 711–714 tables 1–2. [ACARI.]

521.—**Rodriguez-Roda,** J. Tardigrados del centro de España. Pub. Inst. Biol. apl. Barcelona **6** 1949 pp. 27–40 Microphot. 1–9 text-figs. 1–8.

522.—**Roewer,** C. F. Über Phalangodiden I. (Subfam. Phalangodinae, Tricommatinae, Samoinae.) Weitere Weberknechte XIII. Senckenbergiana, Frankfurt **30** 1–3 1949 pp. 11–61 figs. 1–119.

523.—**Roewer,** C. F. Über Phalangodidae II.—Weitere Weberknechte XIV. Senckenbergiana, Frankfurt **30** 4–6 1949 pp. 249–289 figs. 1–101.

524.—**Roewer,** C. F. Solifugen 1934–1940. Veröff. dtsch. Kolon.-Uebersee Mus. Bremen **3** 2 1941 pp. 97–192. [Correction of pagination, see Z.R. 1946 no. 441.]

525.—**Roewer,** C. Fr. Opiliones, Pedipalpi und Araneae von Fernando Poo. 21. Beitrag zu den wissenschaftlichen Ergebnissen der Westafrika. Expedition Eidmann 1939-40. Veröff. dtsch. Kolon.-Uebersee Mus. Bremen **3** 3 1942 pp. 244–258 pl. 19.

526.—Roewer, C. F. Einige neue Gattungen der Phalangodidae (Opiliones). Veröff. Mus. Nat. Bremen No. 1A 1949 pp. 143–144.

527.—Roivainen, H. Eriophyid news from Denmark. Ann. ent. fenn., Helsinki **15** 1949 pp. 22–32 text-figs. 1–4. [ACARI.]

528.—Ross, H. H. How to collect and preserve insects. Illinois State Nat. Hist. Surv. Circ. 39 1949 pp. 1–59 figs. 1–65.

529.—Ross, W. A. & **Armstrong,** T. Notes on some of the newer acaricides. Scient. Agric. Ottawa **29** 2 1949 pp. 81–85. [ACARI.]

Roy, B. K. G. *vide* Krishnan, K. N. **337, 338, 339.**

Ryckman, R. I. *vide* Halstead, B. W. **267.**

530.—Said, M. S. Mange in Egyptian camels—the morphology, life-history and bionomics of *Sarcoptes scabiei* var. *cameli* with an outline of the history, pathology and treatment of the disease. Tech. & Sci. Serv. (Vet. Sect.) Minis. Agric. Egypt 1946 pp. i–vi + 1–85 16 pls. (figs. 1–28). [ACARI.]

Sailer, R. I. *vide* Hoffman, C. H. **290.**

[**Sakhareylidze,** A. N.] *vide* Kalandadze, L. P. **317.**

531.—Salmon, J. T. New methods in microscopy for the study of small insects and Arthropods. Trans. Roy. Soc. N.Z. **77** 5 1949 pp. 250–253. (Rept. 6th Sci. Congr. May 20–23, 1947.)

532.—Sankey, J. H. P. Observations on food, enemies and parasites of British harvest-spiders (Arachnida, Opiliones). Ent. mon. Mag. London **85** 1025 1949 pp. 246–247.

533.—Sankey, J. H. P. On the harvestman, *Opilio saxatilis* (C. L. Koch). Proc. zool. Soc. London **119** 2 1949 pp. 297–300 text-figs. 1–3.

534.—Savory, T. H. Notes on the biology of Arachnida. J. Quekett micr. Cl. (4) **3** 1949 pp. 18–24.

535.—Savory, T. H. Recent work on spiders. New Biology, London **7** 1949 pp. 30–47 figs. 1–5.

536.—Savory, T. H. Opiliones (Arachnida) or Harvestmen. Synopses of the British Fauna No. 1 1948 2nd Ed. pp. 1–19 figs. 1–16.

537.—Sawaya, P. & **Soares,** B. A. M. Reação do coração dos Escorpies do género *Tityus* à desinervação e às drogas coli- e adrenérgicas. [Reaction of the heart of Scorpions to enervation and to the coli- and adrenergic drugs.] Bol. Fac. Filos. Cien. Let. Univ. S. Paulo **99** no. 14 1949 pp. 325–333 graph. 1. [English summary.]

538.—Schenkel, E. Mitteilungen über Spinnentiere. Verh. naturf. Ges. Basel **60** 1949 pp. 186–204 text-figs. 1–6.

539.—Schönmann, P. Die Welt der Tiere, Wien 1949 pp. 1–654 pls. 1–14 text-figs. 1–367.

Schröder, E. *vide* Schulze, P. **549.**

540.—Schubart, O. Os Diplopoda de algumas ilhas do litoral paulista. Mem. Inst. Butantan, S. Paulo **21** 1949 pp. 203–254 figs. 1–30 map.

541.—Schubart, O. Sôbre os maiores "Proterospermophora" do Brasil (Leptodesmidae, Diplopoda). Rev. Brasil. Biol. Rio de J. **9** 1 1949 pp. 17–24 figs. 1–4.

542.—Schulze, P. Die wahre Natur der sog. Larvenstigmen bei den Schildzecken. Biol. Zbl. Leipzig **68** 11–12 1949 pp. 488–492 figs. 1–4. [ACARI.]

543.—Schulze, P. Vergleichend morphologische Untersuchungen über die Augen der Schildzecken. A. Remane & A. Thienemann in Verh. Deuts. Zool. in Kiel 1948 Leipzig (Geest & Portig.) 1949 pp. 90–95 figs. 1–6. [ACARI.]

544.—Schulze, P. Uber das Zeichnungsmuster von *Aponomma* und über einige bemerkenswerte geographische Rassen von *Aponomma* und *Amblyomma* aus Beludschistan, Australien und Argentinien. Zool. Anz. Leipzig **134** 1941 pp. 179–187 figs. 1–4. [ACARI.]

545.—Schulze, P. Eine Zecke mit überzähligen Atemplatten vom Muster einer anderen Milbengruppe, der Mesostigmata. Zool. Anz. Leipzig **135** 1941 pp. 252–256 figs. 1–4. [ACARI.]

546.—Schulze, P. Zur Lebensgeschichte der Igelzecke *Ixodes hexagonus* Leach. Zool. Anz. Leipzig **135** 1941 pp. 270–275 fig. 1. [ACARI.]

547.—Schulze, P. Ein neuer Balkanixodes nebst Bemerkungen über die Perspicilla der Ixodiden. Zool. Anz. Leipzig **144** 5–6 1944 pp. 148–156 figs. 1–11. [ACARI.]

548.—Schulze, P. Die Lage der weiblichen Geschlechtsöffnung bei den Vogelzecken, die Bedeutung der Vögel als Schildzeckenwirte und die Beziehungen der Ixodidea zu den Piroplasmen, nebst Beschreibung der ersten *Ixodes* von der Hausschwalbe. Zool. Anz. Leipzig **144** 11–12 1944 pp. 209–215 figs. 1–5. [ACARI.]

549.—Schulze, P. & **Schröder,** E. Zur Sinnesphysiologie der Lederzecken (Argasidea). Biol. Zbl. Leipzig **68** 7–8 1949 pp. 321–333 text-figs. 1–5. [ACARI.]

550.—Schweizer, J. Landmilben aus der Umgebung des Schweizerischen Nationalparks. Rés. Rech. scient. Parc Nation. Suisse N.F. **2** 20 1948 pp. 1–28 text-figs. 1–6. [ACARI.]

551.—Schweizer, J. Die Landmilben des Schweizerischen Nationalparkes. 1. Teil: Parasitiformes Reuter 1909. Rés. Rech. scient. Parc Nation. Suisse N.F. **2** 21 1949 pp. 1–99 text-figs. 1–54 map. [ACARI.]

552.—Scott, J. A. Longevity of tropical rat mites kept without food. J. Parasit. Lancaster, Pa. **35** 4 1949 p. 434. [ACARI.]

553.—Scott, M. T. The failure of benzene hexachloride to control itch mite (*Psorergates ovis*). Aust. vet. J. **26** 12 1949 pp. 300–301 1 table. [ACARI.]

554.—Seddon, H. R. A review of communicable diseases of animals in Australia. With indications of their economic importance, distribution and incidence in 1946–47. Serv. Publ. (Div. vet. Hyg.) Dep. Hlth. Aust. No. 3 1948 pp. 1–33. [ACARI.]

555.—Sellnick, M. Milben von der Küste Schwedens. Ent. Tidskr. Stockholm **70** 1–3 1949 pp. 123–135 text-figs. 1–2. [ACARI.]

556.—Sellnick, M. Eine neue südamerikanische Milbe. Zool. Anz. Leipzig **135** 1941 pp. 145–156 figs. 1–4. [ACARI.]

557.—Sellnick, M. Milben von Fernando Poo. 13. Beitrag zu den wissenschaftlichen Ergebnissen der Forschungsreise H. Eidmann nach Spanisch-Guinea 1939–40. Zool. Anz. Leipzig **136** 1941 pp. 221–228 figs. 1–9. [ACARI.]

558.—Sergent, E. [In memoriam.] Douze années de sérothérapie antiscorpionique. Ann. Inst. Pasteur, Paris **76** 1 1949 pp. 50–52.

559.—Sergent, E. (In memoriam.) Étude comparative du venin de Scorpions Mexicains et de Scorpions Nord-Africains. Arch. Inst. Pasteur, Alger. **27** 1 1949 pp. 31–34.

560.—Sergent, E. Rapport sur le fonctionnement de l'Institut Pasteur d'Algérie en 1948. Arch. Inst. Pasteur Alger. **27** 2 1949 pp. 170–208.

561.—Sharma, G. P. Spermatogenesis of the spider, *Plexippus paykulli* (Audouin). Proc. Indian Sci. Congr. **32nd** (1945) 1946 3 p. 94.

562.—Šilhavý, V. Sekáe *Astrobunus meadi* (Thor.) v Ceskoslovenské Republice—L'Opilion *Astrobunus meadi* (Thor.) dans la République Tchécoslovaque. Acta Soc. ent. Cech. **46** 3–4 1949 pp. 151–155 text-figs. A, B. [In Czech with French résumé.]

563.—Šilhavý, V. Poznámky o sekáčích I.—Fragmenta Opilionidologica I. Ent. Listy Brno **12** 1–4 1949 pp. 9–13 figs. 1–2. [In Czech, French résumé.]

564.—Šilhavý, V. Pobřežní fauna sekáčů (Opiliones) rybníků u Studence. I. Sborn. Přír. Kl. Třebíči **4** 1946 pp. 53–54.

565.—Šilhavý, V. Nový rod a druh sekáčů, *Odontosoma centetes*, nov. gen., nov. spec. (Opiliones, subfamilia Phalangünae). Sborn. Přír. Kl. Třebíči **4** 1946 pp. 55–57 2 pl.

566.—Silvestri, F. Descrizioni di nuovi Diplopodi Penicellati. Boll. Lab. Ent. agr. Portici **9** 1948 [1949] pp. 1–7 text-figs. 1–5.

Silvestri, F. *vide* Thompson, W. R. **614.**

567.—Skaliy, P. & **Hayes,** W. J., Jr. The biology of *Liponyssus bacoti* (Hirst, 1913) (Acarina, Liponyssidae). Amer. J. trop. Med. Baltimore **29** 5 1949 pp. 759–772 tables 1–6. [ACARI.]

568.—[Skruinnik, A. N.] Скрынник, А. Н. О клещах Ixodidae в присурском лесном массиве чувашской АССР. [On the ticks Ixodidae in the forest along the river Sura in the ASSR of Chuvashiya.] Ent. Obozr., Moscow **29** 3–4 1947 pp. 250–255 figs. 1–2. [In Russian.] [ACARI.]

569.—Sluiter, C. P. De dierlijke parasieten van den mensch. [The animal parasites of man.] Amsterdam, Scheltema & Holkema's Boekhandel 1948 5th Ed. pp. viii + 441 3 col. pls. 322 figs.

Smit, A. M. *vide* Gispen, R. **249.**

570.—Smith, C. N., **Cole,** M. M., **Jones,** E. A. & **Clark,** J. C. Investigations of tick repellants at Camp Bullis. J. Econ. Ent. Menasha, Wis. **42** 5 1949 pp. 716–720 tables 1–3.

Smith, C. N. *vide* Cole, M. M. **138.**

571.—Smith, L. M. & **Summers,** F. M. The structure and biology of the red spider predator, "*Hypoaspis*" *macropilis* (Banks). Proc. ent. Soc. Washington **51** 5 1949 pp. 209–218 text-figs. A–H. [ACARI.]

Smith, R. O. A. *vide* Krishnan, K. V. **337, 338, 339.**

Snyder, F. M. *vide* Cross, H. F. **154.**

572.—Soares, B. A. M. & **Soares,** H. E. M. Monografia dos gêneros de Opiliões neótropicos II. Arq. zool. S. Paulo **7** 2 1949 pp. 149–240.

573.—Soares, B. A. M. & **Soares,** H. E. M. Novos opiliões Brasileiros. Comun. Zool. Mus. Hist. nat. Montevideo **2** 47 1948 pp. 1–16 pl. 1.

574.—Soares, B. A. M. & **Soares,** H. E. M. Alguns Opiliões do Sul do Brasil (Opiliones—Gonyleptidae, Phalangodidae, Cosmetidae). Pap. Avulsos Dept. zool. S. Paulo **9** 1949 pp. 47–60 figs. 1–15.

Soares, B. A. M. *vide* Sawaya, P. **537.**

575.—Sokolow, I. I. *Baicalacarus vermiformis* n. gen., n. sp. Scient. Mem. Leningrad State Univ. Biol. Sci. **2** 68 1944 pp. 46–53 figs. 1–14. [Not seen.] [ACARI.]

576.—[Sokolov, I. I.] Соколов, И. И. Новые виды Halacaridae из Северного ледовитого океана. [New species of Halacaridae from the Arctic Ocean.] Works of Dreyfus Exped. "Sedov" 1937–1940 Glavsevmorp. **3** Biol. 1946 pp. 302–307. [Not seen.] [ACARI.]

577.—Solomon, M. E. Conditions under which mites raise moisture content of foodstuffs. Analyst **74** 880 1949 p. 411. [ACARI.]

578.—[Sorokin, S. V.] Сорокин, С. В. Динамика хлебных клещей в сене. [Population of grain mites in hay.] Zool. J. Moscow **27** 6 1948 pp. 487–493. [In Russian.] [ACARI.]

579.—[Sorokin, S. V.] Сорокин, С. В. Экология хлебных клещей в колхозных зернохранилищах вологодской области. [Ecology of the grain mites in the collective farm granaries of Vologod district.] Zool. J. Moscow **28** 4 1949 pp. 323–340 figs. 1–3 tables 1–14. [In Russian.] [ACARI.]

580.—[Sosnina, E. F.] Соснина, Е. Ф. О выживаемости клещей *Ornithodorus papillipes* Bir. под штукатуркой стен местных построек. [On the survival of *Ornithodorus papillipes* Bir. under plaster of walls.] Zool. J. Moscow **28** 4 1949 pp. 380–382. [In Russian.] [ACARI.]

581.—Soyer, B. Étude statistique des groupements d'animaux dans les associations végétales des environs de Marseille. Bull. Soc. zool. Fr. **74** 2 1949 pp. 117–121.

582.—Spence, T. The latent phase of sheep scab: its nature and relation to the eradication of the disease. J. comp. Path. Edinb. **59** 4 1949 pp. 305–318. [ACARI.]

583.—Spencer, W. T. Sarcoptic swine mange control tests with chlordane. J. Amer. vet. med. Ass. **113** 857 1948 p. 153 figs. 1–2.

Spencer, W. T. *vide* Muma, M. H. **440.**

584.—Sprehn, C. Beispiele für zeitgemässe Therapie zooparasitärer Krankheiten. Zbl. Bakt. Jena Orig. **154** 3–5 1949 pp. 55*–62*. [ACARI.]

585.—Sreenivasan, M. K. & **Rizvi,** S. W. H. Demodectic mange of goats in India. Indian J. vet. Sci. **15** 4 1946 pp. 287–289 pl. 1. [ACARI.]

586.—Stahnke, H. L. *Diplops desertorum* a scorpion synonym. Ent. News Lancaster, Pa. **60** 9 1949 p. 243.

587.—Stammer, H. J. Die Bedeutung der Aethylenglykolfallen für tierökologische und -phänologische Untersuchungen. Verh. Deutsch. Zool. Kiel 1948 pp. 387–391.

588.—Starkoff, O. Contributo alla conoscenza dell' acarofauna di Roma e dintorni. Fam.: Argasidae (Murray), 1877. Rend. Acc. Lincei (8) **7** 1–4 1949 pp. 120–123. [ACARI.]

Stickel, W. H. *vide* George, J. L. **243.**

589.—Stojalowska, W. Masowe pojawy krocionogów w okolicy Lublina. The mass appearances of Diplopoda in the Lublin area. Ann. Univ. M.C.-Skłodowska, Lublin **4C** 12 1949 pp. 269–275. [In Polish with English summary.]

590.—Strandtmann, R. W. The blood-sucking mites of the genus *Haemolaelaps* (Acarina: Laelaptidae) in the United States. J. Parasit. Lancaster, Pa. **35** 4 1949 pp. 325–352 figs. 1–45 table 1. [ACARI.]

591.—Strandtmann, R. W. & **Menzies,** G. C. A new species of mite, *Hypoaspis murinus*, frequently taken from *Rattus* sp. (Laelaptidae: Hypoaspinae). Ann. Ent. Soc. Amer. Columbus **41** 4 1948 [1949] pp. 479–482 text-figs. A–E. [ACARI.]

Strandtmann, R. W. *vide* Morlan, H. B. **432.**

592.—Strasser, K. Diplopoden aus dem Julischen Karst. Zool. Anz. Leipzig **138** 1942 pp. 213–234 figs. 1–30.

593.—Strenzke, K. Zur Fortpflanzung der Moosmilben. Mikrokosmos, Stuttgart **38** 8 1949 pp. 177–180 text-figs. 1–2. [ACARI.]

Sturtevant, A. P. *vide* Burnside, C. E. **89.**

Summers, F. M. *vide* Smith, L. M. **571.**

594.—Suzuki, S. Studies on the Japanese Harvesters. I.—*Sabacon dentipalpe*, a new species of the interesting Harvesters from Japan. J. Sci. Hiroshima Univ. zool. **11** 1–3 1949 pp. 7–12 text-figs. 1–3.

595.—Suzuki, S. Studies on the Japanese Harvesters. II.—Harvesters from Hokkaido, with special reference to variation. J. Sci. Hiroshima Univ. zool. **11** 1–3 1949 pp. 13–28 pl. 1 text-fig. 1.

596.—Svenonius, B. Über die Hydracarinenfauna im Bottenviken und im angrenzenden Kustengebiet. Ent. Tidskr. Stockholm **70** 4 1949 pp. 253–262. [ACARI.]

Swift, H. H. *vide* Hoffmann, C. H. **290.**

597.—Szalay, L. Über die Hydracarinen der unterirdischen Gewässer. Hydrobiologia, Den Haag **2** 2 1949 pp. 141–179 tables 1–5. [ACARI.]

598.—Szalay, L. Contribution à l'étude de la faune des Opilionides dans le Bassin des Carpathes. Tijdschr. Ent., Amsterdam **91** (1948) 1949 pp. 153–158.

599.—[Talisin, F. F. & **Ptchelkina,** A. A.] Талызин, Ф. Ф.: Пчелкина, А. А. [The toxic action of salivary glands in *Hyalomma asiaticum* P. Sch.] Bull. Acad. Sci. Moscow **1949** 6 pp. 716–718. [In Russian.] [ACARI.]

Tanasachi, J. *vide* Motas, C. **435, 436, 437.**

[**Tchagin,** K. P.] *vide* [Pervomayski, G. C.] **462.**

600.—Tendeiro, J. Subsidios para o Conhecimento da Fauna Parasitológica da Guiné. Bol. cult. Guiné portuguesa no. 11 1948 pp. 637–738 illustr. (Acari pp. 686–697.) [ACARI.]

601.—Tendeiro, J. Ixodideos da Guiné Portuguesa *Hyalomma savignyi* Gervais 1844. Bol. cult. Guiné portuguesa no. 14 1949 pp. 319–334 fig. [ACARI.]

602.—[Ter-Pogosyan, A. G.] Тер-Погосян, А. Г. Клещи-Эктопаразиты (Acarina) грызунов северной Армении. [Ectoparasitic mites (Acarina) of rodents in Northern Armenia.] Iev. Acad. Sci. Armenia USSR **1** 1946 pp. 43–68. [Not seen.] [ACARI.]

603.—[Ter-Pogosyan, A. G.] Тер-Погосян, А. Г. Клещи-Эктопаразиты грызунов юго-восточной Армении [Mite parasites of rodents in South West Armenia.] Iev. Acad. Sci. Armenia USSR **3** 1946 pp. 3–15. [Not seen.] [ACARI.]

604.—[Ter-Pogosyan, A. G.] Тер-Погосян, А. Г. Клещи-Эктопаразиты грызунов г. Еревана и его окрестностей [Mite ectoparasites of rodents in the Mt. Erevan and its vicinity. Iev. Acad. Sci. Armenia USSR **5** 1946 pp. 51–64. [Not seen.] [ACARI.]

605.—[Ter-Pogosyan, A. G.] Тер-Погосян, А. Г. Клещи-Эктопаразиты грызунов Араратской долины Арм ССР. [Mite ectoparasites of

rodents in Arauet plain.] Iev. Acad. Sci. Armenia USSR **5** 1946 pp. 65–70. [Not seen.] [ACARI.]

606.—T[heiler], G. Tortoise and its ticks are harmless. African Wild Life **2** 4 1949 pp. 72–74 3 photos. [ACARI.]

607.—Theiler, G. Notas sôbre as carraças dos animais domésticos na África Oriental Portuguesa. Mocambique, Lourenço Marques No. 33 1943 pp. 51–120 figs. 1–49. [See Z.R. 1943 no. 384.] [ACARI.]

608.—Theiler, G. Zoological survey of the Union of South Africa : Tick. Part II.—Distribution of *Boophilus* (*Palpoboophilus*) *decoloratus*, the Blue tick. Onderstepoort J. Pretoria **22** 1949 pp. 255–268 map. [ACARI.]

609.—Theiler, G. Zoological survey of the Union of South Africa : Tick survey. Part III.—Distribution of *Rhipicephalus appendiculatus*, the Brown Tick. Onderstepoort J. Pretoria **22** 1949 pp. 269–284 map. [ACARI.]

610.—Theiler, G. Ticks—Presidential Address to the S.A. Biological Society 20th November 1947. Pamphl. S. Afr. biol. Soc. No. 14 1949 pp. 7–43. [ACARI.]

611.—Thomas, M. L'instinct chez les araignées. Observations sur *Tibellus oblongus* Walck. Bull. Ann. Soc. ent. Belg., Brussels **85** 1–2 1949 pp. 23–24.

612.—Thomas, M. L'instinct chez les araignées.—Notes sur la ponte et le cocon de quelques espèces d'araignées. Bull. Ann. Soc. ent. Belg. Brussels **85** 1949 pp. 25–27.

613.—Thomas, M. L'instinct chez les Araignées. A.—Observations sur *Lithyphantes paykullianus* Walck. B.—A propos de la survivance de certaines Araignées à la ponte et à la confection du cocon contenant les œufs. Bull. Ann. Soc. ent. Belg. **85** 1949 pp. 91–97.

614.—Thompson, W. R. Obituary.—F. Silvestri. [22 June 1873–10 June 1949.] Canad. Ent. **81** 8 1949 pp. 215–216.

Thorburn, J. A. *vide* Whitnall, A. B. M. **676.**

615.—Thorp, J. M., **Meillon**, B. de & **Hardy**, F. The effect of 2 : 3-dimercaptopropanol (British anti-lewisite) on the toxicity of neoarspenamine for *Ornithodorus moubata*. S. Afr. J. med. Sci. **13** 4 1948 pp. 151–158 figs. 1–3, tables. [ACARI.]

616.—Thurman, D. C., Jr., **Mulrennan**, J. A. & **Branch**, N. Description of the male of *Cosmolaelaps gurabensis* Fox (Acarina, Laelaptidae). J. Parasit. Lancaster, Pa. **35** 5 1949 pp. 496–498 pl. 1. [ACARI.]

617.—Todd, V. The habits and ecology of the British Harvestmen (Arachnida, Opiliones), with special reference to those of the Oxford District. J. Animal Ecol. **18** 1949 pp. 209–229 pls. 10–12 figs. 1–5 tables.

618.—Toldt, K. Neuerliche Betrachtungen über *Trombicula*-Herde und Trombidiose-Endemien in Mitteleuropa mit besonderer Berücksichtigung der österreichischen Alpenländer. Ber. naturw.-med. Ver. Innsbruck **47** 1947 pp. 53–69 figs. 1–2. [ACARI.]

619.—Toldt, K. Spinnen oder Raupengespinste als Malgrund ? Zool. Anz. Leipzig **139** 1942 pp. 129–149 figs. 1–11.

Torres de la Llosa, L. A. *vide* López Fernández, J. A. **368.**

Townes, H. K. *vide* Hoffmann, C. H. **290.**

620.—Trägårdh, I. Description of two new genera of Mesostigmata (Acarina), *Aspidilaelaps* from Samoa and *Protoholaspis* from Peru. Ent. Medd., Copenhagen **25** 5 1949 pp. 311–325 text-figs. 1–20. [ACARI.]

621.—Traub, R. Observations on Tsutsugamushi disease (Scrub typhus) in Assam and Burma.—The mite, *Trombicula deliensis* Walch, and its relation to scrub typhus in Assam. Amer. J. Hyg. Baltimore **50** 1949 pp. 361–370 tables 1–5. [ACARI.]

Travassos Santos Dias, J. A. *vide* Dias, J. A. Travassos Santos **176–183.**

622.—Tullgren, A. Bidrag till kännedomen om den svenska spindelfaunan. III.—Svenska representanter för familjen Theridiidae. Ent. Tidskr. Stockholm **70** 1–2 1949 pp. 33–64 text-figs. 1–18. [German Zusammenfassung.]

623.—Turk, F. A. *Dinocheirus stercoreus*, a new Pseudoscorpion from the Bracken Cave, Texas, U.S.A. Ann. Mag. nat. Hist. (12) **2** 1949 pp. 120–126 text-figs. 1–6.

624.—Turk, F. A. Myriapodological notes. II. North Western Nat. Arbroath **22** 3–4 1947 [1949] pp. 226–234.

625.—Tutunji, D. F. Scorpion stings. Lancet, London **256** 6564 1949 p. 1075.

626.—Tuxen, S. L. Augustknopper—augustmidar. Nat. Verd. Kbh. **33** 2–3 1949 pp. 75–90 figs.

627.—Tuzet, O., **Bonnet,** A. & **Cailar,** J. du. Contribution a l'étude de la faune cavernicole du Languedoc Méditerranéen. Pub. Mus. nat. Hist. nat. Paris No. 8 1947 pp. 53–64.

628.—Tuzet, O., **Bonnet,** A. & **Cailar,** J. du. Deuxième contribution a l'étude de la faune cavernicole du Languedoc. Pub. Mus. nat. Hist. nat. Paris No. 10 1948 pp. 53–62 1 map.

629.—Urbani, E. Osservazioni sull' acido ribonucleico dell' oocite in crescita di *Pholcus phalangioides* Fussly. Rend. Acc. Lincei (8) **6** 4 1949 pp. 526–530 figs. 1–6.

630.—Urbani, E. Ricerche comparative sui nuclei vitellini di alcune specie animali. Riv. Biol. Perugia N.S. **41** 1 1949 pp. 63–89 text-figs. 1–19.

631.—Urbański, J. *Argyope bruenniche* (Scopoli) 1772 na wyspie Wolin oraz rozmieszczenie tego gatunku na ziemiach polskich (Arachn., Aran. Argyopidae)—*Argyope bruennichi* (Scopoli) 1772 on the island of Wolin and the distribution of this species on Polish territories. Badan. fizjogr. poznań. Tow. Przyj. Nauk No. 1 1948 pp. 160–169 figs. 1–2. [English summary.]

632.—Vachon, M. Études sur les Scorpions. III.—Description des Scorpions du Nord de l'Afrique. Arch. Inst. Pasteur, Alger. **27** 1 1949 pp. 66–100 text-figs. 242–292.

633.—Vachon, M. Études sur les Scorpions. III.—Description des Scorpions du Nord de l'Afrique. Arch. Inst. Pasteur Alger. **27** 2 1949 pp. 134–169 text-figs. 293–363.

634.—Vachon, M. Études sur les Scorpions (suite). III.—Description des Scorpions du Nord de l'Afrique. Arch. Inst. Pasteur, Alger. **27** 3 1949 pp. 281–288 text-figs. 364–371.

635.—Vachon, M. Études sur les Scorpions. III.—Description des Scorpions du nord de l'Afrique. Arch. Inst. Pasteur, Alger. **27** 4 1949 pp. 334–396 text-figs. 372–476.

636.—Vachon, M. Ordre des Pseudoscorpions — Faux - Scorpion Latreille 1817 : Chélifères Gervais 1844 : Chernetidae Menge 1855 : Pseudoscorpiones Pavesi 1880 : Chelonethi Thorell 1882 : Chelonethida Chamberlin 1929 : Pseudoscorpionidea Beier 1932. GRASSÉ. Traité de Zoologie, Paris **6** 1949 pp. 437–481 figs. 196–241.

Vachon, M. *vide* Millot, J. **420, 421.**

637.—Valle, A. Un Oribatide cavernicolo nuovo nei dintorni di Bologna. Monit. zool. ital. Firenze **57** 1949 pp. 39–40 figs. 1–3. [ACARI.]

Valle, A. *vide* Bianchi, C. **60.**

638.—Vandel, A. Généralités composition de l'embranchement. GRASSÉ. Traité de Zoologie, Paris **6** 1949 pp. 79–158 1 pl. figs. 1–36.

Varela, G. *vide* Mariotte, C. O. **392.**

639.—Verdcourt, B. Miscellaneous records of Arachnida and Insecta from N.W. Hertfordshire. Ent. mon. Mag. London **85** 1025 1949 pp. 249–253.

640.—Verhoeff, K. W. Streifzüge durch Spessart, Odenwald und Hardt : Chilopoda. Ber. naturf. Ges. Freiburg **36** 2 1939 pp. 225–243 figs. 1–4.

641.—Verhoeff, K. W. Zur Kenntnis der *Polyxenus*-Arten. Zool. Anz. **133** 11–12 1941 pp. 259–264 figs. 1–3.

642.—Verhoeff, K. W. Versuch eines Siphonophoriden-Systems und geographisch-phylogenetische Beurteilung der Gonopoden. Zool. Anz. Leipzig **134** 1941 pp. 212–224 figs. 1–8. [See Z.R. 1944 no. 543.]

643.—Verhoeff, K. W. Untersuchungen über die Fauna des Holaegaeum : Chilopoden, Diplopoden und Land-Isopoden. Zool. Anz. Leipzig **135** 1941 pp. 35–41.

644.—Verhoeff, K. W. Aliquid novi ex Africa. IV. Zool. Anz. Leipzig **135** 1941 pp. 196–204, figs. 1–9.

645.—Verhoeff, K. W. Myriopoden der Insel Fernando Po. X.—Beitrag zu den wissenschaftlichen Ergebnissen der Forschungsreise H. Eidmanns nach Spanisch-Guinea 1939–40. Zool. Anz. Leipzig **136** 1941 pp. 33–52 figs. 1–17.

646.—Verhoeff, K. W. Zur Kenntnis ostasiatischer Diplopoden. VI. Zool. Anz. Leipzig **136** 1941 pp. 62–70, figs. 1–10.

647.—**Verhoeff,** K. W. Myriapoden der Insel Fernando Po. X.—Beitrag zu den wissenschaftlichen Ergebnissen der Forschungsreise H. Eidmann nach Spanisch-Guinea 1939–40 (Schluss). Zool. Anz. Leipzig **136** 1941 pp. 89–98, figs. 18–28.

648.—**Verhoeff,** K. W. Chilopoden aus innerasiatischen Hochgebirgen. Zool. Anz. Leipzig **137** 1942 pp. 35–52, figs. 1–21.

649.—**Verhoeff,** K. W. Ascospermophoren aus Japan und über neue japanische Diplopoden. Zool. Anz. Leipzig **137** 1942 pp. 201–217, figs. 1–19.

650.—**Verhoeff,** K. W. Otostigmen der Mandschurei. Zool. Anz. Leipzig **138** 1942 pp. 181–188, figs. 1–7.

651.—**Verhoeff,** K. W. Diplopoden der Insel Kapri. Zool. Anz. Leipzig **139** 1942 pp. 213–233, figs. 1–31. [See Z.R. 1945 no. 898, omissions in abstract.]

652.—**Vesey-Fitzgerald,** B. A spider's web adorning. Field, London **194** 5049 1949 pp. 549–550 illust.

653.—**Viets,** K. Nomenklatorische und taxonomische Bermerkungen zur Kenntnis der Wassermilben (Hydrachnellae, Acari) 1–10. Abh. naturw. Ver. Bremen **32** 2 1949 pp. 292–327 figs. 1–6. [ACARI.]

654.—**Viets,** K. Eine neue *Kongsbergia*-Art aus dem Grundwasser. Abh. naturw. Ver. Bremen **32** 2 1949 pp. 328–331 figs. 1–8. [ACARI.]

655.—**Viets,** K. Kleine Mitteilungen. —Notizen zu P. Kramer's Sammlung von Hydrachnellae (Acari) des Berliner Zoologischen Museums. Arch. Hydrobiol. Stuttgart **42** 4 1949 pp. 510–512. [ACARI.]

656.—**Viets,** K. On the distribution of certain water-mites in Europe. J. Quekett micr. Cl. (4) **2** 6 1949 pp. 335–338 fig. 1. [ACARI.]

657.—**Viets,** K. Zur Nomenklatur und Systematik der Hydrachnellae (Acari). Zool. Anz. Leipzig **138** 1942 pp. 210–212, figs. 1–2. [ACARI.]

658.—**Viets,** Kurt. Die Wassermilben (Hydrachnellae, Acari) des Otterstedter Sees. Abh. naturw. Ver. Bremen **32** 2 1949 pp. 332–338 figs. 1–6. [ACARI.]

659.—**Viets,** K. O. Beitrag zur Kenntnis von *Eylais extendens* (O. F. Muller 1776) (Hydrachnellae, Acari). Veröff. Mus. Nat. Bremen No. 1A 1949 pp. 41–105 pls. 6. [ACARI.]

660.—**Vinson,** J. Les arthropodes aptères récoltés a l'île Maurice par le Dr. Lawrence en 1934–35. Trans. R. Soc. Arts Sci. Mauritius Ser. C. No. 13 1946 pp. 7–15.

661.—**Vogelsanger,** T. Verzeichnis der Spinnen von Schaffhausen und Umgebung. Mitt. naturf. Ges. Schaffhauser **15** 1939 [1940] pp. 1–35.

662.—**Vogelsanger,** T. Beitrag zur Kenntnis der Schweizerischen Spinnenfauna. Mitt. naturf. Ges. Schaffhauser **19** 1944 pp. 158–190 figs. 1–9.

663.—**Vogelsanger,** T. Beitrag zur Kenntnis der Spinnenfauna des Kantons Graubünden. Mitt. naturf. Ges. Schaffhauser **22** 1948 pp. 33–72 text-figs. 1–10.

664.—[**Volgin,** V. I.] Волгин, В. И. [Materials to the systematics of predaceous mites of the genus *Cheyletus* Latr. (Cheyletidae, Acarina).] C.R. Acad. Sci. URSS Moscow N.S. **64** 1949 pp. 583–586, fig. 1. [In Russian.] [ACARI.]

665.—[**Volgin,** V. I.] Волгин, В. И. Материалы по систематике клещей рода *Tyrophagus* Ouds., 1923 (Tyroglyphidae, Acarina). [Materials relating to the systematics of the mites of the genus *Tyrophagus* Ouds., 1923.] C.R. Acad. Sci. Moscow N.S. **65** 3 1949 pp. 385–388 text-figs. 1–4. [In Russian.] [ACARI.]

666.—**Vukasovic,** P. Prilog proučavanju *Pediculoides ventricosus* Newport (Acarina, Arachnoidea). (Contribution à l'étude de *Pediculoides ventricosus*). Acta med. ingoslavica Belgrade **1** 1–2 1947 pp. 76–128 figs. 1–7. [French summary.] [ACARI.]

667.—**Wager,** V. A. Button spiders have short but busy lives. African Wild Life, Johannesburg **3** 1949 pp. 251–257 illustr.

Waller, S. *vide* Dade, H. A. **162.**

668.—**Wang,** Feng-Chen. Chinesische Spinnentiere. I.—Opiliones. Zool. Anz. Leipzig **135** 1941 pp. 97–115, figs. 1–8.

669.—Waterlot, G. Les Arachnides fossiles. GRASSÉ. Traité de Zoologie, Paris **6** 1949 pp. 893–905 figs. 666–686.

670.—Weber, N. A. Late summer invertebrates, most insect, of the Alaskan Arctic slope. Ent. News, Lancaster, Pa. **60** 5 1949 pp. 118–128.

Wehr, E. E. *vide* Hall, W. J. **266.**

671.—Weis-Fogh, T. Ecological investigations on mites and Collemboles in the soil.—Appendix : Description of some new mites (Acari). Nat. Jutlandica, Aarhus **1** 1947 pp. 135–270 figs. 1–30 : Appendix figs. 1–49. [ACARI.]

672.—Wesenberg-Lund, E. Menneskelusens naturhistorie. Nat. Verd. Kbh. **32** 9–16 1949 pp. 294–334 figs.

Westermann, C. D. *vide* Gispen, R. **249.**

673.—Weyer, F. Zur Übertragung des Q-Fiebers. Zbl. Bakt. Jena Orig. **154** 6–7 1949 pp. 165*–170* tables 1–3. [ACARI.]

674.—Wharton, G. W. Respiratory organs of chiggers.—24 Ann. Meeting Amer. Soc. Parasitologists 1949. J. Parasit. Lancaster, Pa. **35** 6 (2) 1949 p. 25. [Abstract.] [ACARI.]

Wharton, G. W. *vide* Farrell, C. E. **208.**

Whitehead, G. B. *vide* Whitnall, A. B. M. **676.**

675.—Whitnall, A. B. M. & **Bradford,** B. An arsenic-resistant tick and its control with "Gammexane" dips—Part II. Bull. ent. Res. London **40** 2 1949 pp. 207–226 text-figs. 1–6 tables 1–12. [ACARI.]

676.—Whitnall, A. B. M., **Thorburn,** J. A., **Whitehead,** G. B., **McHardy,** W. M. & **Meerholz,** F. A tick resistant to γ-Benzene hexachloride. Nature, London **164** 4179 1949 pp. 956–957.

677.—Wiehle, H. Krabbenspinnen. Natur u. Volk **79** 1–2 1949 pp. 11–15 text-figs. 1–5.

678.—Wiehle, H. Die umsäumte Listspinne (*Dolomedes fimbriatus*). Natur u. Volk **79** 11–12 1949 pp. 313–318 photos 1–4.

679.—Wilcocks, C. Health and disease in the tropics. Oxford Univ. Press, London 1950 pp. i–x + 1–200 figs. 1–33. [ACARI.]

Wilde, J. K. L. *vide* Backbone, H. R. **35.**

680.—Williamson, M. H. A preliminary note on the ecology of Lycosids (Araneae). Ent. mon. Mag. London **85** 1019 1949 pp. 92–93.

681.—Willmann, C. Acari aus nordwestdeutschen Mooren. Abh. naturw. Ver. Bremen **32** 1 1942 pp. 163–183 figs. 1–8. [ACARI.]

682.—Willmann, C. Uber eine Milbenausbeute aus dem Naturschutzgebiet "Verlorenes Wasser" bei Panten (Kr. Liegnitz). Abh. naturw. Ver. Bremen **32** 2 1949 pp. 339–348 figs. 1–7 [ACARI.]

683.—Willmann, C. Das Genus *Arctoseius* Sig Thor 1930 (Acari). Abh. naturw. Ver. Bremen **32** 2 1949 pp. 349–358 figs. 1–8. [ACARI.]

684.—Willmann, C. Das Männchen der Milbe, *Cheyletiella pinguis* Berlese, 1889, aufgefunden. Ber. Münch. tieräztl. Wschr. **1949** 5 pp. 56–57. [ACARI.]

685.—Willmann, C. Beiträge zur Kenntnis des Salzgebietes von Ciechocinek. I. Milben aus den Salzwiesen und Salzmooren von Ciechocinek an der Weichsel. Veröff. Mus. Nat. Bremen No. 1A 1949 pp. 106–135 : 141–142 figs. 1–24. [ACARI.]

686.—Willmann, C. Uber eine eigenartige Milbenfauna an faulenden Kartoffeln. Veröff. Mus. Nat. Bremen No. 1A 1949 pp. 136–142 figs. 25–27.

687.—Willmann, C. Neue Milben aus Höhlen der Balkanhalbinsel, gesammelt von Prof. Dr. K. Absolon, Brünn. Zool. Anz. **130** 1940 pp. 209–218. [See Z.R. 1941 no. 414, omission in abstracts.]

688.—Willmann, C. Welche Spezies ist Typus der Gattung *Microtrombidium* Haller 1882 ? (Trombidiidae, Acari.) Zool. Anz. **131** 9–10 1940 p. 255.

689.—Wilson, S. G. Ticks and tick-borne diseases. Ann. Rep. Vet. Dept. Entebbe for 1948, 1950 pp. 23–24. [ACARI.]

Wilson, S. G. *vide* Griffith, G. A. **264.**

Wingstrand, K. G. *vide* Brinck, P. **77.**

Witt, P. N. *vide* Peters, H. M. **464.**

[**Zhmaeva,** Z. M.] *vide* [Petrishcheva, P. I.] **465.**

690.—Zumpt, F. Preliminary study to a revision of the genus *Rhipicephalus* Koch. Key to the adult ticks of the genus *Rhipicephalus* Koch and description of two new species. Moçambique, Lourenço Marques No. 60 1949 pp. 57–123 figs. 1–39. [ACARI.]

691.—Zumpt, F. Das Hallersche Organ der Zecken und seine systematische Bedeutung. In A. Remane and A. Thienemann, Verh. Deuts. Zool. in Kiel 1948, Leipzig (Geest & Portig.) 1949 pp. 427–431, figs. 1–5. [ACARI.]

Zumpt, F. *vide* Dinnik, J. **184.**

II.—SUBJECT INDEX

The number in Clarendon indicates the full reference in the list of titles.

MEROSTOMATA

External anatomy. — Merostomata, FAGE **205.**

Internal anatomy. — Merostomata, FAGE **205.**

Biochemistry.—Sterols from Xiphosura, BERGMANN **52**; Chitin of *Limulus*, RICHARDS **513.**

Nervous system.—Automatism and conduction in the heart of *Limulus polphemus*, RIJLANT **517.**

Development.—Merostomata, FAGE **205.**

DISTRIBUTION

MARINE

New Zealand.—Xiphos, POWELL **475.**

North America.—Xiphosura, MAC GINITIE & MAC GINITIE **378.**

GEOLOGICAL

Triassic. — *Limuludichnulus nagoldensis* and *Merostomichnites triassicus* from coloured sandstone, Nagold, Germany, LINCK **364**; *Limulus* sp. aff. *vicensis* in upper part "Dolomie de Beaumont," France, MAUBEUGE **399.**

Carboniferous.—*Euproops danoe* var. *lievensis*, Bassin Houilles, Liévin, MATHIEU **398.**

Silurian.—*Eusarcus ruedemanni* in Deepkill shale, New York, FLAVER **218.**

ARACHNIDA

(Including **Pantopoda, Pentastomida** and **Tardigrada**)

GENERAL LITERATURE AND HISTORY

Text books.—SCHÖNMANN **539**; Traité de Zoologie, GRASSÉ **262**; Pantop., FAGE **206**; Scorp., MILLOT & VACHON **420**; Uropyg., MILLOT **416**; Amblypy., MILLOT **417**; Palpig., MILLOT **415**; Pseudoscorp., VACHON **636**; Solif., MILLOT & VACHON **421**; Opil., BERLAND **54**; Aran., MILLOT **418**; Acari, ANDRÉ **21**; Tardig., CUÉNOT **156**; Pentast., CUÉNOT **157**; American spiders, GERTSCH **244**; Aran., KURATA **344**; Scorp., Aran., BRESSE **76.**

Biography.—G. H. Carpenter, J. N. Halbert, D. R. Pack-Beresford, PRAEGER **480.**

Obituary. — Heinrich Fahrenholz, EICHLER-ASCHERSLEBEN **196**; Cándido F. de Mello-Leitão, BIRABÉN **63**; F. Silvestri, THOMPSON **614.**

Bibliography. — Annotated bibliography of the Linguatulida, HILL **281.**

Taxonomy.—Terminology for Trombiculidae, EWING **201.**

Nomenclature.—On the specific name, *Cicurina cinerea*, *cicurea* or *cicur*? BONNET **70.**

Museums; Collections.—P. Kramer's Collection of Hydrachnellae in Berlin Museum, VIETS **655**; Pycnogonida of Albatross in Japanese Waters, HEDGPETH **275.**

STRUCTURE

External anatomy. — Palaeozoic Arachnida, PETRUNKEVITCH **466**; Arthropoda, VANDEL **638**; Arach. general, MILLOT **414**; Pantop., FAGE **206**; Scorp., MILLOT & VACHON **420**; Head of *Uroctones mordax* [Scorp.], HENRY **276**; Uropyg., MILLOT **416**; Amblypy., MILLOT **417**; Palpig., MILLOT **415**; Ricinul., MILLOT **419**; Pseudoscorp., VACHON **636**; Pseudoscorp., HOFF **282**;

Solif., MILLOT & VACHON **421**; Opil., BERLAND **54**; *Leiobunum calcar*, BISHOP **66**; Aran., MILLOT **418**; Male cephalothorax of Aran., DENIS **170**; Acari, ANDRÉ **21**; *Spinturnix* spp., NEUMANN **447**; Tardig., CUÉNOT **156**; Pentast., CUÉNOT **157**.

Integument.—Chemical composition of the chitin of *Limulus*, RICHARDS **513**; Definition of "hairs" and "teeth" in the Arachnida, SAVORY **534**.

Chaetotaxy.—Tibia and tarsus of *Tetranychus lintearius*, GRANDJEAN **258**; Scutum of *Ixodes ricinus*, ARTHUR **27**; Larval Ixod. Russian species, GLASHCHINSKAIA-BABENKO **250**; Larva of *Dermacentor marginatus* and *D. daghestanicus*, [LOTOTZKII] **371**.

Mouth parts. — *Liponyssus bacoti*, GORIROSSI **254**; *Liponyssus bacoti*, HUGHES **296**.

Internal anatomy. — Arthropoda, VANDEL **638**; Arach. general, MILLOT **414**; Pantop., FAGE **206**; Scorp., MILLOT & VACHON **420**; Uropyg., MILLOT **416**; Amblypy., MILLOT **417**; Palpig., MILLOT **415**; Ricinul., MILLOT **419**; Pseudoscorp., VACHON **636**; Solif., MILLOT & VACHON **421**; Opil., BERLAND **54**; Aran., MILLOT **418**; Acari, ANDRÉ **21**; Pentast., CUÉNOT **157**; Tardig., CUÉNOT **156**.

Muscles.—Palaeozoic Arachnida, PETRUNKEVITCH **466**.

Circulatory system. — Palaeozoic Arachnida, PETRUNKEVITCH **466**.

Alimentary system. — Palaeozoic Arachnida, PETRUNKEVITCH **466**.

Respiratory system. — Palaeozoic Arachnida, PETRUNKEVITCH **466**; *Amaurobioides litoralis* and *Desis kenyonae*, HICKMAN **279**; *Acomatacarus arizonensis*, BRENNAN **75**; Trombiculidae, WHARTON **674**; Stigma and pseudostigma of Ixod., SCHULZE **542**; Stigmata of *Aponomma undatum*, SCHULZE **546**; Stigmata of Ixod. and Mesostigmata, SCHULZE **545**.

Nervous system.—Head of *Uroctones mor ax* [Scorp.], HENRY **276**.

Reproductive system. — Palaeozoic Arachnida, PETRUNKEVITCH **466**.

Sense organs.—Palaeozoic Arachnida, PETRUNKEVITCH **466**; ; Rhipicephalinae larvae, DINNIK & ZUMPT **184**; Eyes of Ixod., SCHULZE **543**.

Special structure.—Spinning gland of *Tetranychus lintearius*, GRANDJEAN **258**; Haller's Organ of the Ixodidae, ZUMPT **691**.

Teratology.—Gynandromorphism in *Minicia candida* [Aran.], DENIS **172**; Abnormality in *Lepthyphantes tenuis*, [Aran.] DENIS **171**; Fusion of two legs in *Microthrombidium sucidum*, ANDRÉ **19**; Abnormalities in Ixod., DIAS **178**; *Amblyomma nuttalli*, DIAS **177**; *Amblyomma tholloni*, DIAS **181**; *Amblyomma variegatum*, DIAS **183**.

Laboratory technique.—Dissection of salivary glands of ticks, RAY **501**; Mountant for Acari, DADE & WALLER **162**; Mountant for Acari, STRANDTMANN **590**; Microscopic preparations, MÜLLER **438**; Cutting sections of ticks, RAY & BHATTACHARYA **502**; Mounting media, SALMON **531**; Preparation of Ixod., PORTMAN **473**.

PHYSIOLOGY

Nutrition and digestion.—Tetranychidae, REIFF **506**.

Senses.—Colour sense of spiders, KAESTNER **313**; Light sense of *Aranea sexpunctata*, HOMANN **292**; Reflexes and trophism in Aran., RABAUD **489**; Recent work on spiders, SAVORY **535**.

Growth.—Blood pressure and moulting in spiders, HOMANN **293**; *Tegenaria agrestis*, HOMANN **294**.

Weight.—Opil., TODD **617**.

Age : longevity.—*Bdellonyssus bacoti*, SCOTT **552**; Duration of adult life *Liponyssus bacoti*, SKALIY & HAYES **567**.

Vitality.—Survival of *Ornithodorus papillipes* Bir. under plaster of walls, [SOSNINA] **580**.

Toxins : Venoms.—Scorpiones : Scorpion sting in Israel, EFRATI **195**; Scorpions in Argentina, ABALOS **12**; Local reaction to sting of *Isometrus*, KERSHAW ET AL. **323**; Action of venom of Scorp., POZO **477**; Comparison between venom of Mexican and North African Scorp., SERGENT **559**; Action of venom of *Heterometrus maurus* on virus Rabic, BAILLY **36**; Toxicity measured for *Centruroides limpidus limpidus*, *C. noxius* and *C. sufussus sufussus*, POZO & DERBEZ M. **478**; Immunisation from Scorpion stings in Transjordan, TUTUNJI **625**; Anti-scorpion venom,

DEWEY 175; Anti-scorpion venom, LYELL 374; Anti-scorpion venom, MARTIN 394; Anti-scorpion venom, MCSORLEY & PERRY 381; Anti-scorpion serum, SERGENT 558.

Toxins; Venoms.—**Araneae**: North American Aran., GERTSCH 244; Australian Aran., MUSGRAVE 442; Records of bites of Australian spiders, MUSGRAVE 443; Bite of *Loxosceles laeta* and *Latrodectus mactans*, MACCHIAVELLO 376; Experiments with *Loxosceles laeta*, *Latrodectus mactans*, *Dysdera maxima* and *Theraphosidae*, MACCHIAVELLO 377; *Latrodectus mactans* in Argentina, ABALOS 12; Gangrene of the skin, hemolysis and moglobinuria produced by bites of spiders in Uruguay, MACKINNON 380; *Latrodectus geometricus* effect of bite, WAGER 667.

Toxins; Venoms.—**Acari**: Salivary glands in *Hyalomma asiaticum*, [TALISIN & PTCHELKINA] 599; Action of *Hyalomma scupenese* on the skin of mammals, [PAVLOVSKI & ALFEEVA] 460; Action of *Dermacentor pictus* on rodents, [OLUF'V & KAGRAMANOV] 452.

Locomotion; movement.—Mobility of *Demodex canis*, ENIGK 200.

Effect of environment, etc.—Temperature and humidity on *Liponyssus bacoti*, SKALIY & HAYES 567; Resistance of *Demodex canis* to physiological and chemical influences, ENIGK 200; Chemicals on eggs of European red mite, CHAPMAN & PEARCE 122; Effects of soil fertilization on rate of reproduction of Tetranychidae, GARMAN & KENNEDY 239; *Grammostola*, *Lasiodora* and *Pamphobeteus* injected with curari, BIOCCA 61; Reaction of the heart of Scorpions to drugs, SAWAYA & SOARES 537; Effect of light on *Ophionyssus natricis*, CAMIN 96.

REPRODUCTION AND SEX

Reproduction.—Arthropoda, VANDEL 638; Pantop., FAGE 206; Acari, ANDRÉ 21; Oribatidae, STRENZKE 593; Tardig., CUÉNOT 156.

Parthenogenesis.—*Liponyssus bacoti*, SKALIY & HAYES 567; Ixodidae, [PERVOMAÏSKIĬ] 463.

Sex Ratios.—*Latrodectus mactans*, DEEVEY 164.

DEVELOPMENT

Egg; oogensis.—*Pholcus phalangioides*, URBANI 629; *Tegenaria* spp. and *Pholcus phalangioides*, URBANI 630; *Teutana triangulosa*, MONTEROSSO 430; Egg production of *Liponyssus bacoti*, SKALIY & HAYES 567.

Spermatogenesis. — *Plexippus paykulli*, SHARMA 561.

Embryology. — Arach., DAWYDOFF 163; Mouth parts, coxae and sterna of *Thelyphonus caudatus*, KÄSTNER 314; Nutrition of embryos of *Palamnaeus scaber*, MATHEW 397.

Life history.—Opil., TODD 617; Aran., GERTSCH 244; *Latrodectus mactans*, DEEVEY 164; *Hypoaspis macropilis*, SMITH & SUMMERS 571; *Tetranychus bimaculatus*, CAGLE 93; *Trombicula deliensis*, MEHTA 403; *Sarcoptes scabiei* var. *cameli*, SAID 530; *Otobius megnini*, PARISH 458; *Dermacentor marginatus* under laboratory conditions, [POKROVSKAYA[471; *Rhipicephalus maculatus*, DIAS 179.

Growth.—Rate of growth and morphological differences of juvenile stages of *Latrodectus tredecimguttatus*, [MARIKOVSKII] 391; Blood pressure and moulting in spiders, HOMANN 293; *Tegenaria agrestis*, HOMANN 294.

Moult.—*Latrodectus mactans*, instar length at different rates of feeding, DEEVEY 164; Pentastomida, HEYMONS 278.

Teratology.—Fusion of two legs of *Microthrombidium sucidum*, ANDRÉ 19; Abnormalities in Ixod., DIAS 178.

Effects of environment.—Temperature and fecundity in *Teutana triangulosa*, MONTEROSSO 429; Rate of reproduction of Tetranychidae affected by soil fertilization, GARMAN & KENNEDY 239.

Development.—Opil., BERLAND 54; Acari, ANDRÉ 21; Pentast., CUÉNOT 157; Pantop., FAGE 206.

EVOLUTION AND GENETICS

Evolution.—Arthropoda, VANDEL 638.

Evolution of taxonomic groups.—Relationships and evolutionary trends in Palaeozoic Arachnida, PETRUNKEVITCH 466; Aran., GERTSCH 244 Trombiculidae, EWING 201.

Evolution of organs.—Genital papillae and organ of Claparède of Hydracarina, GRANDJEAN **259**.

Variation.—*Eylais extendens*, VIETS **659**.

Protective coloration.—Aran., CHOPARD **125**.

Mimicry.—Aran., CHOPARD **125**; Aran., HARDOUIN **270**.

Chromosome problems.—*Tityus bahiensis* and *Isometrus maculatus*, PIZA **468**; *Tityus bahiensis*, PIZA **469**.

Ecological associations. — *Ornithodoros erraticus* in human dwellings, BALOZET **41**; Aran. and Opil. of mountain fauna in Swedish Lapland, BRINK & WINGSTRAND **77**; Aran., Opil. and Pseudoscorp. of Dutch greenhouses, HAMMEN **269**; Aran. & Acari of temporary and permanent ponds in Southern Michigan, KENK **322**; Hydrach. of subterranean waters, SZALAY **597**; Aran., Acari, Ixod. of the litter in the nests of beavers, [BARABASH-NIKIFOROV] **42**; *Lasiochernes pilosus* in nest of mole, LELEUP **359**; Pseudoscorp., Aran. and Acari of birds' nests, NORDBERG **450**.

Ecological associations.—Cavernicolous: Pseudoscorp., Aran., Acari, BIANCHI ET AL. **60**; Aran. and Opil. of Verona, CAPORIACCO **104**; *Troglohyphantes zorzii*, CAPORIACCO **105**; *Leptyphantes kratochvili* : *Sulcia cretica*, FAGE **204**; *Ischyropsalis carli* : *Trogulus salfii*, LERMA **362**; Aran. and Opil. of Languedoc, France, TUZET **627**; Aran. of Languedoc, France, TUZET ET AL. **628**; *Caloglyphus longipilus C. paranomalus*, *C. armipes longisetosus*, NESBITT **446**; *Dinocheirus stercoreus*, TURK **623**; *Oppia melisi*, VALLE **637**.

Distribution.—Uropy. and Ambly. in South Africa, LAWRENCE **350**; South American Solif., GOETSCH & LAWATSCH **251**; Pseudoscorpiones in Illinois, HOFF **282**; British Opil., BRISTOWE **78**; Zoogeographical relationships of New Zealand Opil., FORSTER **227**; *Latrodectus mactans* in New York, GAUL **241**; *Argyope bruennichi*, URBÁNSKI **631**; *Trombicula autumnalis*, TOLDT **618**; *Boophilus* (*P.*) *decoloratus*, THEILER **608**; *Rhipicephalus appendiculatus*, THEILER **609**; Hydrach. of wells, ANGELIER **25**; Hydrach. in Europe, VIETS **656**.

General habits.—Opil., BISHOP **67**; Opil., SAVORY **534**; Opil., TODD **617**; *Nemoscolus* spp., BERLAND **56**; *Eriophora bistriata*, BIRABEN **62**; *Latrodectus mactans*, GAUL **241**; *Amaurobioides litoralis* and *Desis kenyonae*, HICKMAN **279**; *Latrodectus tredecimguttatus*, [MARIKOVSKII] **391**; *Tibellus oblongus*, THOMAS **611**, **612**; *Lithyphantes paykullianus*, THOMAS **613**; *Dolomedes fimbriatus*, WIEHLE **678**; Lycosidae, WILLIAMSON **680**; *Trombicula deliensis*, MEHTA **403**; Sheep scab mite, SPENCE **582**; *Ornithodoros crossi* and *O. lahorensis*, RAO & KALRA **498**; *Otobius megnini*, PARISH **458**; *Amblyomma tholloni*, DIAS **180**.

Feeding habits.—Pseudoscorp., HOFF **282**; Pseudoscorp., SAVORY **534**; *Solpuga caffra*, LAWRENCE **351**; Opil., BISHOP **67**; British Opil., BRISTOWE **78**; British Opil., SANKEY **532**; *Latrodectus geometricus*, WAGER **667**; *Xysticus cunctator* feeding on honeybee, KNOWLTON **326**; Thomisidae, WIEHLE **677**; Method of capturing prey by Aran., RABAUD **489**; *Hypoaspis macropilis* predaceous on *Tetranychus bimaculatus*, SMITH & SUMMERS **571**; *Iphidulus tiliae*, *Mediolata novae-scotiae* and *Anystis agilis* [Acari], LORD **370**; *Ornithodoros crossi* and *O. lahorensis*, RAO & KALRA **498**.

Breeding habits.—Egg-laying of *Solpuga caffra*, LAWRENCE **351**; Egg-laying and cocoon of *Araneus adiantus*, *A. angulatus*, *A. cucurbitanus*, *Oxyopes lineatus* and *Tibellus oblongus*, THOMAS **612**; Survival, egg-laying and construction of cocoon of certain spiders, THOMAS **613**.

Courtship.—Display of Salticidae, CRANE **152**; *Hasarius adansoni*, CLOUDSLEY-THOMPSON **131**; *Dysdera crocota*, CLOUDSLEY-THOMPSON **132**; Aran., GERTSCH **244**; *Latrodectus geometricus*, WAGER **667**.

Web construction.—Silk spinning of Aran., GERTSCH **244**; *Cyrtophora moluccensis*, MARPLES **393**; Spider, PRICE **482**.

Spiders' silk.—Behaviour of gossamer, BISHOP **64**.

Population Studies. — Opil., TODD **617**; Prairie spiders of Nebraska, MUMA & MUMA **439**; Interspecific association of *Liponyssus bacoti* and *Laelaps*

hawaiiensis, COLE **137**; Tyroglyphidae in hay, [SOROKIN] **578**; *Ixodes ricinus*, MILNE **423**; Qualitative and quantitative sampling of soil fauna in Denmark, WEIS-FOGH **671**.

Enemies.—Of Pseudoscorp, HOFF **282**; Of British Opil., BRISTOWE **78**; Of British Opil., SANKEY **532**; Bee versus scorpion, ADAMS **13**; *Aranea* sp. prey of *Aromia moschata* [COL.], HERWARTH VON BITTENFELD **277**; *Stethorus picipes* (black lady beetle) and *Orius insidiosus* predaceous on *Tetranychus willamettei*, JOHANSEN & BREAKEY **308**; *Hypaspis macropilis* predaceous on *Tetranychus bimaculatus*, SMITH & SUMMERS **571**; *Iphidulus tiliae* predaceous on Eriophyidae: *Mediolata novae-scotiae* predaceous on *Bryobia*: *Anystis agilis* predaceous on other Acari, LORD **370**; Ticks as food of Blue Magpie (*Cyanopica cyana pallescens*), [PETRISHCHEVA & ZHMAEVA] **465**.

Commensalism.—Acari guest of ant, *Crematogaster impressa*, EIDMANN **197**.

Phoresy and phagophily.—Pseudoscorp., KAISILA **315**.

Parasitism.—**Host relationship**: Trombiculidae to South African mammals, birds, lizards, snakes and Amphibia with host parasite list, LAWRENCE **350**; *Ixodes ricinus*, MILNE **422**, **423**; Ixod., COLLINS ET AL. **139**, **140**; *Metatetranychus ulmi*, KUENEN **340**.

Parasitism.—**Immunity**: *Trombicula autumnalis*, TOLDT **618**.

Parasitism.—**On Man**: *Eutrombicula batatas*, DOETSCHMAN & FURMAN **187**; *Trombicula splendens*, JENKINS **307**; *Ornithodoros erraticus* and *Rhipicephalus sanguineus*, LÓPEZ-NEYRA **369**.

Parasitism. — **Mammalian hosts.** — *Borinquolaelaps pennatus*, *B. sexsetosus*, *Gamasiphis illotus*, *Parasitus digitus*, *Uropoda exigua* on *Rattus norvegicus*, FOX **231**; *Echinolaelaps echidninus*, *Liponyssus bacoti* on rats, HILL & INGRAHAM II **280**; *Echinolaelaps echidninus* on rats, MANSO SOTO & PLETNEFF **387**; *Eadiea condylurae* on Star-nosed mole (*Condylura cristata*) and *Eutalpacarus peltatus* on shrew-mole (*Neurotrichus gibbesii*), JAMESON **303**: *Gigantolaelaps* sp. on rice-rat (*Oryzomys palustris*); *Neoichoronyssus wernecki* on opossum (*Didelphis*), MORLAN & STRANDTMANN **432**; *Haemolaelaps geomys* on pocket gopher (*Geomys* sp.): *H. morlani* on *Rattus rattus*: *H.* spp. classified list of hosts, STRANDTMANN **590**; *Hypoaspis murinus* on *Rattus norvegicus*, STRANDTMANN & MENZIES **591**; *Ichoronyssus hubbardi* on mountain beaver (*Aplodontia rufa*), JAMESON **302**; *Myonyssus dubinini* on *Apodemus speciosus* and *Mustela sibirica*, [BREGETOVA] **73**; Trombiculidae of South African mammals, LAWRENCE **350**; *Trombicula beltrani* on bat, *Nycteris borealis mexicana*, HOFFMANN **289**; *Trombicula sarcina* on sheep, CROGAN **153**; *Myobia stewardi* on *Rattus rattus rufescens*, RADFORD **490**; *Listrophorus bakeri* on cotton rat (*Sigmodon hispidus texianus*) and *L. floridanus* on gopher (*Geomys tuza tuza*), RADFORD **493**; *Sarcoptes scabiei* var. *cameli* on camel, SAID **530**; *Sarcoptes suis* on pigs, SPENCER **583**; *Demodex canis* and *Sarcoptes canis* on dogs, MUMA & SPENCER **440**; *Demodex canis*, ENIGK **200**; *Demodex caprae* on goats, SREENIVASAN & RIZVI **585**; Mange mites of cattle in Switzerland, BOUVIER **71**; *Ixodes ricinus* on sheep, HARE **271**; *Ixodes transcaucasicus hystrix* on *Apodemus scherman*, SCHULZE **547**; *Rhipicephalus arnoldi* on *Lepus* sp. and *R. bequaerti* on buffalo, *Syncerus caffer*, ZUMPT **690**; Acari, Ixod. of domestic animal in Argentina, RINGUELET **518**; Acari of rats in Kentucky, GOOD & KOTCHER **252**.

Parasitism.—**Avian hosts**: *Trombicula psittaci* on parrot, FLOCH & ABONNENC **219**; Trombiculidae of South African birds, LAWRENCE **350**; *Thecarthra simplex* on *Hydrochelidon nigra* (Tern), *T. tyroglyphina* on *H. leucoptera* (Tern), *T. theca* on *Sterna albifrons* (Little Tern), *S. leucoparieia* (Tern), *S. hirundo* (Common Tern) and *Anoplonotus semaphorus* on *Sterna hirundo* (Common Tern), [DUBININ] **191**; *Dogielacarus uncitibia* in feathers of *Porzana parva parva* and *Ingrassiella listrophoroides* in feathers of *Dendrocygna autumnalis* and *D. viduata*, [DUBININ] **190**; *Turbinoptes strandtmanni* in nasal cavity of ring-billed gull, *Larus delawarensis*, BOYD **72**; *Ixodes* (*P.*) *hirundinicola* on *Delichon urbica* [House-martin], SCHULZE **548**; *Ixodes ricinus* on grouse, HARE **271**; *Ceratixodes uriae* on yellow-billed albatross (*Nealbatros chlororhynchus*),

COOPER & COOPER **142**; *Haemaphysalis centropi* on *Centropus bengalensis bengalensis* (lesser coucal): *C. sinensis intermedius* (crow pheasant); *Circus melanoleucus* (pied harrier); *Pycnonotus jocosa jocosa* (bulbul); *Gallus gallus gallus* (jungle fowl), KOHLS **328**; Acari on poultry, HOWSE **295**.

Parasitism.—Reptilian hosts.—*Hirstiella pelaezi* on *Sceloporus ferrariperezi* [Lizard], CUNLIFFE **159**; Trombiculidae of South African lizards, snakes and Amphibia, LAWRENCE **350**; *Ixodes scapularis* on lizard (*Ophisaurus ventralis*), EADS **194**; *Aponomma transversale* on python, DIAS **176**.

Parasitism. — Invertebrate hosts: *Acarapis woodi* in bees, BURNSIDE ET AL. **89**; *Isothrombium oparbellae* on Solifugae, *Oparbella fagei*, ANDRÉ **20**; *Microlichus avus* on *Ornithomyia fringillina* [Diptera]: *M. unus* on *Ornithomyia avicularia* [Diptera], JOHNSEN **309**; *Myialgopsis trinotoni* on *Trinoton aculeatum* [Mallophaga], RADFORD **493**; *Pediculoides ipidarius* on *Ips typographus* (Bark beetle), [REDIKORTZEV] **504**; Hosts of *Pediculoides ventricosus* VUKOSOVIC **666**; *Pimeliaphilus isometri* on *Isometrus* sp., CUNLIFFE **160**; *Pavania fusiformis* on *Scarabaeus sacer* [Coleoptera]: *Smaridia intermedia*, LOMBARDINI **366**; *Tarsonemus* in abdominal air-sacs of Humble-bees, CUMBER **158**; Tyroglyphid on bee (*Saropoda*), RAYMENT **503**.

Parasitism.—Plant hosts: *Aceria novitia* on *Ulmus glabra*; *Calepitrimerus fagi* on *Fagus silvatica*; *C. periclymeni* on *Lonicera periclymenum*; *Rhyncaphytoptus alnicola* on *Alnus incana*, ROIVAINEN **527**; *Brevipalpus browningi* on citrus: *B. chilensis* on lemon: *B. confusus* on orchids: *B. edwinae* on *Eupatorium glabratum*: *B. essigi* on *Acuba* sp.: *B. garmani* on elder: *B. lilium* on *Lilium regale*: *B. linki* on oak leaf: *B. mcbridei* on English walnut: *B. mcgregori* on lemon: *B. oleae* on olive: *B. oncidii* on *Oncidium* sp.: *B. papayensis* on Papaya: *B. pini* on Monterey Pine: *B. sayedi* on hickory: *B. trinidadensis* on Lantana: *B. yothersi* on privet, BAKER **37**; *Bryobia praetiosa* on *Arum maculatum*, COOREMAN **145**; Hosts of *Bryobia praetiosa*, CHAMBERLIN **110**; *Eriophyes tomasi* on *Galium verum*, PLOSKONIOWNA **470**; Eriophyidae of Pennsylvania, MAZE **401**; *Metatetranychus ulmi* on apple, KUENEN **340**; Host plants of *Paratetranychus ununguis*, CIAMPOLINI **127**; *Suidasia nesbitti* on wheat from Anvers, COOREMAN **144**; *Tarsonemus pallidus* on strawberry, *Pediculopsis graminum* on oats, *Petrobia lapidum* on onion, MASSEE **395**; *Tyroglyphus longior* and *Tarsonemus floricolus* infesting cultures of fungi, LEÃO ET AL. **354**; Mites on stone fruits and apples, MAY **400**.

Parasitism. — Pentastomida: *Linguatula serrata* in *Nesocia bandicota*, PUJATTI **486**; Pentast. in humans, PAVLOVSKIĬ **459**.

Parasitism. — Intermediate hosts. — Oribatidae host of *Monoecocestus* [Cestoda], FREEMAN **236**.

Parasitism.—Host lists: *Ornithodoros crossi* and *O. lahorensis*, RAO & KALRA **498**; *Otobius megnini*, PARISH **458**; *Ixodes ricinus*, MILNE **422, 423**; *Rhipicephalus maculatus*, DIAS **179**.

Parasitism.—Transmission of disease. Acari: *Liponyssus bacoti* vector of filarial worm (*Litomosoides carinii*), BERTRAM **57**; *Liponyssus bacoti* causing dermatitis, PIRILÄ & KILPIÖ **467**; *Tyroglyphus longior castellanii* causing dermatitis, CASTELLANI **109**; *Trombicula deliensis* vector of scrub typhus, ANON. **9**; *Trombicula deliensis* and its relation to Scrub typhus, TRAUB **621**; *Trombicula deliensis* infected with *Rickettsia orientalis*, KRISHNAN ET AL. **338, 339**.

Parasitism.—Transmission of disease. Ixodoidea: *Ornithodoros crossi* vector of relapsing fever, RAO & KALRA **497, 498**; *Ornithodoros hermsi* relation to relapsing fever, GREGSON **263**; *Ornithodoros rudis* considered vector of *Spirochaeta venezuelensis*, LEÓN & LEÓN **360**; *Hyalomma aegyptium* vector of *Theileria annulata*, RAY **500**; *Hyalomma aegyptium* vector of *Theileria annulata* (prov. indent.), RAGHAVACHARI ET AL. **495**; Virus isolated from *Hyalomma marginatum marginatum*, [KORSHUNOVA & PIONTKOVSKAYA] **336**; *Hyalomma marginatum marginatum* carrier of *Rickettsia*, [PYONTKOVSKAYA] **488**; *Rickettsia burneti* isolated from *Hyalomma savignyi*, BLANC ET AL. **68**; *Hyalomma savignyi* vector of *Coxiella burneti*, "Q" fever, PRADA **479**; *Boophilus annulatus* vector of tick

fever, MOHLER **426**; *Margaropus calcaratus* vector of piroplasmosis and theilerosis, CALVO SAIZ **94**; *Rhipicephalus appendiculatus* vector of East Coast fever, *Theileria parva*, GRIFFITH & WILSON **264**; *Rhipicephalus sanguineus* as a carrier of Marseille disease, KORSHUNOVA & PETROVA-PIONTKOVSKAIA **335**; Ixod. vectors of Q fever, WEYER **673**.

Parasitism. — Experimental studies: *Ornithodoros crossi* and *O. savignyi* vector of Surra, BASU **45**; *Spirochaeta dugesi* found in natural conditions with *Ornithodoros dugesi*, MAZZOTTI **402**; "Q" fever by *Amblyomma cajennense*, RODANICHE **520**; *Amblyomma tholloni*, DIAS **180**.

Acari of medical importance.—SLUITER **569**; CHANDLER **121**; KALRA & RAO **318**; PAVLOVSKIĬ **459**.

Acari of veterinary importance.—MÖNNIG **427**; SEDDON **554**.

Technique.—Collecting methods for Pseudoscorp., HOFF **282**; Collecting and preserving of Opil., BISHOP **67**; Collecting and preparing Aran., MONTEROSSO **428**; Collecting Arach., ROSS **528**; Collecting fauna of birds' nest, NORDBERG **450**; Rearing *Tetranychus bimaculatus*, CAGLE **93**; Rearing of *Oligonychus ulmi*, MASSEE **396**; Culture medium for Trombiculidae, FARREL & WHARTON **208**; Breeding and maintenance of *Trombicula deliensis*, KRISHNAN ET AL. **337**; Apparatus for quick demonstration of skin mites, JAHNEL **301**; Rearing *Ornithodoros*, HARVEY **273**; Laboratory cultivation of *Rhipicephalus sanguineus*, MARIOTTE & VARELA **392**; Observation and conservation of small Arthropodes GRANDJEAN **261**.

Hibernation. — *Hyalomma savignyi*, FELDMAN-MUHSAM **215**.

Seasonal activity.—*Trombicula autumnalis*, TOLDT **618**.

Behaviour.—Display of Salticidae, CRANE **151, 152**; Over-wintering of spiders, KOLOSVÁRY **332**; Construction of tube by *Nemesia fagei* and trap-door by *Pachylomerus piceus*, MAIN **382**; Instinctive movements of geometrical spiders, PETERS & WITT **464**; Maternal behaviour of Lycosids, PALMGREN **456**; Reflexes and trophism in Aran., RABAUD **489**; Recent work on spiders, SAVORY **535**; Cocoon construction by *Latrodectus geometricus*, WAGER **667**; Acari raise moisture content of foodstuffs, SOLOMON **577**; Senuous biology of Argasidae, SCHULZE & SCHRÖDER **549**.

Economics. — Control. — Araneae: *Latrodectus mactans*, GAUL **241**.

Economics. — Control. — Acari: *Bryobia praetiosa* and *Tetranychus urticae*, ANON. **8**; *Bryobia praetiosa* and *Tetranychus* spp., NEWTON & LIST **449**; Tetranychidae, MORGAN & MARSHALL **431**; Red Spider, IGLINSKY & GAINES **299**; Tetranychidae, CUTRIGHT **161**; Tetranychidae, LORD **370**; *Vasates destructor*, ANON. **2**; *Halotydeus destructor* and *Penthaleus major*, ANON. **3**; *Penthaleus major*, MIDDLEKAUFF & PRITCHARD **410**; *Tyroglyphus* sp. and *Tarsonemus* sp., LEÃO ET AL. **354**; Trombiculids, CROSS & SNYDER **154**; Trombiculidae, RICKET **515**; *Psoroptes ovis cuniculi*, SPREHN **584**; Scabies, GHOSH & GHOSH **245**; *Demodex canis*, ENIGK **200**; Acari of poultry, HALL & WEHR **266**.

Economics. — Control — Ixodoidea: *Boophilus decoloratus*, WHITNALL & BRADFORD **675**; *Boophilus decoloratus*, WHITNALL ET AL. **676**; *Boophilus microplus*, LEGG **356**; Ixod., ANON. **7**; Ixod., COLE & SMITH **138**; Ixod., SMITH ET AL. **570**; Ixod., WILSON **689**.

DISTRIBUTION

PALAEARCTIC REGION

Europe.—Hydrach., VIETS **656**.

England. — (Suffolk) Aran., Opil., Acari, HULL **297**; Aran., Opil., Acari, CLOUDSLEY-THOMPSON **130**; Aran., Opil., Uropygi, CLOUDSLEY-THOMPSON **131**; Aran., Opil., VERDCOURT **639**; Aran., Opil., Pseudoscorp., Acari, SAVORY **534**; Opil., SAVORY **536**; Opil., BRISTOWE **78**; Opil., SANKEY **532, 533**; Opil., TODD **617**; Aran., GROS **265**; (Wales) Aran., WILLIAMSON **680**; Acari, BAKER **37**; Acari, BRITTEN **79**; Acari, MORLEY **433**; Ixod., ARTHUR **27**; (Scotland) Ixod., HARE **271**; Ixod., MILNE **422, 423**; Halacaridae, FOUNTAIN **229**; Hydrach., FOUNTAIN **230**; Hydrach., JONES **310**; Hydrach., MACAN **375**.

France.—Aran., Opil., TUZET ET AL. **627**; Aran., TUZET ET AL. **628**; Aran., DENIS **169, 173**; Acari, ANDRÉ **16, 17**;

Acari, GOUX 255; Acari, GRANDJEAN 257; Ixod., PERREAU 461; Hydrach., ANGELIER 22, 23, 24; Hydrach., CHAUDONNERET 123.

Belgium.—Aran., THOMAS 611, 612, 613; Opil., COOREMAN 143; Acari, COOREMAN 144, 145, 146, 147.

Holland.—Aran. (introduced exotic), HAMMEN 268; Aran., Opil., Pseudoscorp., HAMMEN 269; Acari, DOCTERS VAN LEEUWEN 186; Acari, MINNEN 424.

Denmark.—Acari, ROIVAINEN 527; Acari, WEIS-FOGH 671.

Sweden.—Aran., Pseudoscorp., GISLÉN 248; Aran., KAURI 319; Aran., TULLGREN 622; Acari, SELLNICK 555; Hydrach., SVENONIUS 596.

Lithuania.—Aran., PUPISKA 487.

Finland.—Pseudoscorp., KAISILA 315, 316; Pseudoscorp., Aran. and Acari, NORDBERG 450; Aran., PALMGREN 457.

Swedish Lapland. — Aran., Opil., BRINCK & WINGSTRAND 77.

Portugal.—Aran., MACHADO 379; Aran., MAIN 382; Acari, BAKER 40.

Spain.—Acari, WILLMANN 683; Ixod., PRADA 479; Tardig., RODRIGUEZ-RODA 521.

Italy.—Opil., LERMA 362; Scorp., Aran., Opil., CAPORIACCO 99; Aran., Pseudoscorp., CAPORIACCO 103; Scorp., Aran., Pseudoscorp., Opil., CAPORIACCO 107; Aran., Acari, Pseudoscorp., BIANCHI ET AL. 60; Scorp., Aran., Opil., CLOUDSLEY-THOMPSON 133; Aran., CAPORIACCO 102, 105; Aran., Opil., CAPORIACCO 104; Aran., KOLOSVÁRY 331; Acari, BAKER 40; Acari, CIAMPOLINI 127; Acari, GRANDJEAN 257; Acari, LOMBARDINI 366; Acari, OUDEMANS 453; Acari, TOLDT 618; Acari, VALLE 637; Ixod., STARKOFF 588; Hydrach., RAMAZZOTTI 496.

Switzerland.—Aran., VOGELSANGER 661, 662, 663; Acari, SCHWEIZER 550, 551; Acari, BOUVIER 71.

Austria.—Opil., ROEWER 523; Aran., Pseudoscorp., Opil., Acari, FRANZ 235; Aran., Opil., Acari, KÜHNELT 341; Aran., MILLER & KRATOCHVIL 413; Acari, LEITNER 358; Acari, WILLMANN 683; Hydrach., BREHM 74.

Germany.—Aran., Hydrach., KOHL 327; Aran., BOCHMANN 69; Acari, FRANKE 233, 234; Acari, WILLMANN 681, 685, 686; Hydrach., VIETS 658.

Albania.—Aran., Pseudoscorp., CAPORIACCO 100.

Yugoslavia.—Ixod., MIKAČIĆ 411; Hydrach., MOTAS ET AL. 437.

Hungary.—Opil., KOLOSVÁRY 333; Opil., SZALAY 598; Aran., KOLOSVÁRY 330; Acari, KÜHNELT 342.

Czechoslovakia.—Opil., SILHAVÝ 562, 564; Aran., MILLER 412; Acari, BAUDYŠ 46; Tardig., BARTOŠ 44.

Poland.—Aran., Acar., PRÜFFER 485; Aran., URBAŃSHI 631; Acari, PLOSKONIOWNA 470; Acari, WILLMANN 683.

Silesia.—Acari, WILLMANN 682.

Serbia.—Hydrach., VIETS 654.

Roumania.—Hydrach., MOTAS & TANASACHI 435, 436.

Greece.—Ixod., SCHULZE 547, 548.

Russia.—Pseudoscorp., CHAMBERLIN 111; Acari, [DUBININ] 190, 191; Acari, [BREGETOVA] 73; Acari [REDIKORTZEV] 504; Acari, SOKOLOW 575; Acari [SOROKIN] 579; Acari [VOLGIN] 664, 665; Ixod. [EMTCHUK] 198; Ixod. [FEDYUSHIN] 211; Ixod., GLASHCHINSKAIA-BABENKO 250; Ixod., [POMERANTZEV] 472; Ixod., [POSPELOVA-SHTROM] 474; Ixod., [POKROVSKAYA] 471; Ixod. [SKRUINNIK] 568.

Corsica.—Palpig., REMY 507.

Sicily. — Aran., Opil., CAPORIACCO 101.

Rhodes.—Scorp., Aran., Solif., Pseudoscorp., CAPORIACCO 106.

Crete.—Aran., FAGE 204.

Cyrenaica. — Scorp., Solif., Aran., CAPORIACCO 98.

Libya.—Aran., DENIS 174.

Morocco. — Scorp., Pedip., Aran., LÉPINEY & NEMETH 361; Scorp., SCHENKEL 538.

North Africa.—Scorp., POZO 477; Scorp., SERGENT 558, 559; Scorp., VACHON 632, 633, 634, 635.

Central Russia. — Pseudoscorp., [REDIKORZER] 505.

Tadzhikistan. — Ixod., [LOTOTZKII] 371.

Caucasus.—Pseudoscorp., RAFALSHI 494.

Beluchistan.—Ixod., SCHULZE 544.

North and South China.—Opil., WANG 668.

Tibet. — Pseudoscorp., CHAMBERLIN 111.

Manchuria.—Acari, ASANUMA 28.

Northeastern Asia.—Acari, ASANUMA 29.

Japan.—Hydrach., ENAMI 199 ; Opil., SUZUKI 594, 595.

Turkey.—Hydrach., GELDIAY 242.

Israel.—Scorp., EFRATI 195 ; Opil., ROEWER 522 ; Acari, BAKER 37 ; Ixod., FELDMAN-MUHSAM 215.

Azores.—Acari, BAKER 40.

ORIENTAL REGION

India.—Opil., ROEWER 523 ; Acari, OUDEMANS 453 ; Acari, RADFORD 490 ; Acari, SREENIVASAN & RIZVI 585 ; (Punjab) Ixod., RAGHAVACHARI ET AL. 495 ; Ixod., RAO & KALRA 498 ; Pentast., PUJATTI 486.

Ceylon.—Pseudoscorp., CHAMBERLIN 111.

Assam.—Pseudoscorp., CHAMBERLIN 111 ; Acari, TRAUB 621.

Burma.—Opil., ROEWER 522 ; Acari, BAKER 40 ; Ixod., KOHLS 328.

Siam.—Opil., ROEWER 522.

Federated Malay States. — Opil., ROEWER 522, 523.

Sumatra.—Opil., ROEWER 522, 523.

Java.—Opil., ROEWER 522, 523.

Borneo.—Opil., ROEWER 522, 523.

Sarawak.—Opil., ROEWER 522, 523.

Philippine Is.—Opil., ROEWER 522 ; Acari, BAKER 40 ; Acari, CUNLIFFE 160.

Celebes.—Opil., ROEWER 523 ; Acari, BAKER 40.

AUSTRALIAN REGION AND POLYNESIA

Dutch East Indies.—Opil., ROEWER 522, 523.

New Guinea.—Opil., ROEWER 522, 523.

Solomon Is.—Amblypygi, DUNN 193 ; Opil., FORSTER 225.

Australia.—Aran., MUSGRAVE 442, 443.

Queensland.—Amblypygi, DUNN 193.

Victoria.—Opil., FORSTER 224 ; Aran., GARNET 240 ; Acari, RAYMENT 503.

New South Wales.—Opil., FORSTER 224 ; Opil., ROEWER 522 ; Ixod., SCHULZE 544.

South Australia.—Opil., FORSTER 224.

Tasmania. — Opil., FORSTER 224 ; Aran., HICKMAN 279.

New Zealand.—Pseudoscorp., CHAMBERLIN 111 ; Opil., FORSTER 224, 227, 228 ; Aran., FORSTER 226 ; Acari, POWELL 476 ; Hydrach., VIETS 653.

Caroline Is.—Opil., ROEWER 522 ; Acari, Ixod., HURLBUT 298.

Fiji Is.—Opil., ROEWER 522.

Hawaii.—Acari, BAKER 37, 40.

New Hebrides.—Opil., ROEWER 523.

Samoa.—Opil., ROEWER 522 ; Aran., MARPLES 393 ; Acari, TRÄGÅRDH 620.

ETHIOPIAN REGION

Sahara.—Aran., DENIS 168.

West Africa.—Opil., ROEWER 522, 523.

Central Africa.—Ixod., ZUMPT 690.

Cameroons.—Opil., ROEWER 522.

Fernando Po.—Pedip., Aran., Opil., ROEWER 525 ; Opil., ROEWER 522 ; Acari, SELLNICK 557.

French West Africa.—Aran., BERLAND 53 ; Acari, ANDRÉ 20.

Gold Coast.—Opil., ROEWER 522, 523.

Portuguese Guinea.—Opil., ROEWER 522 ; Ixod., TENDEIRO 600, 601.

Senegal.—Scorp., VACHON 632.

Belgian Congo. — Pseudoscorp., CHAMBERLIN 111 ; Opil., ROEWER 522, 523 ; Acar., Ixod., FAIN 207 ; Hydrach., LUNDBLAD 373.

Angola.—Scorp., Opil., LAWRENCE 353.

South Africa. — Solif., LAWRENCE 351, 352 ; Acari, LAWRENCE 350 ; Aran., WAGER 667 ; Ixod., COOPER & COOPER 142 ; Ixod., THEILER 608, 609 ; Ixod., ZUMPT 690.

Abyssinia.—Aran., Opil., CAPORIACCO **97.**

Kenya.—Scorp., Solif., Pseudoscorp., Opil., Aran., CAPORIACCO **97.**

Uganda.—Opil., ROEWER **523**; Acar., RADFORD **493**; Ixod., WILSON **689.**

East Africa.—Opil., ROEWER **522**; Acari, [DUBININ] **190.**

Portuguese East Africa. — Opil., ROEWER **523.**

Mozambique.—Ixod., DIAS **176, 179.**

Madagascar.—Opil., ROEWER **523.**

Mauritius. — Opil., Pseudoscorp., Acari, VINSON **660**; Opil., ROEWER **522, 523.**

Seychelles.—Opil., ROEWER **523.**

NEARCTIC REGION

Greenland. — Aran., CLOUDSLEY-THOMPSON **128.**

Canada.—Aran., BISHOP **65**; Aran., JONES **311**; Aran., KURATA **343**; Acari, Ixod., RICKET **515**; (Nova Scotia) Acari, LORD **370**; (British Columbia) Ixod., GREGSON **263.**

Alaska.—Aran., WEBER **670**; Halacaridae, NEWELL **448.**

United States of America.—Aran., CHAMBERLIN **112**; Acari, BAKER **37**; Acari, JENKINS **306, 307**; Acari, MORLAN & STRANDTMANN **432.**

Eastern States.—Scorp., Pseudoscorp., Opil., Aran., Acari, CRAIGHEAD **150.**

Western United States.—Aran., JONES **312.**

Alabama.—Aran., JONES **311.**

Arkansas.—Acari, BAKER **40.**

California.—Pseudoscorp., CHAMBERLIN **111**; Acari, BAKER **40**; Acari, DOETSCHMAN & FURMAN **187**; Acari, JAMESON **303**; Aran., JONES **311**; Halacaridae, NEWELL **448.**

Colorado.—Aran., Jones **311**; Acari, BAKER **40.**

Connecticut.—Aran., JONES **311.**

Florida.—Pseudoscorp., CHAMBERLIN **111**; Acari, BAKER **40**; Acari, THURMAN ET AL. **616.**

Georgia.—Acari, BAKER **38, 40**; Acar., RADFORD **493**; Acari, STRANDTMANN **590.**

Illinois.—Pseudoscorp., HOFF **282**; Opil., O'BRIEN **451**; Acari, PRATT ET AL. **481.**

Iowa.—Acari, Ixod., BECKER **48**; Acari, RICHARDSON **514.**

Long Island.—Ixod., COLLINS ET AL. **139, 140.**

Massachusetts.—Aran., JONES **311**; Acari, BAKER **40.**

Michigan.—Aran., Acari, KENK **322.**

Nebraska.—Aran., MUMA & MUMA **439.**

New Hampshire.—Aran., JONES **311.**

New Mexico.—Aran., JONES **311.**

New York.—Opil., BISHOP **67**; Aran., JONES **311**; Acari, JAMESON **303.**

Oregon.—Halacaridae, NEWELL **448.**

Pennsylvania. — Aran., KNOWLTON **326**; Acari, MAZE **401.**

Texas.—Pseudoscorp., TURK **623**; Aran., BRYANT **83, 84**; Aran., JONES **311**; Acari, BAKER **40**; Acari, BOYD **72**; Acari [DUBININ] **190**; Ixod., EADS **194**; Acari, HARTMAN **272**; Acari, STRANDTMANN & MENZIES **591.**

Utah.—Acari, PRATT ET AL. **481.**

Virginia.—Pseudoscorp., CHAMBERLIN **111**; Pantop., Aran., Opil., FERGUSON & JONES **216**; Opil., ROEWER **522**; Acari, BAKER **40.**

Washington.—Aran., JONES **311**; Acari, JAMESON **302.**

Wisconsin.—Acari, BAKER **40.**

Wyoming.—Pseudoscorp., HOFF **283.**

CENTRAL AMERICA

Mexico. — Scorp., SERGENT **559**; Scorp., POZO **477**; Palpig., REMY **508**; Opil., ROEWER **522**; Acari, ANDRÉ **18**; Acari, BAKER **39, 40**; Acari, CUNLIFFE **159**; Acari, HOFFMANN **289**; Acari, NESBITT **446.**

Guatemala.—Opil., ROEWER **522.**

Panama.—Opil., ROEWER **522**; Aran., CHICKERING **124**; Acari, BAKER **40**; Acari, OUDEMANS **453.**

Bermuda.—Aran., JONES **311.**

Costa Rica.—Opil., ROEWER **522.**

Cuba.—Palpig., REMY **508**; Aran., FRANGANILLO **232.**

Jamaica.—Scorp., BENGRY **51** ; Aran., LEWIS **363**.

Puerto Rico.—Acari, FOX **231**.

Trinidad.—Acari, BAKER **37**.

Virgin Is.—Acari, Ixod., BEATTY **47**.

SOUTH AMERICA

South America.—Opil., SOARES & SOARES **572**.

Argentina.—Scorp., Aran., SCHENKEL **538** ; Solif., GOETSH & LAWATSCH **251** ; Aran., PROSEN **484** ; Acari, Pentast., RINGUELET **518** ; Acari, MANSO SOTO & PLETNEFF **387** ; Ixod., SCHULZE **544**.

Bolivia.—Opil., ROEWER **522**.

Brazil.—Opil., ROEWER **522** ; Opil., SOARES & SOARES **573, 574** ; Aran., BÜCHERL **87, 88** ; Aran., MELLO-LEITÃO **407**.

Chili.—Aran., MANN **386** ; Aran., MACCHIAVELLO **377** ; Acari, BAKER **37**.

Dutch Guiana.—Opil., ROEWER **522**.

Ecuador.—Opil., ROEWER **522**.

French Guiana.—Acari, FLOCH & ABONNENC **219**.

Peru.—Opil., ROEWER **522** ; Acari, TRÄGÅRDH **620**.

Surinam.—Hydrach., BESSELING **59**.

Uruguay.—Acari, FERNÁNDEZ & LLOSA **217** ; Acari, LÓPEZ FERNÁNDEZ & TORRES DE LA LLOSA **368**.

Venezuela.—Opil., GOODNIGHT & GOODNIGHT **253** ; Opil., DRESCO **189** ; Opil., ROEWER **522** ; Aran., CRANE **151** ; Acari, SELLNICK **556**.

SOUTHERN OCEAN

Crozet Is., Marion Id., St. Paul Id.—Aran., BERLAND **55**.

GEOLOGICAL

Carboniferous.—Palaeozoic Arachnida, England, PETRUNKEVITCH **466**.

Devonian.—*Palaeoscorpius devonicus* Hunsrück slate, Lower Devonian, LEHMANN **357**.

MARINE

Northern Seas.—Pantop., [BRONSHTEIN] **81**.

Belgian Congo.—Pantop., FAGE **203**.

Bermuda.—Pantop., LEBOUR **355**.

South Atlantic.—(Off Brazil) Pantop., MELLO-LEITÃO **405, 406**.

Indian Ocean.—Pantop., KURIEN **345**.

Pacific Ocean.—Pantop., RICKETTS & CALVIN **516**.

Japanese waters.—Pantop., HEDGPETH **275**.

MYRIOPODA

GENERAL LITERATURE AND HISTORY

Text books.—Chilop., BRESSE **76**.

Collections.—Catalogue of Chilop. of the Inst. Sci. Chéifen, BRÖLEMANN **80**.

STRUCTURE

External anatomy.—Pleural and sternal skeleton of Chilop., [BEKKER] **49**.

Muscles.—Chilop., [BEKKER] **49**.

Respiratory system.—Tracheal system in Chilopoda, KHARTCHEVA **325**.

Secretion : external.—Repugnatorial fluid of millipedes, HALSTEAD & RYCKMAN **267**.

Biochemistry.—Sterols from Myriopoda, BERGMANN **52**.

Toxins ; Venoms.—Pathogene rôle of Diplopoda and Chilopoda on humans, PAVLOVSKIĬ **459**.

Locomotion.—*Leptoiulus albo-lineatus* var. *nove* and *Ophyiulus fallax*, CLOUDSLEY-THOMPSON **133**.

Effects of environmental factors.—On centipedes, AUERBACH **34**.

DEVELOPMENT

Egg : oogensis.—Previtellogenesis and vitellogenesis with *Glomeris marginata*, FAURÉ-FREMIET ET AL. **209**.

EVOLUTION AND GENETICS

Evolution of organs.—External skeleton and musculature of Chilop., [BEKKER] **49**.

ECOLOGY AND HABITS

General work.—Symphyla, MICHELBACHER **409**.

Ecological association. — *Blaniulus* (*Nopoiulus*) *venustus* in nest of ant, *Dendrolasius fuliginosus*, with list of other Diplop. found with ants, MANFREDI **385**.

Ecological associations.—Cavernicolous : Chilop., Diplop., BIANCHI ET AL. **60** ; *Serradium hirsutipes*, MANFREDI **384** ; *Brachychaeteuma peniculatum* : *Mastigonodesmus hirsutus*, RIBAUT **512** ; Records of British cave Diplop., TURK **624** ; Diplop. of Languedoc, France, TUZET **627**.

Migration.—Millipedes, ANON. **11** ; Chilop., Diplop., CLOUDSLEY-THOMPSON **129** ; *Strongylosoma pallipes*, STOJAŁOWSKA **589**.

Enemies.—Parasites and predators of Chilop. and Diplop., CLOUDSLEY-THOMPSON **134**.

Behaviour.—Mass appearance of *Schizophyllum sabulosum* and migration of *Strongylosoma pallipes*, STOJAŁOWSKA **589**.

Economics.—Control of *Scutigerella immaculata*, LUCAS **372**.

DISTRIBUTION

PALAEARCTIC REGION

Great Britain.—Chilop., Diplop., Symph., CLOUDSLEY-THOMPSON **130** ; Chilop., MORLEY **434** ; Chilop., Diplop., TURK **624**.

France. — Chilop., DEMANGE **166** ; Chilop., RAVOUX **499** ; Diplop., RIBAUT **512** ; Diplop., TUZET ET AL. **627** ; Symph., ANON. **4**.

Sweden.—Chilop., Diplop., GISLÉN **248**.

Finland.—Chilop., LOHMANDER **365** ; Chilop., PALMÉN **454** ; Diplop., PALMÉN **455**.

Switzerland.—Symph., GISIN **247**.

Italy.—Chilop., Diplop., BIANCHI ET AL. **60** ; Chilop., Diplop., CLOUDSLEY-THOMPSON **133** ; Diplop., MANFREDI **384, 385** ; Diplop., STRASSER **592** ; Diplop., VERHOEFF **651**.

Austria.—Chilop., Diplop., Symph., Paurop., ATTEMS **31** ; Diplop., ATTEMS **30** ; Chilop., Diplop., FRANZ **235** ; Diplop., KÜHNELT **341**.

Hungary.—Diplop., STRASSER **592**.

Germany.—Chilop., VERHOEFF **640** ; Diplop., VERHOEFF **641**.

Czechoslovakia. — Chilop., FOLKMANOVÁ **223**.

Northern Silesia. — Chilop., FOLKMANOVÁ **221**.

Poland. — Chilop., Diplop., JAWŁOWSKI **305** ; Diplop., STOJAŁOWSKA **589**.

Balkans.—Chilop., FOLKMANOVA **220**.

Corsica.—Symph., Paurop., REMY **509**.

Riu Kiu Archipelago. — Diplop., HOFFMAN **285**.

Manchuria.—Chilop., VERHOEFF **650**.

China.—Chilop., VERHOEFF **648**.

Japan.—Diplop., VERHOEFF **646, 649**.

Asia Minor.—Diplop., VERHOEFF **641**.

Turkey.—Chilop., VERHOEFF **643**.

ORIENTAL REGION

India. — Chilop., VERHOEFF **648** ; Diplop., CARL **108**.

Philippine Is.—Diplop., VERHOEFF **642**.

AUSTRALIAN REGION

Victoria.—Paurop., REMY **511**.

ETHIOPIAN REGION

Fernando Po. — Chilop., Diplop., VERHOEFF **647** ; Diplop., VERHOEFF **645**.

Ivory Coast.—Paurop., REMY **510**.

South West Africa. — Chilop., VERHOEFF **644**.

Natal.—Diplop., CONDÉ **141**.

Tanganyika. — Chilop., VERHOEFF **644** ; Diplop., MANFREDI **383**.

Mauritius.—Chilop., VINSON **660**.

NEARCTIC REGION

Alaska.—Chilop., CHAMBERLIN **114** ; Chilop., WEBER **670**.

United States of America.—Diplop., CHAMBERLIN **115**; Diplop., CHAMBERLIN **118**.

Eastern States.—Chilop., Diplop., CRAIGHEAD **150**.

California.—Diplop., CHAMBERLIN **116**; Diplop., LOOMIS **367**.

Idaho.—Diplop., CHAMBERLIN **117**.

Illinois.—Chilop., AUERBACH **34**.

New York.—Chilop., CRABILL **148, 149**.

Oregon.—Diplop., CHAMBERLIN **116, 117**.

Texas.—Diplop., CHAMBERLIN **113, 119**; Diplop., HOFFMAN **286**.

Virginia.—Chilop., FERGUSON & JONES **216**; Diplop., HOFFMAN **284, 287, 288**.

CENTRAL AMERICA

Mexico.—Diplop., SILVESTRI **566**.

SOUTH AMERICA

Brazil.—Chilop., BÜCHERL **85, 86**; Diplop., SCHUBART **540, 541**.

Peru.—Diplop., SILVESTRI **566**.

GEOLOGICAL

Palaeozoic. — *Euphoberia llarenae* [DIPLOP.], Spain, MELÉNDEZ **404**.

Cenozoic.—*Calciphilus abboti* [Geophilidae] in onyx marble, Arizona, CHAMBERLIN **120**.

ONYCHOPHORA

GENERAL LITERATURE

Text-books.—CUÉNOT **155**,

STRUCTURE

External anatomy.—CUÉNOT **155**.

Internal anatomy.—CUÉNOT **155**.

REPRODUCTION

Reproduction.—CUÉNOT **155**.

DEVELOPMENT

Embryology.—*Peripatopsis balfouri, P. capensis, P. moseleyi, P. sedgwicki,* MANTON **388**.

III.—SYSTEMATIC INDEX

N.B.—The numbers in large Clarendon type refer to the list of Titles, those in small to the volume number of the reference.

MEROSTOMATA

XIPHOSURA

†*Euproops danoe* var. *liévensis* **var. nov.** Bassin houiller, Liévin, North France p. 74 figs., MATHIEU Ann. soc. géol. Nord. Lille **65** 1940–45.

†*Limuludicknulus* **gen. nov.** *nagoldensis* **sp. nov.** from coloured sandstone, Nagold, Germany p. 10 figs., LINCK N. Jahrb. Min. Geol. Paläont. Monatshefte Stuttgart **B1** 1943.

Limulus polyphemus on tidal rocks, Katherine Bay, Great Barrier Id., New Zealand p. 372, POWELL **475**.

†*Limulus* sp. aff. *vicensis* in upper part of "Dolomie de Beaumont," Coyviller a Rosières, Salines (M. et M.), France p. 44 fig., MAUBEUGE **399**.

†*Merostomichnites triassicus* **sp. nov.** from coloured sandstone, Nagold, Germany p. 22 figs., LINCK N. Jahrb. Min. Geol. Paläont. Monatshefte Stuttgart **B1** 1943.

EURYPTERIDA

†*Eusarcus* (?) *ruedemanni* **sp. nov.** Deepkill shale, Rensselaer County, New York p. 718 fig., FLAVER Amer. Midl. Nat. Notre Dame **34** 1945.

PANTOPODA

Faunal list.—Belgian Congo, FAGE **203**; "Albatross" in Japanese waters, HEDGPETH **275**.

Achelia sawayai ♂ note p. 28 fig., FAGE **203**.

Ammothella profunda **sp. nov.** ♀ Albatross Sta. 5083, 34° 04′ 20″ N, 137° 57′ 30″ E. p. 289 fig., HEDGPETH Proc. U.S. nat. Mus. **98** 1949.

Anoplodactylus jungersi **sp. nov.** ♂. ♀ Moanda, Nord de Banana, Belgian Congo p. 25 fig.; *A. evelinae* ♂. ♀ new record, Belgian Congo p. 27 fig., FAGE Arch. Zool. exp. gén. Paris—Notes & Revue **86** 1949; *A. tenuirostris* **sp. nov.** ♂. ♀ The Reach, Bermuda p. 929 fig., LEBOUR Proc. zool. Soc. London **118** 1949; *A. gestiens* p. 284 figs.; *A.* sp. p. 284 figs., HEDGPETH **275**.

Ascorhynchus key to spp. of Japanese waters p. 291, HEDGPETH **275**.

Axhelia bituberculata **sp. nov.** ♂ Misaki, Corallines p. 287 figs.; *A. borealis* p. 286 figs., HEDGPETH Proc. U.S. nat. Mus. **98** 1949.

Callipallene dubiosa **sp. nov.** ♀ Albatross shore trip, Hakodate, Japan p. 275 fig., HEDGPETH Proc. U.S. nat. Mus. **98** 1949.

Cilunculus armatus ♀ notes p. 294 figs., HEDGPETH **275**.

Colossendeis nasuta **sp. nov.** Albatross Sta. 4912, 31° 39′ 40″ N, 129° 40′ E. p. 302 figs.; *C. chitinosa* redescribed p. 301 figs.; *C. dofleini* notes p. 300 figs.; *C. japonica* notes p. 299 figs., HEDGPETH Proc. U.S. nat. Mus. **98** 1949.

Decachela discata p. 280 fig., HEDGPETH **275**.

Halosoma marcusi **sp. nov.** on colonies of Hydrozoas, Urca, Rio de Janeiro, Brazil p. 168 figs., MELLO-LEITÃO An. Acad. Bras. Cienc. Rio **21** 1949.

Lecythorhynchus hilgendorfi notes p. 296 figs., HEDGPETH **275**.

Nymphon key to spp. from North Pacific p. 246; *N. albatrossi* **sp. nov.** ♂ Albatross Sta. 4826, 37° 26′ N., 137° 32′ E. p. 263 fig.; *N. benthos* **sp. nov.** ♀ Albatross Sta. 5085, 35° 06′ 45″ N., 139° 19′ 45″ E. p. 256 fig.; *N. dissimilis* **sp. nov.** ♀ Albatross Sta. 4780, 52° 01′ N., 174° 39′ E. p. 262 fig.; *N. gunteri* **sp. nov.** ♀ Albatross Sta. 5050, 38° 11′ 30″ N., 142° 08′ E. p. 257 fig.; *N. heterospinum* **sp. nov.** ♂ Albatross Sta. 5050, 38° 11′ 30″ N., 142° 08, E. p. 259 fig.; *N. kodanii* **sp. nov.** ♂ Albatross Sta. 4977, 33° 23′ 30″ N., 135° 34′ E. p. 252 fig.; *N. micropedes* **sp. nov.** ♂ Albatross Sta. 5080, 34° 10′ 30″ N., 138° 40′ E. p. 254 fig.; *N. nipponense* **sp. nov.** ♂ Albatross Sta. 4980, 34° 09′ N., 137° 55′ E. p. 267 fig.; *N. ohshimai* **sp. nov.** ♂ Albatross Sta. 4975, 33° 21′ 30″ N., 135° 38′ 50″ E. p. 266 fig.; *N. braschnikowi* p. 250 figs.; *N. elongatum* p. 251 figs.; *N. hodgsoni* p. 250 figs.; *N. japonicum* p. 249 fig.; *N. uniunguiculatum* p. 263 fig.; *N.* notes on Hilton's species p. 270 figs., HEDGPETH Proc. U.S. nat. Mus. **98** 1949.

Pallenopsis candidoi **sp. nov.** ♂ juv. ♀ between Isles of Frances and Armação, Santa Catarina, Brazil p. 299 figs., MELLO-LEITÃO Arq. Mus. Paranaense, Curitiba **7** 1949; *P. stylirostre* **sp. nov.** ♂ Albatross Sta. 4975, 33° 21′ 30″ N., 135° 38′ 50″ E. p. 278 figs.; *P. mollossima* p. 277 fig.; *P. tydemani* p. 277 fig.; *P. virgatus* p. 277 fig., HEDGPETH Proc. U.S. nat. Mus. **98** 1949.

Parallene bermudensis **sp. nov.** ♀ Castle Roads, Bermuda p. 930 figs., LEBOUR Proc. zool. Soc. London **118** 1949.

Phoxichilidium horribilis **sp. nov.** ♂ Albatross Sta. 4803, 46° 42′ N., 151° 45′ E. p. 283 fig.; *P. ungellatum* **sp. nov.** ♂ Albatross Sta. 4842, 36° 13′ N., 133° 27′ E. p. 281 fig., HEDGPETH Proc. U.S. nat. Mus. **98** 1949.

Pycnogonum buticulosum **sp. nov.** ♂ Milne Bay, Simushiru, Japan p. 308 figs.; *P. benokianum* redescribed p. 304 figs.; *P. tenue* notes p. 303 figs.; *P. ungellatum* notes p. 304 figs., HEDGPETH Proc. U.S. nat. Mus. **98** 1949.

Tanystylum anthomasthi **sp. nov.** ♀ Daikoku Jima, Akkeshi Bay, Hokkaido, Japan p. 297 figs., HEDGPETH Proc. U.S. nat. Mus. **98** 1949; *T. isabellae* ♀ new record, Moanda, Nord de Banana, Belgian Congo p. 29 fig.; *T. orbiculare* notes p. 29 fig., FAGE **203**.

ARACHNIDA

†Key to orders of Arachnida, based on external characters visible in fossils p. 114, PETRUNKEVITCH **466**.

†STETHOSTOMATA **subclass nov.** defined p. 179, PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

SCORPIONES

Faunal list.—Rhodes, CAPORIACCO **106**; Romagna, Italy, CAPORIACCO **107**.

†Key to families of fossil Scorpions p. 126, PETRUNKEVITCH **466**.

†ARCHAEOCTONIDAE **fam. nov.** characters p. 126; *A.* key to genera p. 137, PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†CYCLOPHTHALMIDAE Petrunkevitch, 1913 emended p. 139, PETRUNKEVITCH **466**.

†EOSCORPIONIDAE key to genera p. 142, PETRUNKEVITCH **466.**

†EUSCORPIONES **suborder nov.** characters p. 135, PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†ISOBUTHIDAE key to genera p. 136, PETRUNKEVITCH **466.**

†PROTOSCORPIONES **suborder nov.** characters p. 126, PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†*Anthracoscorpio juvenis* notes p. 144 figs., PETRUNKEVITCH **466.**

†*Alloscorpius* **gen. nov.** [Eoscorpionidae] defined p. 153; Placed in genus, *Eoscorpius danielsi* Petrunkevitch 1913 and *E. granulosus* Petrunkevitch 1913 p. 153, PETRUNKEVITCH Trans. Conn. Acad. Art. Sci. **37** 1949.

Bothriurus laevis **sp. nov.** ♀ Rio Saludo, Chaco, Argentina p. 195 figs., SCHENKEL Verh. naturf. Ges. Basel **60** 1949.

Brachistosternus andinus subsp. *reichlini* **subsp. nov.** ♀ Rio Saludo, Chaco, Argentina p. 197 fig., SCHENKEL Verh. naturf. Ges. Basel **60** 1949.

Buthacus villiersi **sp. nov.** ♂ Senegal p. 66 figs.; *B. arenicola* redescribed p. 71 figs.; *B. arenicola spatzi* notes p. 78 fig.; *B. leptochelys* redescribed p. 79 fig., VACHON Arch. Inst. Pasteur, Alger **27** 1949.

Buthotus **gen. nov.** [Buthidae] type species *Buthus judaicus* Simon, 1872, redescribed p. 143 figs.; *B. franzwerneri* redescribed p. 147; *B. franzwerneri* subsp. *franzwerneri* (= *Buthus* (*Hottentota*) *lutaudi*) redescribed p. 151 figs.; *B. franzwerneri* subsp. *gentili* (Pallary) redescribed p. 152 figs., VACHON Arch. Inst. Pasteur Alger. **27** 1949.

Buthus atlantis subsp. *parroti* **subsp. nov.** ♀ forest of Ademine, S.W. Agadir, Marocco p. 168 figs.; *Buthus* redefinition of genus p. 155; *B. occitanus* type species p. 155 figs.; *B. atlantis* redescribed p. 162 figs.; *B. atlantis* subsp. *atlantis* redescribed p. 166 figs., VACHON Arch. Inst. Pasteur Alger. **27** 1949; *B. occitanus* redescribed, distribution p. 334; *B. occitanus* subsp. *occitanus* redescribed, distribution p. 336 figs.; *B. occitanus* subsp. *tunetanus* redescribed, distribution p. 344 fig.; *B. occitanus tunetanus* var. *lepineyi* **var. nov.** ♂ ♀ Grand Atlas and Moyen Atlas, Morocco p. 353 figs.; *B. occitanus* subsp. *mardochei* redescribed, distribution p. 358 figs.; *B. occitanus mardochei* var. *alluaudi* **var. nov.** ♀ Tiznit, South Morocco p. 363 figs.; *B. occitanus* subsp. *mardochei* var. *mimeuri* **var. nov.** ♂ ♀ Southern Morocco p. 367 figs.; *B. occitanus* subsp. *mardochei* var. *panousei* **var. nov.** ♂ between Tafnidit and Foum Dra, Morocco p. 373 figs.; *B. occitanus* subsp. *malhommei* **subsp. nov.** ♂ ♀ Mechra ben Abbou, Morocco p. 376 figs.; *B. occitanus* subsp. *paris* redescribed, distribution p. 380 figs., VACHON Arch. Inst. Pasteur, Alger **27** 1949; *B. barbouri* redescribed p. 287; *B. maroccanus* redescribed p. 281 figs., VACHON **634.**

†*Centromachus euglyptus* notes p. 141 figs., PETRUNKEVITCH **466.**

Compsobuthus **gen. nov.** [Buthidae] defined p. 93; type species *Buthus acutecarinatus* redescribed p. 93 fig.; *C. werneri* redescribed p. 97 figs.; *C. schmiedeknichti* Kraepelin NOM. NUD. p. 99, VACHON Arch. Inst. Pasteur, Alger. **27** 1949.

†*Compsoscorpius* **gen. nov.** [Eoscorpionidae] defined p. 149; type species *C. elegans* **sp. nov.** Coal Measures. Coseley, Staffs, England p. 149 figs.; *C. elongatus* **sp. nov.** Upper Carboniferous Coal Measures, Coseley, Staffs, England p. 150 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

Diplops desertorum Mulaik & Higgins synon. of *Superstitionia donensis* Stahnke p. 243, STAHNKE **586.**

†*Dolichophonus* **gen. nov.** [Palaeophonidae] defined p. 131; type species *Palaeophonus londonensis* Laurie, 1898 notes p. 132 fig., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†*Eoscorpius* characters of gen. revised p. 151; *E.* key to spp. p. 152, PETRUNKEVITCH **466.**

†*Europhthalmus* **gen. nov.** [Eoscorpionidae] defined p. 142; type species *E. longimanus* **sp. nov.** Middle Coal Measures, Crawcrook, Ryton-on-Tyne, Durham p. 154 figs.; *E.* sp. ? described p. 155 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

Leiurus quinquestriatus redescribed p. 83 figs.; *L. quinquestriatus quinquestriatus* redescribed p. 88 figs., VACHON Arch. Inst. Pasteur, Alger. **27** 1949.

†*Lichnophthalmus* **gen. nov.** [Eoscorpionidae] defined p. 147 ; type species *L. pulcher* **sp. nov.** Middle Coal Measures, Crow Coal, Crawcrook, Ryton-on-Tyne, Durham p. 147 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†*Lichnoscorpius* **gen. nov.** [Eoscorpionidae] defined p. 148 ; type species *L. minutus* **sp. nov.** Upper Carboniferous Coal Measures, Coseley, Staffs, England p. 148 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

Microbuthus gen. revised p. 389 ; *M. fagei* **sp. nov.** ♀ Nouakchott, Morocco p. 393 figs., VACHON Arch. Inst. Pasteur, Alger. **27** 1949.

Orthochirus definition of genus p. 134 ; *O. innesi* redescribed p. 139 figs., distribution in North Africa p. 142, VACHON **633.**

†*Palaeophonus caledonicus* notes p. 128 fig. ; *P. nuncius* notes p. 127 fig. ; *P. osborni* notes p. 127 fig., PETRUNKEVITCH **466.**

†*Palaeopisthacanthus* emended p. 154, PETRUNKEVITCH **466.**

†*Palaeoscorpius* **gen. nov.** *devonicus* **sp. nov.** Grube Eschenbach, Bundenbach, Switzerland p. 177 figs., LEHMANN N. Jahrb. Min. Geol. Paläont. Stuttgart **B7–9** 1944.

Scorpio maurus behringsi ♀ **subsp. nov.** Marocco p. 193 fig. ; *S. maurus stemmleri* ♂ . ♀ **subsp. nov.** Djebel Iskt ob Demnat, Marocco p. 194 fig. ; *S. maurus maurus* tables of comparison p. 189, SCHENKEL Verh. naturf. Ges. Basel **60** 1949.

†*Typhlopisthacanthus* **gen. nov.** [Eoscorpionidae] defined p. 144 ; type species *Palaeopisthacanthus mazonensis* Petrunkevitch, 1913 p. 145 ; *T. anglicus* **sp. nov.** Upper Carboniferous, Coseley, Staffs, England p. 145 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†*Typhloscorpius* **gen. nov.** [Eoscorpionidae] defined p. 146 ; type species *T. distinctus* **sp. nov.** Coal Measures, Coseley, Staffs, England p. 146 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

Xomyobuthus NOM. NUD. used in error for *Compsobuthus* p. 93, VACHON Arch. Inst. Pasteur Alger. **27** 1949.

UROPYGI

Schizomus latipes from hot-house, Cambridge, England p. 261, CLOUDSLEY-THOMPSON **131.**

AMBLYPYGI

Charinus pescotti **sp. nov.** ♀ Barron Falls, Queensland p. 8 figs., DUNN Mem. nat. Mus. Victoria no. 16 1949.

†*Graeophonus anglicus* redescribed p. 271 figs., PETRUNKEVITCH **466.**

Neocharon **subgen. nov.** see *Stygophrynus*, DUNN **193.**

Stygophrynus (*Neocharon* **subgen. nov.**) *forsteri* **sp. nov.** ♀ Savo Island, Solomon Group p. 12 figs., DUNN Mem. nat. Mus. Victoria no. 16 1949.

PALPIGRADI

†*Geralinura* key to spp. p. 266 ; *G. britannica* redescribed p. 264 fig., PETRUNKEVITCH **466.**

Koenenia berlesi redescribed p. 220 figs. ; *K. mirabilis* redescribed p. 218 figs., REMY **507** ; *K. hanseni* distribution in Mexico redescribed p. 33 figs., REMY **508.**

RICINULEI

Key to families p. 285, PETRUNKEVITCH **466.**

†*Curculioides* key to spp. p. 286 ; *C. eltringhami* **sp. nov.** Middle Coal Measures, Crawcrook, near Ryton-on-Tyne, Durham, England p. 291 fig. ; *C. granulatus* **sp. nov.** Coal Measures, Shipley claypit, England p. 287 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†*Polyochera* key to spp. p. 285, PETRUNKEVITCH **466.**

PSEUDOSCORPIONES

Classification with systematic list for Illinois, HOFF **282.**

Faunal list.—Finland, KAISILA **315, 316** ; Rhodes, CAPORIACCO **106** ; Romagna, Italy, CAPORIACCO **107** ; Central Russia, [REDIKORZEV] **505.**

CHTHONIIDAE key to genera of Illinois p. 432, HOFF **282.**

Acuminochernes **gen. nov.** [Chernetidae] defined p. 476; type species *Hesperochernes crassopalpus* Hoff measurements p. 477 figs., HOFF Bull. Illinois nat. Hist. Surv. **24** 1949.

Apochthonius moestus note p. 434 figs., HOFF **282**.

Chelifer cancroides measurements p. 486 figs., HOFF **282**.

Chernes bulbipalpis **sp. nov.** Tashkent. Russia p. 656 figs.; *C. bachardensis* redescribed p. 655 figs., [REDIKORZEV] Trav. Inst. Zool. Acad. Sci. U.R.S.S. **8** 1949.

Chthonius microphthalmus vallei **subsp. nov.** in cave Spipola, Bologna, Italy p. 498 fig., BIANCHI ET AL. Comment. pont. Acad. Scient. **13** 1949; *C.* (*Ephippiochthonius*) *californicus* diagnosis emended p. 2 fig., CHAMBERLIN **111**; *C. ischnocheles* characters p. 433 fig.; *C. tetrachelatus* characters p. 433 fig., HOFF **282**; *C.* (*Ephippiochthonius*) *tetrachelatus* redescribed p. 79 figs., RAFALSHI **494**.

Dactylochelifer intermedius **sp. nov.** Tuyuk, Kirgizian Ala-tay, Russia p. 664 figs.; *D. popovi* **sp. nov.** Rolotan, Turkmenia, Russia p. 666 figs.; *D. spasskyi* **sp. nov.** Uzbekistan, Amu-daria, Kzildzhar, Russia p. 667 figs., [REDIKORZEV Trav. Inst. Zool. Acad. Sci. U.R.S.S. **8** 1949; *D. copiosus* additional data p. 491 figs., HOFF **282**

Dinocheirus solus **sp. nov.** ♂ Rockford, Winnebago County, Illinois p. 474 fig.; *D. pallidus* (Banks) **comb. nov.** p. 472 fig., HOFF Bull. Illinois nat. Hist. Surv. **24** 1949; *D. stercoreus* **sp. nov.** ♀. ♂ in Bracken Cave, Texas. U.S.A. p. 120 figs., TURK Ann. Mag. nat. Hist. (12) **2** 1949.

Diplotemnus ophthalmicus **sp. nov.** Duany-tay, Tehikmensk distr., South Kazakhstan and Kirgisian Ala-tay, Russia p. 646 figs.; *D. pomerantzevi* **sp. nov.** Voroshilov, Russia p. 648 figs., [REDIKORZEV] Trav. Inst. zool. Acad. Sci. U.R.S.S. **8** 1949.

Ellingsenius revised diagnosis p. 50; key to species p. 51; *E. indicus* emended diagnosis p. 52 fig., CHAMBERLIN **111**.

Hansenius spinosus **sp. nov.** ♀ Zambi, Belgian Congo p. 29 fig., CHAMBERLIN Amer. Mus. Nov. No. 1430 1949.

Hesperochernes characters p. 476; *H. canadensis* p. 476 fig.; *H. sanborni* p. 476 figs., HOFF **282**.

Heterochthonius multispinosus redescribed p. 434 fig., HOFF **282**.

Hysterochelifer allocancroides **sp. nov.** Khorezmsk distr., Urgentch; Fergane, Osh, Russia p. 658 figs., [REDIKORZEV] Trav. Inst. Zool. Acad. Sci. U.R.S.S. **8** 1949.

Idiochelifer nigripalpes redescribed p. 487 figs., HOFF **282**.

Illinichernes **gen. nov.** [Chernetidae] defined p. 481; type species *I. distinctus* **sp. nov.** ♂. ♀ Magnolia. Illinois p. 481 figs., HOFF Bull. Illinois nat. Hist. Surv. **24** 1949.

Kleptochthonius **gen. nov.** [Chthoniidae] pro *Heterochthonius* J. C. Chamberlin (1929) preocc. p. 4; type species *Apochthonius* (*Heterochthonius*) *crosbyi* J. C. Chamberlin p. 4, CHAMBERLIN Amer. Mus. Nov. No. 1430 1949.

Lamprochernes minor **sp. nov.** ♂. ♀ Urbana, Illinois p. 453 figs.; *L. oblongus* neotype ♂ described p. 450 figs., HOFF Bull. Illinois nat. Hist. Surv. **24** 1949; *L. muscivorus* **sp. nov.** Kashkadarinsk distr., Shakhriziab and Ashkhabad, Russia p. 650 figs., [REDIKORZEV] Trav. Inst. Zool. Acad. Sci. U.R.S.S. **8** 1949.

Larca granulata measurements p. 447 figs., HOFF **282**.

Lophochernes melanopygus **sp. nov.** Uzbekistan, envir. Shakhrizyabz, envir. Stara Bukhara, Russia p. 662 figs., [REDIKORZEV] Trav. Inst. zool. Acad. Sci. U.R.S.S. **8** 1949.

Macrochelifer tibetanus addenda to diagnosis p. 27 fig., CHAMBERLIN **111**.

Megachernes pavlovskyi **sp. nov.** Turkmenia, Gaudan, Tadchikistan, Russia p. 651 figs., [REDIKORZEV] Trav. Inst. Zool. Acad. Sci. U.R.S.S. **8** 1949.

Microbisium brunneum notes p. 445 fig.; *M. confusum* notes p. 446 figs., HOFF **282**.

Microchelifer emended diagnosis, p. 32; *M. sadiya* **sp. nov.** ♂ Nazira, Atkel, Assam p. 34 fig., CHAMBERLIN Amer. Mus. Nov. No. 1430 1949.

Microchernes dentatus ♀. ♂ redescribed p. 478 figs., HOFF **282**.

Microcreagris ronciformis **sp. nov.** Kopet-dag, Tchandya river, Russia p. 643 figs.; *M. ronciformis ancta* **subsp. nov.** Agar-tcheshme, Serakhs, Tadzhikistan, Russia p. 644 fig., [REDIKORZEV] Trav. Inst. Zool. Acad. Sci. U.R.S.S. **8** 1949; *M. zangherii* **sp. nov.** Pineta de Classe, Romagna, Italy p. 241 fig., CAPORIACCO Redia, Firenze **34** 1949; *M. ozarkensis* note p. 444 figs., HOFF **282.**

Mundochthonius rossi **sp. nov.** ♂ · ♀ Starved Rock State Park, Illinois p. 436 fig.; *M. sandersoni* **sp. nov.** ♂ · ♀ Herod, Illinois p. 440 fig., HOFF Bull. Illinois nat. Hist. Surv. **24** 1949.

Neobisium improvisum **sp. nov.** Tantchilik, Almaatinsk distr., Krizakhstan, Russia p. 641 figs., [REDIKORZEV] Trav. Inst. Zool. Acad. Sci. U.R.S.S. **8** 1949; *N. carolinesis tenuis* note p. 444 figs., HOFF **282**; *N.* (*Neobisium*) *caucasicum* redescribed p. 100 figs.; *N.* (*N.*) *granulatum* redescribed p. 92 figs.; *N.* (*N.*) *moreoticum* redescribed p. 98 figs.; *N.* (*N.*) *sylvaticum* redescribed p. 85 figs., RAFALSHI **494.**

Ocalachelifer **gen. nov.** [Cheliferidae] defined p. 17; type species *O. cribratus* **sp. nov.** ♂ Ocala National Forest, between Ocala and Umatilla, Florida p. 19 fig., CHAMBERLIN Amer. Mus. Nov. No. 1430 1949.

Paisochelifer callus additional data p. 489 figs., HOFF **282.**

Parachernes squarrosus **sp. nov.** ♂ Fowler, ♀ Karnak, Illinois p. 456 figs., HOFF Bull. Illinois nat. Hist. Surv. **24** 1949.

Parachthonius **gen. nov.** [Chthoniidae] defined p. 317; type species *P. meneghettii* **sp. nov.** Mau, Kenya Colony p. 317, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Phoberocheirus **gen. nov.** [Chernetidae] defined p. 6; type species *P. cribellus* **sp. nov.** ♂ Vienna, Virginia, from nest of *Bombus americanorum* p. 8 fig., CHAMBERLIN Amer. Mus. Nov. No. 1430 1949.

Protochelifer revised diagnosis p. 42; *P. maori* **sp. nov.** ♂ Porirua, New Zealand p. 43 fig.; *P. australis* addenda to diagnosis p. 46 fig., CHAMBERLIN Amer. Mus. Nov. No. 1430 1949.

Pselaphochernes macrochaetus **sp. nov.** Urgentch, Khorezmak distr., Russia p. 653 figs., [REDIKORZEV] Trav. Inst. Zool. Acad. Sci. U.R.S.S. **8** 1949; *P. parvus* ♂ described Illinois p. 461 figs., HOFF **282.**

Rhacochelifer heterometrus redescribed p. 23 fig., CHAMBERLIN **111.**

Reginachernes **gen. nov.** [Chernetidae] defined p. 465; type species *R. ewingi* **sp. nov.** ♀ Munice, ♂ Arcola, Illinois p. 466 fig.; *R. lymphatus* **sp. nov.** ♀ Urbana, ♂ Mooseheart, Kane County, Illinois p. 467 fig., HOFF Bull. Illinois nat. Hist. Surv. **24** 1949.

Roncus (*R.*) *crassipalpus* **sp. nov.** ♀ Meskish Mountains, Caucasus p. 110 figs.; *R.* (*R.*) *microphthalmus* redescribed p. 107 figs., RAFALSHI Ann. Mus. zool. polon. **14** 1949; *R. julianus* **sp. nov.** ♀ Alps Julia, Venezia Giulia, Italy p. 140 fig., CAPORIACCO Atti Mus. Stor. nat. Trieste **17** 1949; *R. lonai* **sp. nov.** Ducati, Albania p. 122 fig., CAPORIACCO Atti Mus. Stor. nat. Trieste **17** 1949.

Synphyronus (*Synophyronus*) *mimetus* note on abnormal segmentation p. 4 fig., CHAMBERLIN **111.**

Telechelifer **gen. nov.** defined p. 36; type species *T. lophonotus* **sp. nov.** ♂ Ceylon? p. 38 fig., CHAMBERLIN Amer. Mus. Nov. No. 1430 1949.

Verrucaditha spinosa deutonymph described p. 429 figs., HOFF **282.**

Wyochernes **gen. nov.** [Chernetidae] defined p. 41; type species *W. hutsoni* **sp. nov.** ♂ · ♀ Albany County, Wyoming p. 42 figs., HOFF Trans. Amer. micr. Soc. Menasha **68** 1949.

Xenochelifer **gen. nov.** [Cheliferidae] defined p. 10; type species *X. davidi* **sp. nov.** ♂ ♀ Big Rock Creek, Los Angeles County, California p. 12 figs., CHAMBERLIN Amer. Mus. Nov. No. 1430 1949.

SOLIFUGAE

Distribution and biological observations of South American species, GOETSH & LAWATSCH **251.**

Faunal list.—Rhodes, CAPORIACCO **106.**

Biton transvaalensis **sp. nov.** ♂ Great Salt Pan, Waterpoort, Transvaal p. 204 figs., LAWRENCE Ann. Transv. Mus. **21** 1949.

Blossiola toschii **sp. nov.** ♀ Olgaseilie, Kenya Colony p. 315, CAPORIACCO Acta Pont. Acad. Scient. **13** 1949.

Chelypus kalaharicus **sp. nov.** ♂ Oup River, Kalahari, South Africa p. 201 figs. ; *C.* key to spp. p. 203, LAWRENCE Ann. Transv. Mus. **21** 1949.

Gluviella **gen. nov.** [Daesiidae] defined p. 32 ; type species *G. rhodiensis* **sp. nov.** ♀ Lardo, Rhodes p. 33 fig., CAPORIACCO Redia, Firenze **33** 1948.

Oltacola goetschi **sp. nov.** (Lawatsch) ♂ ♀ Patquia, La Rioja, Argentina p. 73, GOETSH & LAWATSCH Zool. Anz. Leipzig **144** 1944.

Solpuga atriceps **sp. nov.** ♀ Manaba, Zululand p. 205 ; *S.* key to spp. in Zululand p. 207 ; Status of *S. toppini edentula* p. 207 ; New records of *S.* spp. for South Africa p. 208, LAWRENCE Ann. Transv. Mus. **21** 1949 ; *S. caffra* feeding and egg-laying p. 197 ; Status of *S. caffra* and *S. chadwicki* p. 199 fig., LAWRENCE **351**.

OPILIONES

Faunal list.—Great Britain and Ireland, BRISTOWE **78** ; Great Britain, SAVORY **536** ; Great Britain, TODD **617** ; Belgium, COOREMAN **143** ; Romagna, Italy, CAPORIACCO **107** ; Additions to fauna of Hungary, SZALAY **598** ; New York with key to species, BISHOP **67**.

ASSAMIIDAE

Callereca angolensis **sp. nov.** ♂ Dundo, Lunda, Angola p. 12 fig., LAWRENCE Pub. Cult. Comp. Diam. Angola, 1949.

Dampetrus gracilis **sp. nov.** ♂ Redcliffs, Victoria p. 86 figs., FORSTER Mem. nat. Mus. Victoria no. 16 1949.

Doloressus filipes **sp. nov.** ♂ near Dundo, Lunda, Angola p. 10 fig., LAWRENCE Pub. Cult. Comp. Diam. Angola, 1949.

Euwintonius continentalis redescribed p. 87 figs., FORSTER **224**.

Parachilon bicolor **sp. nov.** ♂ . ♀ Musola, Fernando Po p. 245 fig., ROEWER Veröff. dtsch. Kolon.-Uebersee Mus. Bremen **3** 1942.

Pseudoacaca **gen. nov.** [Acacinae] defined p. 488 ; type species *P. liobuniformis* **sp. nov.** ♂ ♀ Belletta, Gimma, Ethiopia p. 488 fig., CAPORIACCO Comp. Pont. Acad. Scient. **13** 1949.

Viglua machadoi **sp. nov.** ♂ . ♀ South-East of Dundo, Lunda, Angola p. 7 fig. ; *V. majora* **sp. nov.** South East of Dundo, Lunda, Angola p. 9 fig., LAWRENCE Pub. Cult. Comp. Diam. Angola, 1949.

Vilhena **gen. nov.** [Sidaminae] defined p. 14 ; type species *V. delicata* **sp. nov.** Dundo, Lunda, Angola p. 15 fig., LAWRENCE Pub. Cult. Comp. Diam. Angola 1949.

PHALANGODIDAE

Aburiplus **gen. nov.** [Phalangodinae] defined p. 33 ; type species *A. trochanteralis* **sp. nov.** ♂ Aburi, Gold Coast p. 34 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Acrobiantes flaviventris (sub. *Biantes*) p. 252 fig. ; *A. hildebrandtii* (sub. *Hinzuanius*) p. 252 fig., ROEWER **523**.

Adornellus **gen. nov.** separated from *Cippanus* Roewer (1932), type species *C. andornus* Goodnight (1942) p. 143, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Ambolotsca **gen. nov.** [Erecananinae] defined p. 283 ; type species *A. remyi* **sp. nov.** ♀ Ravin d'Ambolotsca, Nossibé, Madagascar p. 283 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Antetriceras **gen. nov.** [Tricommatinae] defined p. 57 ; type species *A. signatus* **sp. nov.** ♂ Terra Vermella, Brazil p. 57 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Arminda **gen. nov.** [Tricommatinae] separated from *Phalangodella* Roewer (1912), type species *A. colatinae* Soares (1946) p. 144, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Asproleria **gen. nov.** [Ibaloniinae] defined p. 264 ; type species *A. albituberculata* **sp. nov.** ♂ . ♀ Finschhafen, New Guinea p. 264 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Avima **gen. nov.** [Tricommatinae] defined p. 58 ; type species *A. leucobunus* **sp. nov.** ♂ Paramaribo, Dutch Guiana p. 58 fig. ; *A. bicoloripes* **sp. nov.** ♂ . ♀ Belem, Brazil p. 58 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Ayacucho **gen. nov.** [Tricommatinae] defined p. 57 ; type species *A. titschacki* **sp. nov.** ♂ Ayacucho, Peru p. 57 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Badessania **gen. nov.** [Samoinae] defined p. 59 ; type species *B. metatarsalis* **sp. nov.** ♂ . ♀ Blue Mountains, New South Wales p. 59 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Banksula **gen. nov.** [Phalangodinae] defined p. 33 ; type species *Scotolemon californica* Banks 1900 p. 33 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Baramella **gen. nov.** [Podoctinae] defined p. 272 ; type species *Baramia quadrispina* Roewer 1915 p. 272, ROEWER Senckenbergiana Frankfurt **30** 1949.

Baramia solitaria **sp. nov.** ♀ Anambas Id., Dutch East Indies p. 271 fig. ; *B. vorax* p. 271 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Basoides **gen. nov.** [Podoctinae] defined p. 276 ; type species *Baso mucronatus* Roewer 1927 p. 276, ROEWER Senckenbergiana Frankfurt **30** 1949.

Batjanellus **gen. nov.** [Ibaloniinae] defined p. 269 ; type species *Ibalonius quadriguttatus* Hirst 1912 p. 269 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Bebedoura **gen. nov.** [Tricommatinae] defined p. 56 ; type species *B. rugosa* **sp. nov.** ♂ Bebedouro, Brazil p. 56 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Belemarua **gen. nov.** separated from *Paramitraceras* Cambridge (1905), type species *P. nitens* Soares (1946) p. 143, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Beloniscellus narmadeus **sp. nov.** ♂ Narmada, Lombok, Dutch East Indies p. 56 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Beloniscops **gen. nov.** [Phalangodinae] defined p. 53 ; type species *B. flavicalcar* **sp. nov.** ♂ Padang, Sumatra p. 53 fig. ; *B. lata* **sp. nov.** ♀ Fort de Kock, Sumatra p. 53 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Beloniscus albipustulatus **sp. nov.** ♂ . ♀ Sipora Id., Sumatra p. 54 fig. ; *B. malayanus* **sp. nov.** ♂ . ♀ Gunung Singalang, Sumatra p. 54 fig. ; *B. tricalcaratus* **sp. nov.** ♂ Idjen-Geb, Java p. 54 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Biantanius **gen. nov.** [Biantinae] defined p. 254 ; type species *Metabiantes vertebralis* Lawrence 1933 p. 254, ROEWER Senckenbergiana Frankfurt **30** 1949.

Biantella **gen. nov.** [Biantinae] defined p. 249 ; type species *B. reticulata* Roewer 1927 p. 249, ROEWER Senckenbergiana Frankfurt **30** 1949.

Biantes carli p. 253 fig. ; *B. conspersus* p. 253 fig. ; *B. parvulus* (sub. *Hinzuanius*) p. 253 fig. ; *B. quadrituberculatus* p. 253 fig. ; *B. vitellinus* p. 253 fig., ROEWER **523**.

Biantessus **gen. nov.** [Biantinae] defined p. 254 ; type species *Metabiantes nigrotarsus* Lawrence 1933 p. 254, ROEWER Senckenbergiana Frankfurt **30** 1949.

Biantica **gen. nov.** [Biantinae] defined p. 252 ; type species *B. comorensis* **sp. nov.** ♂ . ♀ La Grille, Komoren p. 253 fig. ; *B. madagassis* **sp. nov.** ♂ . ♀ Antongil Bay, Madagascar p. 253 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Biantidius **gen. nov.** [Biantinae] defined p. 252 ; type species *Biantes bicolor* Pocock 1903 p. 252 figs., ROEWER Senckenbergiana Frankfurt **30** 1949.

Biantiplus **gen. nov.** [Biantinae] defined p. 250 ; type species *Metabiantes zuluanus* Lawrence 1937 p. 250, ROEWER Senckenbergiana Frankfurt **30** 1949.

Biantomma **gen. nov.** [Biantinae] defined p. 244 ; type species *B. nigrospinosum* **sp. nov.** ♂ . ♀ Pic v St. Isabel, Fernando Po p. 244 fig., ROEWER Veröff. dtsch. Kolon.-Uebersee Mus. Bremen **3** 1942.

Biantops **gen. nov.** [Biantinae] defined p. 248 ; type species *Biantes fuscipes* Thorell 1890 p. 248 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Biantula **gen. nov.** [Biantinae] defined p. 252 ; type species *B. gracilis* **sp. nov.** ♂ . ♀ Marie, Madagascar p. 252 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Bissopius **gen. nov.** [Phalangodinae] defined p. 16; type species *B. rugosus* **sp. nov.** ♂ Pernambuco, Brazil p. 18 fig., ROEWER Senckenbergiana, Frankfurt **30** 1949.

Brimma **gen. nov.** [Phalangodinae] defined p. 19; type species *B. hirsuta* **sp. nov.** ♂ Waldeck Farm, Costa Rica p. 19 fig., ROEWER Senckenbergiana, Frankfurt **30** 1949.

Buparellus **gen. nov.** [Phalangodinae] defined p. 53; type species *Bupares mitylus* Thorell 1889 p. 53; *B. dibunichelis* **sp. nov.** ♂ Pegu, Burma p. 53 fig.; *B. patellaris* **sp. nov.** ♂ Moulmein, Burma p. 53 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Bupares armatus **sp. nov.** ♂. ♀ Tavoy, Burma p. 52 fig.; *B. stridulator* **sp. nov.** ♂. ♀ Carin Cheba, Burma p. 52 fig.; *B. trochanteralis* **sp. nov.** ♂. ♀ Prome, Burma p. 52 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Buparomma **gen. nov.** separated from *Bupares* Thorell (1889), type species *B. capellum* Thorell (1889) p. 143, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Camanastus **gen. nov.** [Phalangodinae] defined p. 20; type species *C. insularis* **sp. nov.** ♀ Fiji Is. p. 20 fig.; *C. australis* **sp. nov.** ♀ Hatzfeldhafen, New Guinea p. 20 fig., ROEWER Senckenbergiana, Frankfurt **30** 1949.

Celebesia **gen. nov.** [Ibaloniinae] defined p. 257; type species *C. tenuis* **sp. nov.** ♂ Celebes p. 257 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Cerroa hirsuta **sp. nov.** ♂. ♀ La Palma, Costa Rica p. 25 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Chondrobunus patellaris **sp. nov.** ♂. ♀ Finschhafen, New Guinea p. 24 fig.; *C. sepikus* **sp. nov.** ♂ Sepik, New Guinea p. 24 fig., ROEWER Senckenbergiana, Frankfurt **30** 1949.

Cochirapha **gen. nov.** [Phalangodinae] defined p. 40; type species *C. rugipes* **sp. nov.** ♂ Guayaquil, Ecuador p. 41 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Conomma asper **sp. nov.** ♂ Dundo, Lunda, Angola p. 16 fig., LAWRENCE Pub. Cult. Comp. Diam. Angola 1949; *C. annobomum* **sp. nov.** ♂. ♀ Annobom Id. Gulf of Guinea p. 38 fig.; *C. biarmatum* **sp. nov.** ♀ Aburi, Gold Coast p. 36 fig.; *C. cassinium* **sp. nov.** ♂. ♀ Rio Cassini, Portuguese Guinea p. 34 fig.; *C. harpago* **sp. nov.** ♂ ♀ Aburi, Gold Coast p. 36 fig.; *C. oedipus* **sp. nov.** ♂ Fernando Po p. 36 fig.; *C. orientale* **sp. nov.** ♂. ♀ Moshi, East Africa p. 38 fig. · *C. pachytarsus* **sp. nov.** ♂. ♀ Aburi, Gold Coast p. 34 fig.; *C. principeum* **sp. nov.** ♂. ♀ Principe Id., Gulf of Guinea p. 36 fig.; *C. pygatum* **sp. nov.** ♂. ♀ Maru Mountains, Cameroons p. 38 fig.; *C. simplex* **sp. nov.** ♂ Aburi, Gold Coast p. 34 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Derzius **gen. nov.** (Tricommatinae) separated from *Pseudopachylus* Roewer (1912), type species *P. anomalus* Mello-Leitão (1934) p. 144, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Detlefilus **gen. nov.** [Phalangodinae] defined p. 18; type species *D. trispinosus* **sp. nov.** ♂. ♀ La Paz, Bolivia p. 18 fig., ROEWER Senckenbergiana, Frankfurt **30** 1949.

Dimesoceras **gen. nov.** [Ibaloniinae] defined p. 263; type species *Ibalonius lomani* Hirst 1911 (sub. *Mesoceras*) p. 264 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Dongmoa silvestrii p. 270 fig., ROEWER **523**.

Erebomaster flavescens redescribed p. 170 figs., BISHOP **67**.

Erecanana insulana **sp. nov.** ♂ Réunion, Indian Ocean p. 283 fig.; *E. ruandana* **sp. nov.** ♂ Ruanda, Belgian Congo p. 283 fig.; *E. verrucosa* **sp. nov.** ♂ Ruanda, Belgian Congo p. 283 fig.; *E. bicolor* p. 283 fig.; *E. horrida* p. 282 fig.; *E. mordax* p. 283 fig.; *E. typus* p. 282 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Escadabius **gen. nov.** [Phalangodinae] defined p. 30; *E. ventricalcaratus* **sp. nov.** ♂. ♀ Escada, Pernambuco, Brazil p. 32 fig.; *E. spinicoxa* **sp. nov.** ♂. ♀ Escada, Pernambuco, Brazil p. 32 fig.; *E. schubarti* **sp. nov.** ♂ Tejucopapo, Pernambuco, Brazil p. 32 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Euibalonius maculatus p. 266 fig., ROEWER **523**.

Eulacurbs **gen. nov.** [Biantinae] defined p. 254; type species *E. paradoxa* **sp. nov.** ♂ Aburi, Gold Coast p. 254 figs., ROEWER Senckenbergiana Frankfurt **30** 1949.

Eulomanius **gen. nov.** [Erecananinae] defined p. 286; type species *Paralomanius brevipalpus* Goodnight & Goodnight 1948 p. 286 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Eupodoctis indicus p. 278 fig., ROEWER **523.**

Eurytromma **gen. nov.** [Podoctinae] defined p. 280; type species *Podoctis pictulum* Pocock 1903 p. 280 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Euzalmoxis pumila **sp. nov.** ♂ Sepik, New Guinea p. 24 fig.; *E. ponapea* **sp. nov.** ♂. ♀ Ponape, Caroline Is. p. 24 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Fronticonus **gen. nov.** [Ibaloniinae] defined p. 257; type species *F. femoralis* **sp. nov.** ♂. ♀ Finschhafen, New Guinea p. 257 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Fageibiantes **gen. nov.** [Biantinae] defined p. 253; type species *Biantes bicornis* Fage 1946 p. 253 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Gaditusa **gen. nov.** [Podoctinae] defined p. 277; type species *G. coxalis* **sp. nov.** ♂ Borneo p. 277 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Gagirius **gen. nov.** [Phalangodinae] defined p. 28; type species *G. neoguinensis* (Mueller 1913) p. 28 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Garanhunsa **gen. nov.** [Phalangodinae] defined p. 32; type species *G. pectanalis* **sp. nov.** ♂. ♀ Garanhunsa, Pernambuco, Brazil p. 33 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Gargenna **gen. nov.** [Ibaloniidae] defined p. 263; type species *G. coronata* **sp. nov.** ♂ Sumbawa, Dutch East Indies p. 263 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Gjellerupiola **gen. nov.** [Phalangodinae] defined p. 29; type species *Gjellerupia minima* Roewer 1915 p. 29 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Glizotus **gen. nov.** [Phalangodinae] defined p. 28; type species *G. tenuis* **sp. nov.** ♀ Waldeck Farm, Costa Rica p. 28 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Goodnightiella **gen. nov.** separated from *Crosbyella* Roewer (1927), type species *C. distincta* Goodnight (1942) p. 143, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Gunturius **gen. nov.** [Phalangodinae] defined p. 19; type species *G. glaber* **sp. nov.** ♂ Guntur-Vulkan, Java p. 20 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Haasus **gen. nov.** [Phalangodinae] defined p. 13; type species *H. judaeus* **sp. nov.** ♂. ♀ Tel-Aviv, Palestine p. 13 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Hinzuanius africanus redescribed p. 250 fig.; *H. mauriticus* redescribed p. 250 fig., ROEWER **523.**

Hirstienus **gen. nov.** separated from *Phalangodes* Tellkampf (1844), type species *P. nanus* Hirst (1913) p. 143, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Holoscotolemon fusitarsus **sp. nov.** ♂ Buchenfallaub, Sengsengebiete, Austria p. 289 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Hoplodino longipalpis **sp. nov.** ♂. ♀ Celebes p. 274 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Ibalonianus prasinus **sp. nov.** ♀ Finschhafen, New Guinea p. 268 fig.; *I. waigenensis* **sp. nov.** ♂. ♀ Waigen Id., Dutch East Indies p. 269 fig.; *I. venator* **nom. nov.** pro *Ibalonius impudens* Loman 1906 part p. 268 fig.; *I. kükenthali* notes p. 268 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Ibaloniellus karschii Loman 1902 p. 270 fig., ROEWER **523.**

Ibaloniolus **gen. nov.** [Ibaloniidae] defined p. 269; type species *Ibalonius impudens* Loman 1906 p. 269 fig.; *I. simoni* p. 269 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Ibalonius rainbowi **sp. nov.** Russel Id., Solomon Is., p. 146 figs., FORSTER Rec. Aust. Mus. Sydney **22** 1949; *I. jagorii* p. 269 fig.; *I. sarasinorum* p. 269 fig., ROEWER **523.**

Idzubius **gen. nov.** [Podoctinae] defined p. 270; type species *Sitalces akiyamae* Hirst 1911 p. 270 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Istithaeus **gen. nov.** [Phalangodinae] defined p. 49 ; type species *I. atroluteus* **sp. nov.** ♂ Borneo p. 49 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Japetus **gen. nov.** [Podoctinae] defined p. 274 ; type species *J. longipes* **sp. nov.** ♂ Borneo p. 274 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Johorella **gen. nov.** [Phalangodinae] defined p. 49 ; type species *J. simplex* **sp. nov.** ♂ . ♀ Johore p. 49 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Kappacola **gen. nov.** [Ibaloniinae] defined p. 260 ; type species *K. silvestris* **sp. nov.** ♂ . ♀ Sarawak p. 260 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Kendengus **gen. nov.** [Phalangodinae] defined p. 56 ; type species *Belonisculus javanus* Roewer 1927 p. 56, ROEWER Senckenbergiana Frankfurt **30** 1949.

Kokoda **gen. nov.** [Phalangodinae] defined p. 41 ; type species *K. luteoscutum* **sp. nov.** ♂ . ♀ Kokoda, New Guinea p. 42 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Kondosus **gen. nov.** [Phalangodinae] defined p. 49 ; type species *K. borneoensis* **sp. nov.** ♂ Borneo p. 49 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Lanesoares **gen. nov.** (Tricommatinae) separated from *Phalangodella* Roewer (1912), type species *P. inermis* Soares (1944) p. 144, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Lapazia **gen. nov.** [Phalangodinae] defined p. 14 ; type species *L. minima* **sp. nov.** ♂ La Paz, Bolivia p. 16 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Lejokus **gen. nov.** [Podoctinae] defined p. 272 ; type species *L. silvestris* **sp. nov.** ♂ . ♀ Borneo p. 272 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Linabia **gen. nov.** [Phalangodinae] defined p. 29 ; type species *Zalmoxis armatipes* Strand 1910 p. 29 ; *L. cheesmani* **sp. nov.** ♂ . ♀ Mount Lina, New Guinea p. 29 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Lomanius tridens p. 283 fig., ROEWER **523**.

Manema **gen. nov.** [Ibaloniinae] defined p. 258 ; type species *M. spinata* **sp. nov.** ♂ Sumbawa, Dutch East Indies p. 258 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Maquilingius **gen. nov.** [Erecananinae] defined p. 284 ; type species *Lomanius minimus* Roewer 1926 p. 284 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Maracaynatum **gen. nov.** [Samoinae] defined p. 59 ; type species *M. orchidearum* **sp. nov.** ♀ Maracay, Venezuela p. 59 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Melloceras **gen. nov.** (Tricommatinae) separated from *Pseudophalangodes* Roewer (1912), type species *P. bimaculatus* Mello-Leitão (1932) p. 144, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Mellops **gen. nov.** (Tricommatinae) separated from *Phalangodella* Roewer (1912), type species *P. fasciatus* Mello-Leitão (1932) p. 144, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Mesoceras ferrugineum p. 268 fig., ROEWER **523**.

Mesoceratula **gen. nov.** [Ibaloniinae] defined p. 263 ; type species *Mesoceras spinigera* Soerensen 1885 p. 263 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Metabiantes flava **sp. nov.** Dundo, Lunda, Angola p. 17, LAWRENCE Pub. Cult. Comp. Diam. Angola 1949 ; *M. convexus* **sp. nov.** ♀ Ruwenzori, East Africa p. 248 fig. ; *M. filipes* distribution p. 248 fig. ; *M. meraculus* distribution p. 248 fig. ; *M. pumilio* distribution p. 248 fig. ; *M. pusulosus* distribution p. 248 fig. ; *M. unicolor* distribution p. 248 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Metapodoctis formosae p. 272 fig., ROEWER **523**.

Microconomma [subfam. Samoinae] *armatipes* ♂ redescribed p. 58 fig., ROEWER **522**.

Minuella **gen. nov.** [Phalangodinae] defined p. 40 ; type species *Minua dimorpha* Soerensen 1932 p. 40 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Minuides rudicoxa **sp. nov.** ♂ Gurjahu, Recife, Pernambuco, Brazil p. 14 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Monticolina acutinasua note p. 14 fig., SOARES & SOARES **573.**

Neobabrius **gen. nov.** [Phalangodinae] defined p. 19 ; type species *N. parvulus* **sp. nov.** ♂ . ♀ Bawean Ils., Java p. 19 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Neoibalonius semperi p. 266 fig., ROEWER **523.**

Neopodoctis ceylonensis p. 280 fig. ; *N. taprobanicus* p. 280 fig., ROEWER **523.**

Nurullus **gen. nov.** [Ibaloniinae] defined p. 262 ; type species *N. armatissimus* **sp. nov.** ♂ Borneo p. 262 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Opconommula **gen. nov.** [Phalangodinae] defined p. 49 ; type species *Opconomma spinosa* Roewer 1927 p. 49 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Panopiliops **nom. nov.** for *Panoplia* Roewer (1949) nec Huebn. (1816) and Heyden (1826) p. 144, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Panoplia **gen. nov.** [Phalangodinae] defined p. 42 ; type species *P. reimoseri* **sp. nov.** ♂ ♀ in nest of *Gymnostinops montezuma*, Hamburg Farm, Costa Rica p. 42 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Panzosus **gen. nov.** [Phalangodinae] defined p. 12 ; type species *Paramitraceras hispidulus* Cambridge 1905 p. 12 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Papuastus **gen. nov.** [Phalangodinae] defined p. 26 ; type species *P. maculosus* **sp. nov.** ♂ New Guinea p. 26 fig., ROEWER Senckenbergiana, Frankfurt **30** 1949.

Papuodes **gen. nov.** [Phalangodinae] defined p. 29 ; type species *P. convexus* **sp. nov.** ♂ Astrolabe Bay, New Guinea p. 30 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Parabonea **gen. nov.** [Ibaloniidae] defined p. 262 ; type species *P. scopulata* **sp. nov.** ♂ Singapore p. 262 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Paralomanius redefined p. 286 ; *P. longipalpus* p. 286 fig., ROEWER **523.**

Paralus **gen. nov.** [Phalangodinae] defined p. 42 ; type species *P. granitus* **sp. nov.** ♂ Terra Vermella, Brazil p. 44 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Paramitraceras singularis **sp. nov.** ♂ Marumbi, Paraná, Brazil p. 57 figs., SOARES & SOARES Pap. Avulsos Dept. Zool. S. Paulo **9** 1949.

Parazalmoxia rōweri **sp. nov.** ♂ . ♀ Mau, Nairobi p. 488 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Paribalonius bimaculatus bimaculatus p. 266 fig. ; *P. bimaculatus duplex* p. 266 ; *P. inscriptus* p. 264 fig., ROEWER **523.**

Parisminia **gen. nov.** [Phalangodinae] defined p. 24 ; type species *P. atrolutea* **sp. nov.** ♂ . ♀ St. Clara on Parismina River, Costa Rica p. 25 fig. ; *P. filipes* **sp. nov.** ♂ . ♀ San José, Costa Rica p. 25 fig. ; *P. trochanterica* **sp. nov.** ♂ Parismina River bank, Costa Rica p. 25 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Pegulius **gen. nov.** [Phalangodinae] defined p. 12 ; type species *P. parvulus* **sp. nov.** ♂ Moulmein, Pegu, Burma p. 13 fig., ROEWER Senckenbergiana, Frankfurt **30** 1949.

Pentacros **gen. nov.** [Ibaloniinae] defined p. 268 ; type species *P. margaritatus* **sp. nov.** ♂ Waigen Id., Dutch East Indies p. 268 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Peromona **gen. nov.** [Podoctinae] defined p. 282 ; type species *P. erinacea* **sp. nov.** ♀ Mahé, Seychelles p. 282 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Phalangodinus analis **sp. nov.** ♂ . ♀ Mun. Goyanna, Pernambuco, Brazil p. 14 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Phalangoduna **gen. nov.** [Phalangodinae] defined p. 33 ; type species *P. granosa* **sp. nov.** ♂ La Palma, Costa Rica p. 33 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Phalangomma **gen. nov.** [Phalangodinae] defined p. 40 ; type species *P. virginicum* **sp. nov.** ♂ . ♀ Fountain Cave, Virginia p. 40 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Phalpuna **gen. nov.** [Phalangodinae] defined p. 41 ; type species *P. urarmata* **sp. nov.** ♂ Puna Id., Ecuador p. 41 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Philacarus emend. p. 50 ; type species *P. samoides* Soerensen 1932 p. 50 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Philibalonius bakeri p. 266 fig., ROEWER **523**.

Pirahya **gen. nov.** [Tricommatinae] defined p. 57 ; type species *P. clavitibialis* **sp. nov.** ♂ Pirahya, Brazil p. 57 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Podoctellus **gen. nov.** [Podoctinae] defined p. 276 ; type species *P. johorensis* **sp. nov.** ♂ Johore p. 276 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Podoctinus willeyi redescribed p. 270 fig., ROEWER **523**.

Podoctis armatissimus p. 276 fig., ROEWER **523**.

Podoctomma **gen. nov.** [Podoctinae] defined p. 276 ; type species *P. javanum* **sp. nov.** ♀ Idjen Mt., Java p. 276 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Podoctops **gen. nov.** [Podoctinae] defined p. 277 ; type species *P. multimaculatum* **sp. nov.** ♂ Padang, Sumatra p. 277 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Posisus **gen. nov.** [Ibaloniidae] defined p. 258 ; type species *P. albertus* **sp. nov.** ♂ Borneo p. 260 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Probiantes mauriticus **sp. nov.** ♂ Mauritius p. 248 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Prolacurbs **gen. nov.** [Biantinae] defined p. 256 ; type species *P. singularis* **sp. nov.** ♂ Aburi, Gold Coast p. 256 figs., ROEWER Senckenbergiana Frankfurt **30** 1949.

Pumbaraius malabarensis **sp. nov.** ♂ Satara, Dekan, India p. 278 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Pygozalmoxis **gen. nov.** [Phalangodinae] defined p. 28 ; type species *Zalmoxis neocaledonica* Roewer 1912 p. 28 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Pyramidops biseriata **sp. nov.** ♀ Fernando Po p. 40 fig. ; *P. congonis* **sp. nov.** ♂ Leopoldville, Belgian Congo p. 38 fig. ; *P. major* **sp. nov.** ♂ Cameroons p. 40 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Remyus **gen. nov.** [Phalangodinae] defined p. 288 ; type species *R. gracillimus* **sp. nov.** ♂ . ♀ Andranofotsykely, Madagascar p. 288 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Resinthicus **gen. nov.** [Phalangodinae] defined p. 19 ; type species *R. brevis* **sp. nov.** ♂ . ♀ Panzos, Costa Rica p. 19 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Samoa obscura redescribed p. 60 fig., ROEWER **522**.

Santobius **gen. nov.** [Ibaloniinae] defined p. 268 ; type species *S. spinitarsus* **sp. nov.** ♂ . ♀ Tatarii, West Santo, New Hebrides p. 268 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Savoa **gen. nov.** [Phalangodinae] defined p. 144 ; type species *S. bonka* **sp. nov.** ♀ Savo Id., Solomon Is., p. 145 figs., FORSTER Rec. Aust. Mus. Sydney **22** 1949.

Sawaiellus **gen. nov.** [Samoinae] defined p. 59 ; type species *S. berlandi* **sp. nov.** ♂ Sawai, Samoa Id. p. 59 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Seblatus **gen. nov.** [Phalangodinae] defined p. 32 ; type species *S. coxalis* **sp. nov.** ♂ Seblat, Sumatra p. 32 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Segundolus **gen. nov.** [Tricommatinae] defined p. 56 ; type species *S. insignitus* **sp. nov.** ♂ Nova Teutonia, Brazil p. 56 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Sempalus **gen. nov.** [Phalangodinae] defined p. 41 ; type species *S. setulosus* **sp. nov.** ♀ Darien, Panama p. 41 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Sepikusta **gen. nov.** [Phalangodinae] defined p. 29 ; type species *S. armata* **sp. nov.** ♂ Sepik, New Guinea p. 29 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Sergiticus **gen. nov.** [Phalangodinae] defined p. 18; type species *S. spiniger* **sp. nov.** ♂ Finschhafen, New Guinea p. 18 fig., ROEWER Senckenbergiana, Frankfurt **30** 1949.

Siryseus **gen. nov.** [Phalangodinae] defined p. 11; type species *S. tibialis* **sp. nov.** ♂ Pernambuco, Brazil p. 12 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Sitalcicus gardineri notes p. 262 fig., ROEWER **523**.

Sivianus **gen. nov.** [Phalangodinae] defined p. 16; type species *S. titschacki* **sp. nov.** ♂ Sivia, Peru p. 16 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Skufia **gen. nov.** [Phalangodinae] defined p. 13; type species *S. parva* **sp. nov.** ♂ Misahöhe, Togo, West Africa p. 13 fig., ROEWER Senckenbergiana, Frankfurt **30** 1949.

Soaresula **gen. nov.** (Tricommatinae) separated from *Paratricommatus* Piza (1943) type species *P. melloleitaoi* Soares (1945) p. 144, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Solola **gen. nov.** [Phalangodinae] defined p. 30; type species *S. robusta* **sp. nov.** ♂ Quezaltenango, Guatemala p. 30 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Spalicus **gen. nov.** [Phalangodinae] defined p. 22; type species *S. oeditarsus* **sp. nov.** ♂ Blue Mountains, New South Wales p. 24 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Sphingonus **gen. nov.** [Phalangodinae] defined p. 26; type species *S. zalmoxiformis* **sp. nov.** ♂ San José, Costa Rica p. 26 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Spinibiantes insulanus **sp. nov.** ♂ Principe Id., West Africa p. 249 fig.; *S. leighi* redescribed p. 249 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Stobitus **gen. nov.** [Podoctinae] defined p. 276; type species *S. spinipes* **sp. nov.** ♂ Pahang, Federated Malay States p. 276 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Suraplus **gen. nov.** [Ibaloniinae] defined p. 262; type species *S. palpalis* **sp. nov.** ♂ Surabaya, Java p. 262 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Tampiconus **gen. nov.** [Phalangodinae] defined p. 50; type species *I. philippii* **sp. nov.** ♂ Tampico, Mexico p. 50 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Tegipiolus **gen. nov.** [Phalangodinae] defined p. 12; type species *T. pachypus* **sp. nov.** ♂. ♀ Tegipio, Pernambuco, Brazil p. 12 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Tetebius **gen. nov.** [Phalangodinae] defined p. 288; type species *T. latibunus* **sp. nov.** ♂ Tete, Portuguese East Africa p. 288 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Tetesia **gen. nov.** [Phalangodinae] defined p. 25; type species *T. gracilipes* **sp. nov.** ♂. ♀ Tetes, Costa Rica p. 25 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Thaipea **gen. nov.** [Erecananinae] defined p. 284; type species *Lomanius formosae* Roewer 1912 p. 284 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Timoleon lesserti **sp. nov.** ♂ La Paz. Bolivia p. 13 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Tithaeomma **gen. nov.** [Phalangodinae] defined p. 48; type species *T. tenuissimum* **sp. nov.** ♂ Moulmein, Burma p. 48 fig., ROEWER Senkenbergiana Frankfurt **30** 1949.

Tithaeus birmanicus **sp. nov.** ♂. ♀ Matewoor, Burma p. 46 fig.; *T. borneensis* **sp. nov.** ♀ Borneo p. 45 fig.; *T. fuscus* **sp. nov.** ♀ Borneo p. 45 fig.; *T. javanus* **sp. nov.** ♂. ♀ Kedah, Java p. 44 fig.; *T. johorensis* **sp. nov.** ♂. ♀ Johore, Malay States p. 45 fig.; *T. krakatauensis* **sp. nov.** ♂ Krakatau Id., Dutch East Indies p. 45 fig.; *T. lesserti* **sp. nov.** ♀ Borneo p. 45 fig.; *T. malakkanus* **sp. nov.** ♀ Malacca, Straits Settlements p. 48 figs.; *T. metatarsalis* **sp. nov.** ♂. ♀ Pulu Pinang, p. 44 fig.; *T. minor* **sp. nov.** ♂ Singapore p. 44 fig.; *T. pumilio* **sp. nov.** ♂. ♀ Sarawak p. 48 fig.; *T. rudispina* **sp. nov.** ♂. ♀ Johore p. 48 fig.; *T. siamensis* **sp. nov.** ♂. ♀ Bandoa, Siam p. 46 fig.; *T. tenuis* **sp. nov.** ♂. ♀ Johore p. 48 fig.; *T. timorensis* **sp. nov.** ♂ Timor Id. p. 45 fig.; *T. trimaculatus* **sp. nov.** ♂ Mentawei Id., Dutch East Indies p. 46 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Trencona **gen. nov.** [Podoctinae] defined p. 277 ; type species *T. setipes* **sp. nov.** ♂ Borneo p. 277 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Trigonobunus spinifer p. 277 fig., ROEWER **523.**

Trimesoceras **gen. nov.** [Ibaloniinae] defined p. 263 ; type species *Ibalonius flavopictum* Hirst 1911 (sub. *Mesoceras*) p. 263 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Trispinibunus abnormis redescribed p. 258 fig., ROEWER **523.**

Tweedielus brevipes **sp. nov.** ♂ Pahang, F.M.S. p. 44 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Viacha **gen. nov.** [Phalangodinae] defined p. 18 ; type species *V. granulata* **sp. nov.** ♂ Viacha, Bolivia p. 18 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Vima plana **sp. nov.** ♂ Rancho Grande, Venezuela p. 21 figs., GOODNIGHT & GOODNIGHT Zoologica New York **34** 1949.

Vimula **gen. nov.** (Tricommatinae) separated from *Vima* Hirst (1912), type species *V. albiornata* Goodnight (1947) p. 144, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Waigeucola **gen. nov.** [Samoinae] defined p. 58 ; type species *W. palpalis* **sp. nov.** ♂ Waigeu Id., Dutch East Indies p. 59 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Zalmoxana brevipes **sp. nov.** ♂ . ♀ Finschhafen, New Guinea p. 16 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Zalmoxis aspersa **sp. nov.** ♂ Milgrave Id., [? Mulgrave Id.] p. 20 fig. ; *Z. luzonica* **sp. nov.** ♂ . ♀ Mount Maquiling, Philippine Is. p. 22 fig. ; *Z. spinicoxa* **sp. nov.** ♂ Grenzgebiet, New Guinea p. 22 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Zalmoxissus **gen. nov.** (Phalangodinae) separated from *Zalmoxis* Soerensen (1886), type species *Z. tristis* Thorell (1891) p. 143, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Zalmoxista **gen. nov.** (Phalangodinae) separated from *Phalangodes* Tellkampf (1844) and *Zalmoxis* Soerensen (1886), type species *P. australis* Soerensen (1886), added to genus *Z. darwinensis* Goodnight (1948) and *Z. tuberculata* Goodnight (1948) p. 144, ROEWER Veröff. Mus. Nat. Bremen No. 1A 1949.

Zalmoxomma **gen. nov.** [Phalangodinae] defined p. 22 ; type species *Z. occidentalis* **sp. nov.** ♂ Mauritius p. 22 fig., ROEWER Senckenbergiana, Frankfurt **30** 1949.

Zygobunus rufus (sub. *Stygnomma* and sub. *Stygnommatiplus*) p. 257 fig., ROEWER **523.**

COSMETIDAE

Cynorta bromeliaca **sp. nov.** ♂ Rancho Grande, Venezuela p. 22 fig., GOODNIGHT & GOODNIGHT Zoologica New York **34** 1949.

Metalibitia brasiliensis **sp. nov.** ♂ . ♀ Ponta Grossa, Pôrto Alegre, Rio Grande, Brazil p. 58 figs., SOARES & SOARES Pap. Avulsos Dept. Zool. S. Paulo **9** 1949.

GONYLEPTIDAE

Monograph of South American species (continuation) with key to genera p. 149, SOARES & SOARES **572.**

Acanthopachylopsis **gen. nov.** [Pachylinae] defined p. 51 ; type species *A. spectabilis* **sp. nov.** ♂ Marumbi, Paraná, Brazil p. 51 figs., SOARES & SOARES Pap. Avulsos Dept. Zool. S. Paulo **9** 1949.

Adelphobunus singularis allotype ♀ Serra da Cantareira, São Paulo, Brazil p. 48 fig., SOARES & SOARES **574.**

Ancistrotellus maculipalpi **sp. nov.** ♂ . ♀ Tijuca, D.F., Rio de Janeiro, Brazil p. 5 figs. ; *A. tijucae* ♀ allotype described p. 6 fig., SOARES & SOARES Comun. zool. Mus. Hist. Nat. Montevideo **2** 1948 ; *A. insperatus* allotype ♀ Banhado (Piraquara), Paraná, Brazil p. 55 fig., SOARES & SOARES **574.**

Bunistygnellus beebei **sp. nov.** ♂ Rancho Grande, Venezuela p. 23 fig., GOODNIGHT & GOODNIGHT Zoologica New York **34** 1949.

Discocyrtus terezopolis **sp. nov.** ♂ Terezopolis, Rio de Janeiro, Brazil p. 10 fig. ; *D. wygodzinskyi* **sp. nov.** ♂ Itatiaia, Rio de Janeiro p. 8 fig. ; *D. moraesianus* ♂ allotype described p. 9 fig., SOARES & SOARES Comun. zool. Mus. Hist. Nat. Montevideo **2** 1948 ; *D. mourei* **comb. nov.** pro *Paranaincola mourei* p. 52 ; *D. fortis* synonym of *D. mourei* p. 52, SOARES & SOARES Pap. Avulsos Dept. Zool. S. Paulo **9** 1949.

Geraecormobius atroluteus **comb. nov.** *Cadeadoius atroluteus* Roewer 1943, p. 168, SOARES & SOARES **572.**

Gonyleptes gertschi **sp. nov.** ♂. ♀ Tijuca, D.F., Rio de Janeiro, Brazil p. 4 figs., SOARES & SOARES Comun. zool. Mus. Hist. Nat. Montevideo **2** 1948; *G. parcigranulatus* **nom. nov.** pro *G. paucigranulatus* Mello-Leitão, 1932 nec. *G. paucigranulatus* Mello-Leitão, 1923 p. 179, SOARES & SOARES **572.**

Hanseniella maxima **comb. nov.** pro *Acrogonyleptes maximus* Roewer, 1930 p. 182, SOARES & SOARES **572.**

Itatiaincola **gen. nov.** [Pachylinae] defined p. 12; type species *I. nanus* **sp. nov.** ♀ Itatiaia, Rio de Janeiro, Brazil p. 12 fig., SOARES & SOARES Comun. zool. Mus. Hist. Nat. Montevideo **2** 1948.

Lycomedicus brasiliensis **sp. nov.** ♂. ♀ Banhado (Piraquara), Paraná, Brazil p. 52 figs., SOARES & SOARES Pap. Avulsos Dept. Zool. S. Paulo **9** 1949.

Metagonyleptes gengnageli **sp. nov.** ♂ Curitiba, Paraná, Brazil p. 50 fig., SOARES & SOARES Pap. Avulsos Dept. Zool. S. Paulo **9** 1949.

Neoancistrotus nigromaculatus ♀ allotype described p. 7 fig., SOARES & SOARES **573.**

Piresa langei **sp. nov.** ♂. ♀ Marumbi Paraná, Brazil p. 53 figs., SOARES & SOARES Pap. Avulsos Dept. Zool. S. Paulo **9** 1949.

Pseudogyndesoides latus ♀ allotype described p. 14 fig., SOARES & SOARES **573.**

Singram singularis **sp. nov.** ♂. ♀ Rezende, Rio de Janeiro, Brazil p. 13 figs., SOARES & SOARES Comun. zool. Mus. Hist. Nat. Montevideo **2** 1948.

Zortalia leprevosti allotype ♀ Marumbi, Paraná, Brazil p. 56 fig., SOARES & SOARES **574.**

TRIAENONYCHIDAE

Key to Australian genera, FORSTER **224.**

Bezavonia **gen. nov.** [Triaenonychinae] defined p. 289; type species *B. remyi* **sp. nov.** ♀ Bezavona, Fort de Dauphin, Madagascar p. 289 fig., ROEWER Senckenbergiana Frankfurt **30** 1949.

Conoculus **gen. nov.** defined p. 84; type species *C. asperus* **sp. nov.** ♂ Glen Osmond, South Australia p. 84 figs., FORSTER Mem. nat. Mus. Victoria no. 16 1949.

Lomanella kallista **sp. nov.** ♂ Kallista, Victoria p. 81 figs., FORSTER Mem. nat. Mus. Victoria no. 16 1949.

Nunciella tuberculata **sp. nov.** ♂ ♀ Diamond Creek, Victoria p. 71 figs., FORSTER Mem. nat. Mus. Victoria no. 16 1949.

Paranuncia gigantea ♂ redescribed p. 75 figs.; *P. ingens* ♂. ♀ redescribed p. 79 figs., FORSTER **224.**

TROGULIDAE

Trogulus salfii **sp. nov.** Grotta di S. Michele Arcangelo, Olevano sul Tusciano, Salerno, Italy p. 160 fig., LERMA Boll. Soc. Nat. Napoli **57** 1948 [1949]; *T. torosus* sexual organs described p. 12 figs., ŠILHAVY **563.**

NEMASTOMATIDAE

Crosbycus dasycnemus redescribed p. 172 fig., BISHOP **67.**

Nemastoma orobicum **sp. nov.** ♀ Monte Arera, Orobie Alps, Italy p. 121, CAPORIACCO Atti Mus. Stor. nat. Trieste **17** 1949; *N. lugubre bimaculatum* redescribed p. 57 fig.; *N. lugubre unicolor* redescribed p. 57 figs.; *N. triste* redescribed p. 58 figs., BARTOŠ **43.**

Ischyropsalis ruffoi **sp. nov.** in cave at Veli, Verona, Italy p. 139, CAPORIACCO Mem. Mus. Stor. nat. Verona **1** 1947–48 [1949]; *I. carli* ♂ described. ♀ redescribed, Grotta di Campo Rotondo, Matese, Italy p. 162 fig., LERMA **362.**

Sabacon dentipalpe **sp. nov.** ♂. ♀ vicinity of Kibune Shrine, Kyoto, Japan p. 7 figs., SUZUKI J. Sci. Hiroshima Univ. Zool. **11** 1949; *S. makinoi* **sp. nov.** ♂ Nopporo, Japan p. 15 figs., SUZUKI J. Sci. Hiroshima Univ. Zool. **11** 1949; *S. crassipalpe* redescribed p. 173 figs., BISHOP **67.**

PHALANGIIDAE

MEGALOPSALINAE **subfam. nov.** defined p. 60, FORSTER Mem. nat. Mus. Victoria no. 16 1949.

Astrobunus meadi synonomy p. 151 figs., SILHAVÝ **562.**

Caddo agilis redescribed p. 175 figs.; *C. boöpis* redescribed p. 176 figs., BISHOP **67**.

Fagea **gen. nov.** [Oligolophinae] between *Caddo* and *Dicranopalpus* defined p. 40; type species *F. bolivari* **sp. nov.** ♂ Escorial, Bolivar, Venezuela p. 41 figs., DRESCO Bull. Soc. ent. Fr. **54** 1949.

Gagrella neocera **sp. nov.** Cape Esperance, Guadalcanal, Solomon Is. p. 141 figs.; *G. aura* notes p. 144 figs., FORSTER Rec. Aust. Mus. Sydney **22** 1949; *G. japonica yezoensis* **subsp. nov.** ♂. ♀ Obihiro: Sapporo: Asahigawa: Nopporo: Japan p. 22 figs., SUZUKI J. Sci. Hiroshima Univ. Zool. **11** 1949.

Gurnia ultima **sp. nov.** ♀ Mau, Nairobi 491, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Hadrobunus maculosus redescribed p. 215 figs., BISHOP **67**.

Leiobunum bicolor redescribed p. 187 figs.; *L. calcar* redescribed p. 189 figs.; *L. flavum* redescribed p. 192 figs.; *L. formosum* redescribed p. 193 figs.; *L. longipes longipes* redescribed p. 195 figs.; *L. nigripes* redescribed p. 198 figs.; *L. nigropalpi* redescribed p. 199 figs.; *L. politum* redescribed p. 201 figs.; *L. serratipalpe* redescribed p. 203 figs.; *L. speciosum* redescribed p. 204 figs.; *L. uxoium* redescribed p. 206 figs.; *L. ventricosum ventricosum* redescribed p. 207 figs.; *L. verrucosum* redescribed p. 209 figs.; *L. vittatum* redescribed p. 211 figs., BISHOP **67**; *L. calcar*, function of spur on femur of palp. p. 10 fig., BISHOP **66**.

Lophopilio agrestis (Meade) **comb. nov.** p. 11, ŠILHAVÝ **563**.

Megalopsalis hoggi ♀ allotype described p. 61 figs., FORSTER **224**.

Metagagrella hainanensis **sp. nov.** ♂ Hainan Id., South China p. 103 fig.; *M.* key to East Asiatic species p. 103, WANG Zool. Anz. Leipzig **135** 1941.

Metaphalangium strandi **sp. nov.** ♂. ♀ Campochiaro, Rhodes p. 73. CAPORIACCO Redia, Firenze **33** 1948.

Mitopus morio redescribed p. 178 figs., BISHOP **67**.

Nelima genufusca notes of variation p. 18, SUZUKI **595**.

Nodala **gen. nov.** type species *Nelima dunni* Forster, 1948: now placed in the Megalopsalinae p. 70, FORSTER Mem. nat. Mus. Victoria no. 16 1949.

Odiellus hungaricus **sp. nov.** Siebenbürgen, Hungary p. 190 figs.; *O.* key to species p. 190, KOLOSVÁRY Zool. Anz. Leipzig **136** 1941; *O. troguloides* copulatory organ described p. 11 figs.; *O. gallicus* (Simon) synon. of *O. troguloides* p. 11; *O. toscanus* copulatory organ described p. 12 fig., ŠILHAVÝ **563**; *O. pictus* redescribed p. 180 figs., BISHOP **67**; *O.* status of the genus and notes on *O. spinosus* and *O. palpinalis* p. 20, SAVORY **534**.

Odontosoma **gen. nov.** [Phalangiinae] defined p. 55; type species *O. centetes* **sp. nov.** ♂ locality ? p. 56 figs., ŠILHAVÝ Sborn. Přír. Kl. Trebiči **4** 1946.

Oligolophus tienmushanensis **sp. nov.** ♀ Tienmushan, Chekiang Prov., South East China p. 106 fig.; *O.* key to species p. 105, WANG Zool. Anz. Leipzig **135** 1941.

Opilio peipingensis **sp. nov.** ♀ Peiping, North China p. 113 fig.; *O. quadridentatus* **sp. nov.** ♀ Hsiao-wu-tai-shan, Hopei Prov., North China p. 109 fig.; *O. tchangi* **sp. nov.** ♀. ♂ Ching-shan Park, Peiping p. 110 fig.; *O.* key to Chinese species p. 108, WANG Zool. Anz. Leipzig **135** 1941; *O. parietinus* redescribed p. 185 fig., BISHOP **67**; *O. saxatilis* separation from *O. parietinus*, characters of male genitalis described p. 297 figs., SANKEY **533**.

Phalangium opilio redescribed p. 183 figs., BISHOP **67**.

Platybunus nigrovittatus var. *hungaricus* **var. nov.** Bánk, Nógrád, Carpathians, Hungary p. 156, SZALAY Tijdschr. Ent. Amsterdam **91** 1949.

Pseudogagrella chekiangensis **sp. nov.** ♂ Tienmushan, Chekiang Prov., South East China p. 99 fig.; *P. pingi* **sp. nov.** ♀ Tienmushan, Chekiang Prov., South East China p. 98 fig.; *P. similis* **sp. nov.** ♀ Tienmushan, Chekiang Prov., China p. 101 fig., WANG Zool. Anz. Leipzig **135** 1941.

Rhampsinitus quadridens **sp. nov.** ♂ Dundo, Lunda, Angola p. 19 figs., LAWRENCE Pub. Cult. Comp. Diam. Angola 1949.

Roeweriolus carpaticus, *R. slavicus* synonoms of *Astrobunus meadi* p. 151, SILHAVÝ **562**.

Spinicrus **gen. nov.** type species *Pantopsalis tasmanica* Hogg, 1910 p. 63; *S. camelus* **sp. nov.** ♂. ♀ Tubrabucca, N.S.W. p. 64 figs.; *S. stewarti* **sp. nov.** ♂ ♀ Mount Buffalo, Victoria p. 68 figs., FORSTER Mem. nat. Mus. Victoria no. 16 1949.

Zacheus mirabilis **sp. nov.** ♂ Monte Pizzo di Antenna, Sicily p. 130, CAPORIACCO Atti Mus. Stor. nat. Trieste **17** 1949.

INCERTA SEDIS

Brasiloctis bucki Mello-Leitão 1938 incert. sed. p. 282, ROEWER **523**.

ARANEAE

Biogeography of spiders of Transylvania, KOLOSVÁRY **330**; Biogeography of Libyan species, DENIS **174**.

Faunal list.—Island of Jungfrun, Sweden, GISLÉN **248**; Romagna, Italy, CAPORIACCO **107**; Rovigno, Italy, KOLOSVÁRY **331**; Switzerland, VOGELSANGER **661, 662, 663**; German coast and sand-dunes, BOCHMANN **69**; Rhodes, CAPORIACCO **106**; Addition to Hoggar, Sahara, DENIS **168**; Mackenzie District, Canada, KURATA **343**; North America, GERTSCH **244**; Prairie spiders of Nebraska, MUMA & MUMA **439**; Foz do Koluene, Brazil, MELLO-LEITÃO **407**.

CTENIZIDAE

Actinopus echinus **sp. nov.** ♀ Foz do Koluene, Brazil p. 1, MELLO-LEITÃO Bol. Mus. nac. Rio Zool. no. 92 1949.

Ancylotrypa atra ♂ redescribed p. 318 fig., CAPORIACCO **97**.

Titanidiops melloleitaoi **sp. nov.** ♀ Mackinnon Road, Kenya Colony p. 320, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

THERAPHOSIDAE

Magulla gen. redescribed p. 261; *M. symmetrica* **sp. nov.** ♀ Island of São Sebastião, Brazil p. 264 figs.; *M. janeira* redescribed p. 263; *M. obesa* redescribed p. 263, BÜCHERL Mem. Inst. Butantan, S. Paulo **21** 1949.

Pamphobeteus platyomma redescribed p. 120 figs.; synonyms *P. insularis* Mello-Leitão 1923 and *P. masculus* Piza 1933 p. 117, BÜCHERL **87**.

DYSDERIDAE

Fauna of Vilno, Lithuania, PUPISKA **487**.

Harpactes albanicus **sp. nov.** ♀ Ducati, Albania p. 124, CAPORIACCO Atti Mus. Stor. nat. Trieste **17** 1949.

Harpactocrates romandiolae **sp. nov.** ♂ Romagna, Italy p. 247 fig., CAPORIACCO Redia, Firenze **34** 1949; *H. siculus* **sp. nov.** ♂. ♀ Monte Pizzo di Antenna, Sicily p. 126 fig., CAPORIACCO Atti Mus. Stor. nat. Trieste **17** 1949.

Stalita cretica ♂ described, Melidhoni Spileo, Crete p. 110 fig., FAGE **204**.

OONOPIDAE

Kijabe ensifera **sp. nov.** ♂ Mense, Eritrea p. 328 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Oonops domesticus new to Iberian Peninsula p. 7 figs., MACHADO **379**.

CAPONIIDAE

Nops farhati **sp. nov.** ♂ Campo Gallo, Santiago del Estero, Argentina p. 321 figs., PROSEN An. Inst. Med. Reg. Tucuman **2** 1949.

OECOBIIDAE

Oecobius maculatus new to Portugal p. 4, MACHADO **379**.

AMAUROBIIDAE

Haemilla nebulosa ♂ redescribed p. 323 fig., CAPORIACCO **97**.

AGELENIDAE

Agelena fagei **sp. nov.** ♀ Mau, Nairobi p. 330 fig.; *A. leucopyga nairobi* **sp. nov.** ♂. ♀ Nairobi p. 329 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Antistea elegans new to Iberian Peninsula p. 56, MACHADO **379**.

Cicurina cicur (Fabricius, 1793), other spellings, *C. cicurea*, *C. cinerea* p. 65, BONNET **70**.

Desis kenyonae ♂ described, Eaglehawk Neck, Tasmania p. 38 figs.; ♀ redescribed p. 41 figs., HICKMAN **279**.

Hahnia crozetensis note on epigyne p. 62 fig., BERLAND **55**.

Hahniops **gen. nov.** defined p. 250; type species *H. eidmanni* **sp. nov.** ♀ Pic v. St. Isabel, Fernando Po p. 250 figs., ROEWER Veröff. dtsch. Kolon.-Uebersee Mus. Bremen **3** 1942.

Myro jeanneli **sp. nov.** ♀ Navire Bay, Possession Id., Crozet Is. p. 57 figs.; *M. paucispinosus* **sp. nov.** ♀ Jeannel Bay, Marion Id., p. 59 figs., BERLAND Mém. Mus. nat. Hist. nat. Paris N.S. **20** 1947.

Tegenaria rhodiensis **sp. nov.** ♂ Scafe, Rhodes p. 40 fig., CAPORIACCO Redia, Firenze **33** 1948.

ZORDARIIDAE

Cydrela falconeri **sp. nov.** ♂ Mackinnon Road, Mombasa p. 344 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Diores delesserti **sp. nov.** ♀ Nairobi p. 342 fig.; *D. strandi* **sp. nov.** ♂ Nairobi p. 343 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Zodarium rhodiense rhodiense **sp. nov.** ♂. ♀ S. Demetrio, Rhodes p. 47 figs.; *Z. rhodiense nigrifemur* **var. nov.** ♂. ♀ Draco, Rhodes p. 49, CAPORIACCO Redia, Firenze **33** 1948; *Z. confusum* ♂ palp figured p. 253 fig., CAPORIACCO **107**; *Z. alacre* new to Portugal p. 20; *Z. timidum* new to Portugal p. 21, MACHADO **379**.

PISAURIDAE

Dolomedes fimbriatus and *D. plantarius* notes p. 133 figs., CHRYSANTHUS **126**.

Euprosthenops hilaris notes p. 332 fig., CAPORIACCO **97**.

Thalassius albopunctatous **sp. nov.** ♀ Mackinnon Road, Kenya p. 334, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

LYCOSIDAE

Alopecosa atis **sp. nov.** ♀ Apollonia, Cyrenaica p. 115 fig., CAPORIACCO Atti Mus. Stor. nat. Trieste **17** 1949.

Aulonia albimana new to Finland p. 25, PALMGREN **457**.

Hydrolycosa strandi **sp. nov.** ♀ Anginovata, Rhodes p. 44 fig., CAPORIACCO Redia, Firenze **33** 1948.

Hogna berlandi **sp. nov.** ♀ Elmenteita, Eritrea p. 335 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Lycosa praegrandis discoloriventer **subsp. nov.** ♀ Monte Tartar, Albania p. 125, CAPORIACCO Atti Mus. Stor. nat. Trieste **17** 1949; *L. anclata* redescribed p. 100 fig., FRANGANILLO **232**; *L. latitans* new to Iberian Peninsula p. 57; *L. nemoralis* new to Portugal p. 57 MACHADO **379**; *L. atrata* new to Finlan, p. 24, PALMGREN **457**.

Megarctosa **gen. nov.** defined p. 42; type species *M. naccai* **sp. nov.** ♀ S. Demetrio, Rhodes p. 42 fig., CAPORIACCO Redia, Firenze **33** 1948.

Pardosa harperi **sp. nov.** ♀ Keewatin, N.W. of Nueltin Lake, mouth of Windy river, Canada p. 101 figs.; *P. concinna* note p. 101 fig.; *L. uintana* note p. 103 figs., BISHOP Canad. Ent. **81** 1949; *P. strigillata saturatior* **var. nov.** ♀ S. Demetrio, Rhodes p. 46, CAPORIACCO Redia, Firenze **33** 1948.

Tarentula trabalis new to Finland p. 24, PALMGREN **457**.

OXYOPIDAE

Oxyopes carvalhoi **sp. nov.** ♂. ♀ Foz do Koluene, Brazil p. 5 figs.; *O. inversus* **sp. nov.** ♀ Foz do Koluene, Brazil p. 6 figs.; *O. taeniatus* **sp. nov.** ♀ Foz do Koluene, Brazil p. 7 figs., MELLO-LEITÃO Bol. Mus. nac. Rio, Zool. no. 92 1949; *O. toschii* **sp. nov.** ♂ ♀ Elmenteita, Nairobi p. 341 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

LEPTONETIDAE

Sulcia cretica **sp. nov.** ♀. ♂ Grotte "Katholico spileo," Crete p. 111 fig., FAGE Bull. Mus. Hist. nat. Paris (2) **17** 1945.

DICTYNIDAE

Altellela **gen. nov.** defined p. 88; type species *A. biuncata* **sp. nov.** ♀. ♂ Mohelno, Moravia, Czechoslovakia p. 90 figs., MILLER Ent. Listy, Brno **12** 1949.

Dictyna banksi **sp. nov.** ♂ Long's Peak Inn, Colorado p. 14 figs.; *D. bifida* **sp. nov.** ♂. ♀ Lake Louise, Alberta, Canada p. 8 figs.; *D. bryantae* **sp. nov.** ♀ Duxbury, Massachusetts p. 13 figs.; *D. californica* **sp. nov.** ♂ Claremont, California p. 11 figs.; *D.*

cavata **sp. nov.** ♂ ♀ Grasmere, Bermuda p. 17 figs.; *D. cavernosa* **sp. nov.** ♂ Spokane, Washington p. 12 figs.; *D. contorta* **sp. nov.** ♂ ♀ Randolph, New Hampshire p. 6 figs.; *D. emertoni* **sp. nov.** ♂ Franconia, New Hampshire p. 15 figs.; *D. extensa* **sp. nov.** ♂ ♀ Auburn, Alabama p. 2 figs.; *D. orbiculata* **sp. nov.** ♂ Elm Fork of Trinity River, Dallas Co., Texas p. 5 figs.; *D. patellaris* **sp. nov.** ♂ Clear Creek Woods, Denton Co., Texas p. 1 figs.; *D. arundinaceoides* ♂. ♀ redescribed p. 21 figs.; *D. bicornis* ♀ allotype Bayville, New York p. 27 fig.; *D. bostoniensis* ♀ allotype Boston, Massachusetts p. 28 fig.; *D. brevitarsus* ♀ allotype Danvers, Massachusetts p. 26 fig.; *D. calcarata* ♀ allotype Los Angeles, California p. 25 fig.; *D. completa* ♂ allotype Las Vegas, New Mexico p. 20 figs.; *D. cruciata* ♀ allotype New Haven, Connecticut p. 27 fig.; *D. foliacea* ♂. ♀ neotypes p. 30 figs.; *D. longispina* ♀ allotype Meriden, Connecticut p. 29 fig.; *D. maxima* ♀ ♂ redescribed p. 23 figs.; *D. minuta* ♀ allotype Hidden Forest, Nantucket, Massachusetts p. 18 fig.; *D. sublata* ♂ ♀ neotypes p. 31 figs.; *D. terrestris* ♀ allotype Fitchburg, Massachusetts p. 19 fig.; *D. volucripes* ♂ allotype Blue Hills, Massachusetts p. 21 figs.; *D. marxi* **nom. nov.** pro *D. arundinaceoides* Chamberlin & Ivie non Keyserling p. 33 figs., JONES Field & Lab. Dallas **15** 1947; *D. acuta* **sp. nov.** ♂ Soap Lake, Washington p. 33 figs.; *D. curvata* **sp. nov.** ♂ ♀ St. Clair Shores, Macomb County, Michigan p. 34 figs.; *D. exlineana* **sp. nov.** ♂. ♀ Edmunds, Martha Lake, Washington p. 36 figs.; *D. montana* **sp. nov.** ♂ Bozeman, Hyalite Canyon, Montana p. 37 figs., *D. pacifica* **sp. nov.** ♂ Vantage, Washington p. 39 figs.; *D. rotunda* **sp. nov.** ♂ ♀ Crater Lake, Oregon p. 40 figs.; *D. texana* **sp. nov.** ♂ Austin, Texas p. 42 figs.; *D. hatchi* **sp. nov.** ♂. ♀ Glendale, Oregon p. 43 figs.; Records of species from Western United States p. 29, JONES Field Lab. Dallas **16** 1948; *D. tullgreni* **sp. nov.** ♂ Mau, Nairobi, p. 324 fig.; *D. longipes* ♀ note p. 325 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

"*Hesperauximus*" *agelenoides* note p. 104 figs., BISHOP **65**.

Lathys prominens **sp. nov.** ♀. ♂ Mohelno, Moravia, Czechoslovakia p. 92 figs., MILLER Ent. Listy, Brno **12** 1949.

THERIDIIDAE

Swedish species, TULLGREN **622**.

Conopistha exlinae **sp. nov.** ♀ Kabete, Nairobi p. 400 figs.; *C. kratochvili* **sp. nov.** ♀ Nairobi p. 402 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Crustulina guttata new to Portugal p. 22; *C. scabripes* new to Iberian Peninsula p. 24, MACHADO **379**.

Dipoena bristowei **sp. nov.** ♀ Nairobi p. 377; *D. quadricuspis* **sp. nov.** ♀ Nairobi p. 378 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949; *D. hamata* **sp. nov.** ♂ St. Karlsö, Sweden p. 50 figs.; *D. braccata* note p. 50 fig.; *D. procax* redescribed p. 54 figs.; *D. prona* note p. 50 fig.; *D. torva* redescribed p. 52 fig.; *D. tristis* notes p. 48 figs., TULLGREN Ent. Tidskr. Stockholm **70** 1949; *D. torva* new to Finland p. 25, PALMGREN **457**; *D. umbratilis* new to Iberian Peninsula p. 21 fig., MACHADO **379**.

Enoplognatha mandibularis note p. 59 fig.; *E. oelandica* redescribed p. 57 figs.; *E. thoracica* note p. 60 fig., TULLGREN **622**; *E. thoracica* new to Iberian Peninsula p. 24, MACHADO **379**.

Episinus hickmani **sp. nov.** ♀ Mau, Nairobi p. 398 fig.; *E.* (?) *taibeli* **sp. nov.** ♂ Taibel, Belletta, Gimma, Ethiopia p. 398 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Euryopsis mutoloi **sp. nov.** ♂ Petrolaco, Rhodes p. 50 fig., CAPORIACCO Redia, Firenze **33** 1948.

Latrodectus geometricus modestus **subsp. nov.** ♀ Kabete, Nairobi p. 376; *L. geometricus obscuratus* **nom. nov.** p. 377; *L. geometricus subalbicans* **nom. nov.** p. 376, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949; *L. mactans*, developmental history p. 189, DEEVEY **164**.

Mufila **gen. nov.** defined p. 66; type species *M. texana* **sp. nov.** ♂ Dallas, Texas p. 67 figs., BRYANT Psyche, Lancaster, Pa. **56** 1949.

Robertus ungulatus **sp. nov.** ♂. ♀ Egelsees, Dietikon, Zurich, Switzerland p. 160 figs., VOGELSANGER Mitt. naturf. Ges. Schaffhauser **19** 1944; *R. monticola* new to Iberian Peninsula p. 25; *R. scoticus* p. 25 fig., MACHADO **379**.

Theridion angusticeps **sp. nov.** ♀ Mau, Nairobi p. 388 fig.; *T. brunneonigrum* **sp. nov.** ♀ Mau, Nairobi p. 380 figs.; *T. chamberlini* **sp. nov.** ♀ Mau, Nairobi p. 391 fig.; *T. charitonowi* **sp. nov.** ♀ Mau, Nairobi p. 383 figs.; *T. convexisternum* ♂ ♀ Mau, Nairobi p. 393 figs.; *T. femoratissimum* **sp. nov.** ♂ Mau, Nairobi p. 387 fig.; *T. hewitti* **sp. nov.** ♀ Mau, Nairobi p. 383; *T. mauense* **sp. nov.** ♀ Mau, Nairobi p. 386 fig.; *T. meneghettii* **sp. nov.** ♀ Mau, Nairobi p. 390; *T. nasinotum* **sp. nov.** ♂ Mau, Nairobi p. 395 figs.; *T. nigroplagiatum* **sp. nov.** ♂ Mau, Nairobi p. 389 fig.; *T. teutanoides* **sp. nov.** ♂ Mau, Nairobi p. 387; *T. trizonatum* **sp. nov.** ♀ Nairobi p. 382; *T. zebra* **sp. nov.** ♀ Nairobi p. 381, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949; *T. bellicosum* note p. 36 fig.; *T. melanurum* notes p. 41 figs.; *T. ornatum* notes p. 45 fig.; *T. pinastri* note p. 46 fig., TULLGREN **622**; *T. spiniventre* ♀ described p. 76 figs., HAMMEN **269**.

Theridula albonigra albonigra **subsp. nov.** ♀ Mau, Nairobi p. 396 fig.; *T. albonigra vittata* **subsp. nov.** ♂ ♀ Mau, Nairobi p. 397, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Ulesanis kibonotensis concolor **subsp. nov.** ♀ Mau, Nairobi p. 374; *U. kibonotensis kibonotensis* notes p. 374 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Zangherella **gen. nov.** [Pacullinae] defined p. 259; type species *Z. minima* **sp. nov.** ♂ Castelraniero, Romagna, Italy p. 260 fig., CAPORIACCO Redia, Firenze **34** 1949.

PHOLCIDAE

Pholcus taibeli **sp. nov.** ♂ Belletta, Gimma, Ethiopia p. 326 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

LINYPHIIDAE

Asthenargellus **gen. nov.** [Gonatiinae] defined p. 366; type species *A. kastoni* **sp. nov.** ♂ ♀ Mau, Nairobi p. 366 figs.; *A. meneghettii* **sp. nov.** ♀ Mau, Nairobi p. 367 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Bonnetiella **gen. nov.** [Micronetinae] defined p. 358; type species *B. singularis* **sp. nov.** ♀ Nairobi p. 359 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Centromerinus bicolor concinnus new to Portugal p. 35, MACHADO **379**.

Centromerus nováki ♀ described Mohelno, Moravia, Czechoslovakia p. 95 figs., MILLER Ent. Listy, Brno **12** 1949.

Cervinargus **gen. nov.** [near Dismodicus] defined p. 175; type species *C. prominens* **sp. nov.** ♂ Zermatt, Switzerland p. 175 figs., VOGELSANGER Mitt. naturf. Ges. Schaffhauser **19** 1944.

Estrandia nearctica note p. 101 figs., BISHOP **65**.

Gonatium femineum **sp. nov.** ♀ Pic v. St. Isabel, Fernando Po p. 247 fig., ROEWER Veröff. dtsch. Kolon.-Ubersee Mus. Bremen **3** 1942; *G. petrunkewitschi* **sp. nov.** ♂ Nairobi p. 361 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Haemathyphantes **gen. nov.** [Micronetinae] defined p. 360; type species *H. denisi* **sp. nov.** ♀ Nairobi p. 360 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Hypomma clypeatum **sp. nov.** ♀ Pic v. St. Isabel, Fernando Po p. 248 fig., ROEWER Veröff. dtsch. Kolon.-Uebersee Mus. Bremen **3** 1942.

Latithorax faustus ♂ ♀ p. 168 figs., VOGELSANGER **662**.

Leptyphantes aegeus **sp. nov.** ♂ S. Demetrio, Rhodes p. 54 figs., CAPORIACCO Redia, Firenze **33** 1948; *L. aspromontis* **sp. nov.** ♂ Montalto, Calabria, Italy p. 133 fig., CAPORIACCO Atti Mus. Stor. nat. Trieste **17** 1949; *L. mauensis* **sp. nov.** ♀ Mau, Nairobi p. 356 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949; *L. collinus occidentalis* **subsp. nov.** Portugal p. 37 fig.; *L. flavipes* new to Portugal p. 40; *L. homonymus* new to Iberian Peninsula p. 41 figs.; *L. keyserlingi* new to Iberian Peninsula p. 42; *L. zonatus* new to Portugal p. 43 figs., MACHADO Mem. Mus. zool. Univ. Coimbra **191** 1949; *L. tenuis* abnormal development p. 126 figs., DENIS **171**; *L. kratochvili* **sp. nov.** ♀ Mendeli, Crete p. 113 fig., FAGE Bull. Mus. Hist. nat. Paris (2) **17** 1945.

Lessertia dentichelis new to Portugal p. 34, MACHADO **379**.

Linyphia bonneti **sp. nov.** ♀ Mau, Nairobi p. 355 figs.; *L. aethiopica* notes p. 353 figs.; *L. sterilis* notes p. 352 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Lophocarenum bacelarae **sp. nov.** ♂. Nairobi p. 372 figs., Caporiacco Comm. Pont. Acad. Scient. **13** 1949; *L. mediocre* new to Iberian Peninsula p. 27; *L. susannae* new to Iberian Peninsula p. 28, Machado **379.**

Prosopotheca corniculans new to Portugal p. 32, Machado **379.**

Rhabdoria diluta new to Iberian Peninsula p. 36, Machado **379.**

Rhaebothorax hadzji **sp. nov.** ♂ Mau, Nairobi p. 368 figs., Caporiacco Comm. Pont. Acad. Scient. **13** 1949.

Scotargus inerrans note ♂ p. 58 fig. Vogelsanger **663.**

Sisicus apertus note ♀ p. 38 fig., Vogelsanger **663.**

Trichopterna cucurbitina new to Iberian Peninsula p. 28, Machado **379.**

Troglohyphantes zorzii **sp. nov.** ♂. ♀ in cave Verona, Italy p. 238 figs., Caporiacco Mem. Mus. Stor. nat. Verona **1** 1947–48 [1949].

Erigonidae

Key to genera p. 135, Denis **169.**

Acartauchenius depressifrons new to Portugal p. 31, Machado **379.**

Alioranus limicola **sp. nov.** ♀ Camargue, France p. 153 figs., Denis Bull. Soc. Hist. nat. Toulouse **83** 1949.

Anacotyle stativa note ♀ p. 164 fig., Vogelsanger **662.**

Anacornia proceps **sp. nov.** ♂. ♀ Mirror Lake, Uintah Mts., Utah p. 483 figs.; *A. microps* additional figures p. 483 figs., Chamberlin Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Araeoncus gertschi **sp. nov.** ♀ Mau, Nairobi p. 371 fig., Caporiacco Comm. Pont. Acad. Scient. **13** 1949.

Aulacocyba subitanea new to Portugal p. 32, Machado **379.**

Caledonia evansi ♂ ♀ p. 174 figs., Vogelsanger **662.**

Catabrithorax (*Catabrithorax*) *stylifer* **sp. nov.** ♂. ♀ South Fork of Raft River, Lynn, Utah p. 486 figs.; *C.* (*Catosus* **subgen. nov.**) subgenotype *C. oxypaederotipus* (Crosby) records p. 488; *C.* (*Stenosus* **subgen. nov.**) subgenotype *C. plumosus* (Emerton) records p. 490 figs., Chamberlin Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Catosus **subgen. nov.** see *Catabrithorax*, Chamberlin **112.**

Ceraticelus agathus **sp. nov.** ♀ America p. 491 fig.; *C. subniger* **sp. nov.** ♂. ♀ near Salt Lake City, Utah p. 491 figs.; *C. tuganus* **sp. nov.** ♂. ♀ near Salt Lake City, Utah p. 494 figs.; *C. formosus pistus* **subsp. nov.** ♂. ♀ "Old Faithful," Yellowstone Park, Wyoming p. 492 fig.; *C. laetabilis pisga* **subsp. nov.** ♂. ♀ Mt. Pisgah, North Carolina p. 492 fig., Chamberlin Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Ceratinella buna **sp. nov.** ♂. ♀ Iowa p. 496 figs.; *C. diversa* **sp. nov.** ♂. ♀ Minnesota p. 498 figs.; *C. hemetha* **sp. nov.** ♀ N.E. Sylvania, Georgia p. 500; *C. holocerea* **sp. nov.** ♀ Cocoa, Florida p. 500; *C. kenaba* **sp. nov.** ♀ Hastings, Florida p. 501; *C. tigana* **sp. nov.** ♀ Haines, Alaska p. 504 fig.; *C. tosior* **sp. nov.** ♀ Columbia, Missouri p. 506; *C. ornatula alaskana* **var. nov.** ♀ Palmer, Alaska p. 501 fig.; *C. brunnea* ♂. ♀ redescribed p. 499 figs.; *C. placida* ♂. ♀ redescribed p. 502 figs., Chamberlin Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Ceratinops uintana **sp. nov.** ♀ Mirror Lake, Uintah, Utah p. 508 figs., Chamberlin Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Ceratinopsis crosbyi **sp. nov.** ♀ Pingree Park, Larimer Co., Colorado p. 510 fig.; *C. eutypa* **sp. nov.** ♀ Rainer Park, Washington p. 509 fig.; *C. gosibia* **sp. nov.** ♂. ♀ near Roosevelt Dam, Arizona p. 512 figs.; *C. interventa* **sp. nov.** ♀ near Roosevelt Dam, Arizona p. 514 fig.; *C.* (?) *oregonicola* **sp. nov.** ♀ Jackson Co., Oregon p. 510 fig.; *C. palomara* **sp. nov.** ♀ Santa Barbara, California p. 511 figs.; *C. secuta* **sp. nov.** ♀ near Santa Monica, California p. 512 fig.; *C.* (?) *watsinga* **sp. nov.** ♀ prob. Salt Lake City, Utah p. 516 fig., Chamberlin Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Cheraira **gen. nov.** defined p. 518; type species *C. kena* **sp. nov.** ♀ Mirror Lake, Uintah Mts., Utah p. 519 fig.; *C. castoris* **sp. nov.** ♀ Beaver Canyon, Utah p. 520 fig.; *C. salmonis* **sp. nov.** ♀ Salmon Falls, near Casteford, Idaho p. 520 fig.; *C. willapa* **sp. nov.** ♀ Willapa R., Washington p. 518 fig., Chamberlin Ann. ent. Soc. Amer. Columbus **41** 1948 [1949].

Cnephalocotes obscurus new to Iberian Peninsula p. 29, MACHADO **379**.

Cochlembolus provo **sp. nov.** ♀ Cobble Rest, Upper Provo River, Utah p. 522 fig., CHAMBERLIN Ann. ent. Soc. Amer. Columbus **41** 1948 [1949].

Coloncus **gen. nov.** defined p. 522; type species *C. pius* **sp. nov.** ♀ near McCall, Idaho p. 525 fig.; *C. cascadeus* **sp. nov.** ♀. ♂ W. of Cascade, Colorado p. 524; *C. ocala* **sp. nov.** ♀ Ocala Forest, Florida p. 524 fig.; *C. siou* **sp. nov.** ♀ Hamlet, North Dakota p. 525 figs.; *C. americanus* **comb. nov.** p. 524 fig., CHAMBERLIN Ann. ent. Soc. Amer. Columbus **41** 1948 [1949].

Cornicularia selma **sp. nov.** ♀ Selma, Oregon p. 526 fig., CHAMBERLIN Ann. ent. Soc. Amer. Columbus **41** 1948 [1949].

Corypheolana oatimpa **sp. nov.** ♀ Yellowstone Lake, Bridge Bay, Wyoming p. 527 fig., CHAMBERLIN Ann. ent. Soc. Amer. Columbus **41** 1948 [1949].

Disembolus apache **sp. nov.** ♀ Willow Creek, near Birchell's Ranch (?), Arizona p. 527 fig., *D. zygethus* **sp. nov.** ♀ North end Payette Lake, Idaho p. 527 figs., CHAMBERLIN Ann. ent. Soc. Amer. Columbus **41** 1948 [1949].

Eperigone socius **sp. nov.** ♀ Bridge Bay, Yellowstone Lake, Wyoming p. 528 fig., CHAMBERLIN Ann. ent. Soc. Amer. Columbus **41** 1948 [1949].

Eularia kaiba **sp. nov.** ♀ Mirror Lake, Uintah Mts., Utah p. 530 figs., *E. quaestio* **sp. nov.** ♀ Churchill, Manitoba p. 531 figs.; *E. wioma* **sp. nov.** ♀ Bridge Bay, Yellowstone Lake, Wyoming p. 530, CHAMBERLIN Ann. ent. Soc. Amer. Columbus **41** 1948 [1949].

Grammonota (?) *salicicola* **sp. nov.** ♀ Southwest of Salt Lake City, Utah p. 532 fig., CHAMBERLIN Ann. ent. Soc. America Columbus **41** 1948 [1949].

Hilaira garrina **sp. nov.** ♂. ♀ Pike's Peak, Colorado p. 532 figs., CHAMBERLIN Ann. ent. Soc. Amer. Columbus **41** 1948 [1949]; *H. herniosa* notes ♂ ♀ p. 38 figs., VOGELSANGER **663**.

Lophomma columbia **sp. nov.** ♂. ♀ W. side Seanich Inlet, British Columbia p. 533 figs., CHAMBERLIN Ann. ent. Soc. Amer. Columbus **41** 1948 [1949].

Maso navajo **sp. nov.** ♀ N. of Roosevelt Dam, Arizona p. 535 fig.; *M. marxi matanuskae* **var. nov.** ♀ Matanuska, Alaska p. 534, CHAMBERLIN Ann. ent. Soc. Amer. Columbus **41** 1948 [1949].

Masoncus **gen. nov.** defined p. 536; type species *M. arienus* **sp. nov.** ♂. ♀ Covered Wells, Arizona p. 536 figs.; *M. dux* **sp. nov.** ♀ Churchill, Manitoba p. 536 fig.; *M. nogales* **sp. nov.** ♂. ♀ near Nogales, Arizona p. 537 figs., CHAMBERLIN Ann. ent. Soc. Amer. Columbus **41** 1948 [1949].

Mecopisthes crassirostris new to Iberian Peninsula p. 29, MACHADO **379**.

Minicia candida formation of male cephalothorax p. 31, DENIS **170**; *M. candida* gynandromorphism of the cephalothorax p. 111 figs., DENIS **172**.

Minyriolus pampia **sp. nov.** ♂ River Clyde, Baffin Id., Canada p. 539 figs.; *M.* (?) *plesius* **sp. nov.** ♂. ♀ Bridge Bay, Yellowstone Lake, Wyoming p. 538, CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Montilaria relicta **sp. nov.** ♀ Mt. Mansfield, Vermont p. 540 figs., CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Notioscopus sp. ♂ juv. Mau, Nairobi p. 370 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Oedothorax cascadeus **sp. nov.** ♀ Cascade, Idaho p. 540 figs., CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949]; *O. gibbifer* notes ♂ ♀ p. 54 figs.; *O. retusus* note ♀ p. 54 fig., VOGELSANGER **663**.

Panamomops tauricornis ♀ p. 173 fig., VOGELSANGER **662**.

Porrhomma fagei **sp. nov.** ♂. ♀ Štub. Teplice, Slowakei, Austria p. 183 figs.; *P. moravicum* **sp. nov.** ♂. ♀ Mähren: Slowakei, Austria p. 186 figs., MILLER & KRATOCHVIL Zool. Anz. **130** 1940; *P. spipolae* **sp. nov.** ♂. ♀ in cave Spipola, Bologna, Italy p. 500 figs., BIANCHI ET AL. Comment. pont. Acad. Scient. **13** 1949.

Pselothorax **gen. nov.** defined p. 541; type species *P. atopus* **sp. nov.** ♂ Mouth of Red Butte Canyon, Salt Lake Co., Utah p. 541, CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Sciastes tenna **sp. nov.** ♀ Great Smoky Mts., Little Pegion Creek, Tennessee p. 541 fig., CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Scironis autor **sp. nov.** ♀ Guernsey Cr., California p. 542 fig.; *S. sima* **sp. nov.** ♂ Comstock, Oregon p. 543 figs., CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Scotynotylus provincialis **sp. nov.** ♀ Sainte-Baume, Var, France p. 16 figs., DENIS Bull. Soc. zool. Fr. **74** 1949.

Scylaceus amylus **sp. nov.** ♀ Sugar Grove, Ohio p. 544 fig.; *S. divisus* **sp. nov.** ♀ Divide Co., North Dakota p. 544 fig.; *S. pallas* **sp. nov.** ♀ Pallas Park, Illinois p. 545, CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Spirembolus cheronus **sp. nov.** ♀ Thumb, Yellowstone Park, Wyoming p. 546 figs.; *S. maderus* **sp. nov.** ♀ Santa Rita Mts., Madera Canyon, Arizona p. 547 fig.; *S. oreinoides* **sp. nov.** ♀ Summit Mt. Palomar, California p. 546 fig.; *S. orthus* **sp. nov.** W. side Owens Lake, California p. 548 fig., CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Stenosus **subgen. nov.** see *Catabrithorax*, CHAMBERLIN **112.**

Tachygyna paita **sp. nov.** ♂ Mirror Lake, Uintah Mts., Utah p. 548 figs.; *T. sima* **sp. nov.** ♀ Sidney, Vancouver Id., British Columbia p. 549 figs.; *T. watona* **sp. nov.** ♀ Mirror Lake, Uintah Mts., Utah p. 549 figs., CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Tapinocyba alpha **sp. nov.** ♂. ♀ Dry Creek Canyon, Salt Lake City, Utah p. 550 figs.; *T.* (?) *gamma* **sp. nov.** ♀ Mirror Lake, Uintah Mts., Utah p. 550 fig.; *T. idahoana* **sp. nov.** ♀ N.E. Fruitland, Idaho p. 551 figs.; *T. iowa* **sp. nov.** ♀ Washington Co., Iowa p. 552 figs.; *T. kesimba* **sp. nov.** ♂. ♀ Kaibab Forest, Arizona p. 552 figs.; *T.* (?) *phana* **sp. nov.** ♀ N.E. McCall, Idaho p. 553 fig.; *T.* (?) *pontis* **sp. nov.** Bridge Bay, Yellowstone Lake, Wyoming p. 554 figs.; *T. sucra* **sp. nov.** ♀ Sugar Grove, Ohio p. 554 figs.; *T.* (?) *vermontis* **sp. nov.** ♀ Jamaica, Vermont p. 555 fig., CHAMBERLIN Ann. Ent. Soc. Amyr. Columbus **41** 1948 [1949].

Tigellinus mesus **sp. nov.** ♀ Pikes Peak, Colorado p. 556 fig.; *T.* (?) *perditus* **sp. nov.** ♀ probably Salt Lake City, Utah p. 555 fig.; *T. weberi* **sp. nov.** ♀ Weber Canyon, Utah p. 557 fig., CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Tortembolus approximatus **sp. nov.** ♂. ♀ Jackson Co., Oregon p. 557 figs.; *T. monicus* **sp. nov.** ♀ Santa Monica, California p. 558 fig., CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Toschia **gen. nov.** [Gonatiinae] defined p. 361; type species *T. picta* **sp. nov.** ♂. ♀ Mau, Nairobi p. 363 figs.; *T. concolor* **sp. nov.** ♀ Mau, Nairobi p. 365 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Trichoncus scrofa new to Portugal p. 33 fig., MACHADO **379.**

Troxochrus scabriculus new to Iberian Peninsula p. 30, MACHADO **379.**

Wideria obscuripalpis **sp. nov.** ♀ Port-Cros, France p. 155 figs., DENIS Bull. Soc. Hist. nat. Toulouse **83** 1949.

Willibaldia (?) *sodonta* **sp. nov.** ♀ White R. Camp, Rainier Park, Washington p. 559 fig., CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Wubana reminiscens **sp. nov.** ♀ Yellowstone Park, Wyoming p. 560 fig., CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

Zygottus **gen. nov.** defined p. 561; type species *Z. corvallis* **sp. nov.** ♂. ♀ Denny Creek, Snoqualmie Pass, Washington p. 561 figs.; *Z. oregonus* **sp. nov.** ♀ S. Denmark, Oregon p. 561 figs., CHAMBERLIN Ann. Ent. Soc. Amer. Columbus **41** 1948 [1949].

ARCHAEIDAE

Archaea novaeseelandiae **sp. nov.** ♂. ♀ Leslie Valley, Mount Arthur District, New Zealand p. 200 figs., FORSTER Rec. Canterbury (N.Z.) Mus. **5** 1949.

Zearchaea magna **sp. nov.** ♂ "Notornis Valley, Te Anau: ♀ Eglinton Valley, New Zealand p. 193 figs.; *Z. rubra* **sp. nov.** ♂. ♀ Maropopa River, New Zealand p. 197 figs., FORSTER Rec. Canterbury (N.Z.) Mus. **5** 1949.

ULOBORIDAE

Miagrammopis rubripes **sp. nov.** ♀ Foz do Koluene, Brazil p. 3, MELLO-LEITÃO Bol. Mus. nac. Rio, Zool. no. 92 1949.

Uloborus amazonicus **sp. nov.** ♀ Foz do Koluene, Brazil p. 2, MELLO-LEITÃO Bol. Mus. nac. Rio. Zool. no. 92 1949.

ARGIOPIDAE

Araneus gerhardti **sp. nov.** ♂ Elmenteita, Nairobi p. 420 figs.; *A.* (?) *mauensis mauensis* **subsp. nov.** ♀ Mau, Nairobi p. 421 fig.; *A.* (?) *mauensis ocellatus* **sp. nov.** ♀ Mau, Nairobi p. 422, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949; *A. conicus* **sp. nov.** ♀ Cuba p. 97 figs.; *A. nephiloides* var. *trapezoidalis* p. 98 fig., FRANGANILLO Mem. Soc. cubana Hist. nat. **18** 1946.

Cyclosa lawrencei **sp. nov.** ♀ Kabete, Nairobi p. 409 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Hyposinga lithyphantoides dealbatas **subsp. nov.** ♂. ♀ Nairobi p. 414 fig.; *H. lithyphantoides lithyphantoides* redescribed p. 413 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Leucauge isabela **sp. nov.** ♂ Pic v. St. Isabel, Fernando Po p. 249 fig., ROEWER Veröff. dtsch. Kolon.-Uebersee Mus. Bremen **3** 1942; *L. brevitibialis* redescribed p. 346 fig., CAPORIACCO **97**.

Neoscona tuckeri **sp. nov.** ♀. ♂ juv. Mau, Nairobi p. 416 figs.; *N. wiehlei* **sp. nov.** ♀ Bellettà, Gimma, Ethiopia p. 414 figs.; *N. submodesta neumanni* notes p. 416 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Pachygnatha mucronata notes p. 352 figs., CAPORIACCO **97**; *P. clercki* new to Portugal p. 45, MACHADO **379**.

Pararaneus streptoceros note on ♂ p. 411 fig., CAPORIACCO **97**.

Paraverrucosa octospinosa **sp. nov.** ♂ Foz do Koluene, Brazil p. 9 figs., MELLO-LEITÃO Bol. Mus. nat. Rio, Zool. no. 92 1949.

Tetragnatha kolosvaryi **sp. nov.** ♂. ♀ Elementeita, Nairobi p. 349 figs.; *T. röweri* **sp. nov.** ♂ Mau, Nairobi p. 348 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Wagneriana vermiculata **sp. nov.** ♀ Foz do Koluene, Brazil p. 10 fig., MELLO-LEITÃO Bol. Mus. nat. Rio, Zool. no. 92 1949.

Walckenaera acuminata new to Iberian Peninsula p. 31, MACHADO **379**.

Wixia bicornuta **sp. nov.** ♀ Foz do Koluene, Brazil p. 10 fig., MELLO-LEITÃO Bol. Mus. nat. Rio, Zool. no. 92 1949.

MIMETIDAE

Mimetus bishopi **sp. nov.** ♀ Nairobi p. 425 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

ZOROPSIDAE

Zoropsis media new to Portugal p. 4, MACHADO **379**.

CTENIDAE

Ctenus complicatus **sp. nov.** ♂. ♀ Oriente, Cuba p. 99 figs.; *C. pediculatus* **sp. nov.** ♂. ♀ Oriente, Cuba p. 99 fig., FRANGANILLO Mem. Soc. cubana Hist. nat. **18** 1946; *C. villasboasi* **sp. nov.** ♂ Poz do Koluene, Brazil p. 11 fig., MELLO-LEITÃO Bol. Mus. nat. Rio, Zool. no. 92 1949.

Pseudoctenus **gen. nov.** [Caloteninae] defined p. 448; type species *P. meneghettii* **sp. nov.** ♀ Mau, Nairobi p. 448 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

DRASSIDAE

Fauna of Vilno, Lithuania, PUPISKA **487**.

Anagrina alticola note p. 427 fig., CAPORIACCO **97**.

Callilepis nocturna new to Iberian Peninsula p. 17 fig., MACHADO **379**.

Cesonia lacertosa **sp. nov.** ♂ Ft. Sherman, Canal Zone p. 314 figs.; *C. nigra* **sp. nov.** ♂ El Valle, R.P., Panama p. 316 figs.; *C. notata* **sp. nov.** ♂ ♀ Canal Zone, Panama p. 319 figs.; *C. pudica* **sp. nov.** ♂ El Valle, R.P., Panama p. 323 figs., CHICKERING Trans. Amer. Micr. Soc. Menasha **68** 1949.

Cryptodrassus pulchellus ♂ described Mohelno, Moravia, Czechoslovakia p. 96 figs., MILLER Ent. Listy, Brno **12** 1949.

Drassodes (*Drassodes*) *braendegaardi* **sp. nov.** ♂. ♀ juv. Elmenteita, Nairobi p. 427 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949; *D. dalmatensis* new to Portugal p. 8, MACHADO **379.**

Echemus banksi **sp. nov.** ♂ Ft. Sherman, Canal Zone, Panama p. 326 figs.; *E. montanus* **sp. nov.** ♂ El Valle, R.P., Panama p. 329 figs.; *E. iotus* ♂ allotype described p. 327 figs., CHICKERING Trans. Amer. Micr. Soc. Menasha **68** 1949.

Gnaphosa lonai **sp. nov.** ♀ Monte Pizzo di Antenna, Sicily p. 128 fig., CAPORIACCO Atti Mus. Stor. nat. Trieste **7** 1949.

Haplodrassus gridellii **sp. nov.** ♀ Cirene, Uadi bel Gadir, Cyrenaica p. 117 fig., CAPORIACCO Atti Mus. Stor. nat. Trieste **17** 1949; *H. grazianoi* **sp. nov.** ♀ Rhodes p. 59 fig., CAPORIACCO Redia, Firenze **33** 1948; *H. signifer* new to Portugal p. 9, MACHADO **379.**

Nomisia aussereri new to Portugal p. 20, MACHADO **379.**

Phaeocedus braccatus gen. new to Portugal p. 10, MACHADO **379.**

Pterotricha cyrenacia **sp. nov.** ♀ Rhersa, Cyrenaica p. 118 fig., CAPORIACCO Atti Mus. Stor. nat. Trieste **17** 1949; *P. peregrina* **sp. nov.** ♀ Gara de l'Asekrem, Hoggar, Sahara p. 146 fig., DENIS Bull. Soc. Hist. nat. Alger. **39** 1948.

Scotophaeus affinis **sp. nov.** ♀ Mau, Nairobi p. 429 fig.; *S. schenkeli* **sp. nov.** ♂ Nairobi p. 428 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Zelotes thomasi **sp. nov.** ♂ Elmenteita, Nairobi p. 430 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949; *Z. caucasius* new to Portugal p. 11, *Z. circumspectus* new to Iberian Peninsula p. 13, *Z. civicus* new to Iberian Peninsula p. 13 fig.; *Z. dentatidens* new to Iberian Peninsula p. 14; *Z. fulvopilosus* new to Iberian Peninsula p. 15 figs.; *Z. latreillei* new to Iberian Peninsula p. 16 fig., MACHADO **379.**

PRODIDOMIDAE

Prodidomus rufus ♂ allotype described, Denton, Texas p. 22 fig., BRYANT **83.**

SPARASSIDAE

Stasina koluene **sp. nov.** ♀ Poz do Koluene, Brazil p. 12, MELLO-LEITÃO Bol. Mus. nac. Rio, Zool. no. 92 1949.

SELENOPIDAE

Selenops tridentatus **sp. nov.** ♂ Poz do Koluene, Brazil p. 18 fig., MELLO-LEITÃO Bol. Mus. nac. Rio, Zool. no. 92 1949.

THOMISIDAE

Diaea taibeli **sp. nov.** ♀ Belletta, Gimma, Ethiopia p. 459 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Erissoides vittatus **sp. nov.** ♀ Poz do Koluene, Brazil p. 15 figs., MELLO-LEITÃO Bol. Mus. nac. Rio, Zool. no. 92 1949.

Misumena pallescens **sp. nov.** ♀ Nairobi p. 457, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Misumenoides roseiceps **sp. nov.** ♀ Poz do Koluene, Brazil p. 14 figs., MELLO-LEITÃO Bol. Mus. nac. Rio, Zool. no. 92 1949.

Misumenops haemorrhous **sp. nov.** ♀ Poz do Koluene, Brazil p. 15 fig., MELLO-LEITÃO Bol. Mus. nac. Rio, Zool. no. 92 1949; *M. pallidus* var. *reichlini* **var. nov.** ♂. ♀ Rio Saludo, Chaco, Argentina p. 202 fig.; *M. ignobilis* ♀ redescribed p. 201 fig., SCHENKEL Verh. naturf. Ges. Basel **60** 1949.

Oxyptila umbraculorum new to Portugal p. 46 fig., MACHADO **379.**

Paramystaria variabilis delesserti **nom. nov.** ♀ Nairobi p. 454, CAPORIACCO **97.**

Pasiasula **gen. nov.** [Dictinae] defined p. 251; type species *P. eidmanni* **sp. nov.** ♀ Bokoko, Fernando Po p. 251 figs., ROEWER Veröff. dtsch. Kolon.-Uebersee Mus. Bremen **3** 1942.

Philodromus alboniger **sp. nov.** ♀ Nairobi p. 453; *P. montanus* **sp. nov.** ♀ Mau, Nairobi p. 450 fig.; *P. pesbovis* **sp. nov.** ♀ Elmenteita, Nairobi p. 451 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949; *P. ruficapillus* new to Iberian Peninsula p. 48, MACHADO **379.**

Runcinioides longispinosus **sp. nov.** ♂ Poz do Koluene, Brazil p. 16 fig., MELLO-LEITÃO Bol. Mus. nac. Rio, Zool. no. 92 1949.

Thomisus malevolus ocellitibiis **subsp. nov.** ♀ Mau, Nairobi p. 457, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Tmarus toschii **sp. nov.** ♂ Nairobi p. 454 fig., CAPORIACCO Acta Pont. Acad. Scient. **13** 1949; *T. villasboasi* **sp. nov.** ♀ Poz do Koluene, Brazil p. 17 figs., MELLO-LEITÃO Bol. Mus. nac. Rio. Zool. no. 92 1949.

Xysticus jugalis larvatus **sp. nov.** ♂ Mau, Nairobi p. 458, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949; *X. kempelini* new to Iberian Peninsula p. 47; *X. sabulosus* new to Portugal p. 48, MACHADO **379**.

CLUBIONIDAE

Fauna of Vilno, Lithuania. PUPISKA **487**.

Anyphaena albo-irrorata new to Iberian Peninsula p. 49, MACHADO **379**.

Brachyphaea simpliciaculeata **sp. nov.** ♂ Elmenteita, Nairobi p. 444 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Chiracanthium franganilloi **sp. nov.** ♀ Kenya p. 438 fig.; *C. mauense* **sp. nov.** ♂. ♀ Mau, Nairobi p. 433 figs.; *C. nairobii* **sp. nov.** ♀ Nairobi p. 435 fig.; *C. schenkeli* **sp. nov.** ♀ Nairobi p. 436 fig.; *C. punctipedellum* **sp. nov.** ♀ Mau, Nairobi p. 437 fig.; *C. tetragnathoide* **sp. nov.** ♂ Mau, Nairobi p. 438 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Clubiona adusta notes p. 49 fig.; *C. neglecta* new to Portugal p. 51, MACHADO **379**; *C. compta*, *C. similis* new to Finland p. 25, PALMGREN **457**; *C. kulczynskii* note ♀ p. 47 fig., VOGELSANGER **663**.

Corinna octodentata **sp. nov.** ♀ Oriente, Cuba p. 102, FRANGANILLO Mem. Soc. cubana Hist. nat. **18** 1946.

Ctenonima cubana **sp. nov.** ♀ Oriente, Cuba p. 101 fig., FRANGANILLO Mem. Soc. cubana Hist. nat. **18** 1946.

Liocranum majus new to Portugal p. 52, MACHADO **379**.

Mesiotelus pococki **sp. nov.** ♀ Mau, Nairobi p. 440 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949; *M. mauritanicus* new to Iberian Peninsula p. 54, MACHADO **379**.

Micaria aurata new to Iberian Peninsula p. 55; *M. pulicaria* new to Iberian Peninsula p. 56, MACHADO **379**.

Orthobula milloti **sp. nov.** ♂. ♀ Nairobi p. 441 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Scotina celans new to Iberian Peninsula p. 55, MACHADO **379**.

Syrisca rangelensis redescribed p. 101 figs., FRANGANILLO **232**.

Trachelas sylvae **sp. nov.** ♂ Mau, Nairobi p. 443 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

AMAUROBIOIDIDAE

Fam. nov. for *Amaurobioides*, related to Clubionidae p. 31, HICKMAN Pap. roy. Soc. Tasm. **1948** 1949.

Amaurobioides litoralis **sp. nov.** ♂. ♀ on rocks near highwater mark, Eaglehawk Neck, Tasmania p. 31 figs., HICKMAN Pap. roy. Soc. Tasm. **1948** 1949.

SALTICIDAE

Aelurillus affinis new to Portugal p. 60; *A. monardi* new to Portugal p. 61, MACHADO **379**.

Ashtabula furcillata **sp. nov.** ♂. ♀ Portachuelo, Rancho Grande, Maracay, Venezuela p. 39 figs., CRANE Zoologica, New York **34** 1949.

Astaenorchestes continentalis **sp. nov.** ♀ Nairobi p. 462, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Bokokius **gen. nov.** [Cytaeinae] defined p. 255; type species *B. penicillatus* **sp. nov.** ♂ Bokoko, Fernando Po p. 256 figs., ROEWER Veröff. dtsch. Kolon.-Uebersee Mus. Bremen **3** 1942.

Brancus hemmingi **sp. nov.** ♀ Mau, Nairobi p. 466 fig.; *B. poecilus* **sp. nov.** ♂. ♀ Mau, Nairobi p. 468 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Copocrossa albozonata **sp. nov.** ♀ Mau, Nairobi p. 463, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Cyllobelus splendidissimus **sp. nov.** ♀ Nairobi p. 479, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Evarcha laetabunda new to Iberian Peninsula p. 63, MACHADO **379**.

Evophrys megastylus **sp. nov.** ♂ . ♀ Kenya p. 480 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949 ; *E. lanigera* new to Portugal p. 58 ; *E. rufibarbis comptula* new to Iberian Peninsula p. 59, MACHADO **379.**

Heliophanus clercki **sp. nov.** ♂ ♀ Mau, Nairobi p. 478 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Hyllus multiaculeatus **sp. nov.** ♂ Nairobi p. 465 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Icius ocellatus ♂ . ♀ redescribed p. 483 figs., CAPORIACCO **97.**

Langona minima **sp. nov.** ♀ Nairobi, p. 473 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Lyssomanes bradyspilus **sp. nov.** ♂ . ♀ Portachuelo, Rancho Grande, Maracay, Venezuela p. 31 figs., CRANE Zoologica, New York **34** 1949.

Mago dentichelis **sp. nov.** ♂ . ♀ Portachuelo, Rancho Grande, Maracay, Venezuela p. 49 figs., CRANE Zoologica, New York **34** 1949.

Menemerus niger **sp. nov.** ♀ Nairobi p. 486, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Modunda ghigii **sp. nov.** ♀ Elmenteita, Nairobi p. 484 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Myrmarachne calcarata **sp. nov.** ♂ Musola, Fernando Po p. 253 figs. ; *M. eidmanni* **sp. nov.** ♂ Musola, Fernando Po p. 252 figs. ; *M. insulana* **sp. nov.** ♀ Musola, Fernando Po p. 254 figs., ROEWER Veröff. dtsch. Kolon.-Uebersee Mus. Bremen **3** 1942 ; *M. exultans* **sp. nov.** ♀ Mau, Nairobi p. 462 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Neaetha alborufula **sp. nov.** ♂ Nairobi p. 476 figs., CAPORIACCO Comm. Pont. Acad, Scient. **13** 1949.

Neon laevis new to Iberian Peninsula p. 60, MACHADO **379.**

Pachyballus flavipes aurantius **subsp. nov.** ♀ Mau, Nairobi p. 464, CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Paramodunda nigriceps **sp. nov.** ♀ Nairobi p. 470 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Pellenes geniculatus var. *subsultans* new to Portugal p. 61, MACHADO **379.**

Phiale flammea **sp. nov.** ♂ . ♀ Portachuela, Rancho Grande, Maracay, Venezuela p. 47 figs., CRANE Zoologica, New York **34** 1949.

Pseudicius cultrifer **sp. nov.** ♂ S. Demetrio, Rhodes p. 69 figs., CAPORIACCO Redia, Firenze **33** 1948 ; *P. elmenteitae* **sp. nov.** ♀ Nairobi p. 483 fig., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

Sassacus flavicinctus **sp. nov.** ♂ . ♀ Portachuelo, Rancho Grande, Maracay, Venezuela p. 41 figs. ; *S. ocellatus* **sp. nov.** ♂ . ♀ Portachuelo, Rancho Grande, Maracay, Venezuela p. 44 figs., CRANE Zoologica, New York **34** 1949.

Semorina brachychelyne **sp. nov.** ♂ Portachuelo, ♀ Limon Gorge, Rancho Grande, Maracay, Venezuela p. 35 figs. ; *S. megachelyne* **sp. nov.** ♂ . ♀ Water Trail, Rancho Grande, Maracay, Venezuela p. 38 figs., CRANE Zoologica, New York **34** 1949.

Stenaelurillus albopunctatus **sp. nov.** ♂ . ♀ Nairobi, p. 474 figs., CAPORIACCO Comm. Pont. Acad. Scient. **13** 1949.

†ARTHROMYGALIDAE

†*Protocteniza* **gen. nov.** defined p. 277 ; type species *P. britannica* **sp. nov.** Upper Coal Measures, Coseley, Staffs., England p. 277 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†ARCHAEMETIDAE

†**Fam. nov.** characterised, PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†*Arachnometa* **gen. nov.** defined p. 280; type species *A. tuberculata* **sp. nov.** Upper Coal Measures, Coseley, Staffs., England p. 280 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

ACARI

[With exception of Ixodoidea and Hydrachnoidea].

ACARI

Faunal list.—Additions to Lancashire and Cheshire list, BRITTEN **79** ; Swedish coast, SELLNICK **555** ; Swiss National Parks, SCHWEIZER **550, 551** ; N.W. German Mooren, WILLMANN **681** ; Ciechocinek, Germany, WILLMANN **685** ; Eriophyidae of Bohemia, BAUDYŠ **46.**

ATOPOCHTHONIIDAE **fam. nov.** [Enarthronota] p. 53, GRANDJEAN Ann. Sci. nat. Paris (11) **10** 1948 [1949].

CHEYLETIDAE fam. reviewed with key to genera p. 267, BAKER **40.**

ERIOPHYIDAE of Pennsylvania with hosts p. 133, MAZE **401.**

LEPTIDAE Billberg 1820 synon. ERYTHRAEIDAE Rob.-Desv. 1826 p. 178, OUDEMANS **453.**

MYOBIINAE raised to family rank p. 267, BAKER **40.**

PARANTENNULIDAE **fam. nov.** p. 217, WILLMANN Zool. Anz. Leipzig **130** 1940.

PARATYDEIDAE **fam. nov.** characterised p. 119, BAKER Proc. ent. Soc. Washington **51** 1949.

POECILOCHIRIDAE **fam. nov.** p. 215, WILLMANN Zool. Anz. Leipzig **130** 1940.

POMERANTZIIDAE **fam. nov.** characterised p. 269, BAKER J. Wash. Acad. Sci. **39** 1949.

PTERONYSSIDAE **nom. nov.** pro Avenzoarinae (-dae) Oudms. 1905 p. 186, OUDEMANS Zool. Anz. Leipzig **136** 1941.

SAPROGAMASIDAE **fam. nov.** near Parasitidae p. 136, WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949.

SMARIDIDAE notes on the genera p. 179, OUDEMANS **453.**

TETRANYCHIDAE spinning gland and chaetotaxy of tibia and tarsus p. 517 figs., GRANDJEAN **258.**

TROMBICULIDAE, classification of the supergeneric groups based on larval characters p. 235, EWING **201.** Known South African species, larval forms with keys to subfamilies, genera and species, LAWRENCE **350.**

Acaropsis travisi **sp. nov.** ♀ on *Scelopsorus woodi*, Newton, Georgia p. 313 figs.; *A. docta* redescribed p. 314 figs.; *A.* key to species p. 312, BAKER Proc. U.S. Nat. Mus. **99** 1949.

Aceria novitia **sp. nov.** ♀ on *Ulmus glabra*, Lyngby, Taarbaek, Denmark p. 22 fig.; *A. crassipunctata* (Nal.) **comb. nov.** pro *Eriophyes macrochelus crassipunctatus* Nal. 1909 p. 22; *A. lamii* **comb. nov.** pro *Eriophyes lamii* Liro 1943 p. 22; *A. macrorhynchus* **comb. nov.** pro *Eriophyes macrorhynchus* Nal. 1889 p. 22; *A. salicina* **comb. nov.** pro *Eriophyes salicina* Nal. 1889 p. 23; *A. tenuis* **comb. nov.** pro *Eriophyes tenuis* Nal. 1891 p. 23, ROIVAINEN Ann. ent. fenn. Helsinki **15** 1949.

Acomatacarus geckobius **sp. nov.** larva from *Pachydactylus bicolor* [Lizard], Huab River, Damaraland, South-West Africa p. 454 fig.; *A. lacertae* **sp. nov.** larva from *Eremias lineo-ocellata pulchella* [Lizard], Elandskloof, Cold Bokkeveld, Cape Province p. 457 fig.; *A. mabuyana* **sp. nov.** larva from *Mabuya varia* [Lizard], Bulawayo, South Rhodesia p. 456 fig.; *A. namaquensis* **sp. nov.** larva from *Gerrhosaurus typicus* [Lizard], Soebatsfontein, Little Namaqualand p. 457 fig.; *A. tenuitarsus* **sp. nov.** larva from *Mabuya varia* [Lizard], Beit Bridge South Rhodesia p. 458 fig., LAWRENCE Ann. Natal Mus. P'mburg **11** 1949; *A. arizonensis* tracheal system p. 467 figs., BRENNAN **75**; *A. arizonensis* new data on distribution and hosts in Mexico p. 190, HOFFMANN **289.**

Allodermanyssus sanguineus new records, Illinois and Utah p. 414 fig., PRATT ET AL. **481.**

Alophus Dugès 1885 non *Alophus* Schönherr 1826 synon. *Balaustium* von Heyden 1826 p. 179, OUDEMANS **453.**

Amblyseius alpinus ♀ redescribed, SCHWEIZER **551.**

Ameroseius oviforme **sp. nov.** ♀ Swiss National Parks, Switzerland p. 44 fig.; *A. delicatus* ♀ redescribed p. 43 fig.; *A. dubiatus* ♀ redescribed p. 41 fig., SCHWEIZER Rés. Rech. scient. Parc Nation. Suisse N.F. **2** 21 1949.

Amnemochthonius **gen. nov.** [Hypochthoniidae] near *Haplochthonius* p. 30; type species *A. taeniophorus* **sp. nov.** Clappe, Gruissan, Aude and Châtaignier, Périgueux, Dordogne, France p. 30 figs., GRANDJEAN Ann. Sci. nat. Paris (11) **10** 1948 [1949].

Amorphacarus elongata redescribed p. 91 figs., RADFORD **491.**

Anoplonotus semaphorus morphology and biology p. 421 figs., [DUBININ] **191.**

Arctoseius bispinatus **sp. nov.** ♀ Mols, Djursland, Jutland p. 255 figs., WEIS-FOGH Nat. Jutlandica, Aarhus **1** 1947; *A. austriacus* **sp. nov.** ♀ Wien, Austria p. 351 figs.; *A. bicuspidatus* **sp. nov.** ♀ Aschaffenburg, Bavaria p. 355 fig.; *A. halophilus* **sp. nov.** ♀ Ciechocinek,

Thorn, Poland p. 354 figs.; *A. ibericus* **sp. nov.** ♀ San Sebastian, Spain p. 356 fig.; *A. oculatus* **sp. nov.** ♀ Gross-Glockner-Gebiet, Hohen Tauern, Austria p. 350; *A. pannonicus* **sp. nov.** ♀ Wien, Austria p. 353 figs.; *A.* key to species p. 357, WILLMANN Abh. naturw. Ver. Bremen **32** 1949.

Asca bicornis comparison with *A. aphidioides* p. 27 fig., SCHWEIZER **550.**

Ascoschöngastia annulata **sp. nov.** larva from elephant shrew, *Elephantulus myurus jamesoni*, Bronkhorst Spruit, Transvaal p. 414 figs.; *A. crocidurae* **sp. nov.** larva, shrew, *Crocidura flavescens*, Pietermaritzburg, Natal p. 416 fig.; *A. capensis* **sp. nov.** larva from *Eremias lineo-ocellata pulchella* [Lizard] Elandskloof, Cold Bokkeveld, Cape Province p. 438 fig.; *A. gerrhosauri* **sp. nov.** larva from *Gerrhosaurus flavigularis flavigularis* [Lizard], Witzies Hoek, Orange Free State p. 433 fig.; *A. kalaharica* **sp. nov.** larva from *Ichnotropis squamulosa* [Lizard], Kaotwe, Kalahari p. 434 fig.; *A. matoppoanus* **sp. nov.** larva from *Platysaurus guttatus rhodesiensis* [Lizard], Bulawayo, South Rhodesia p. 435 fig.; *A. origensis* **sp. nov.** larva from *Tropidosaura essexi* [Lizard], Montaux-Sources, Drakensberg Mts., Natal p. 431 fig.; *A. rhodesiensis* **sp. nov.** larva from *Mabuya 5-taeniata margaritifer* [Lizard], Bulawayo, South Rhodesia p. 437 fig.; *A. transvaalensis* **sp. nov.** larva from *Ichnotropis squamulosa* [Lizard], Great Saltpan, Blaauwberg, Transvaal p. 435 fig.; *A. tropidosauri* **sp. nov.** larva from *Tropidosaura essexi* [Lizard], Champagne Castle, Drakensberg Mts., Natal p. 432 fig.; *A. ophicola* **sp. nov.** larva from "House snake," *Boaedon lineatus*, Durban, Natal p. 461 fig.; *A. viperina* **sp. nov.** larva from Night Adder, *Causus rhombeatus*, Pietermaritzburg, Natal p. 462 fig., LAWRENCE Ann. Natal Mus. P'mburg **11** 1949.

Aspidilaelaps **gen. nov.** [Laelaptidae] defined p. 311; type species *A. mirabilis* **sp. nov.** ♀ Samoa p. 312 figs., TRÄGÅRDH Ent. Medd. Copenhagen **25** 1949.

Atopochthonius **gen. nov.** [Atopochthoniidae] defined p. 43; type species *A. artiodactylus* **sp. nov.** Mugello, Florence, Italy p. 43 figs., GRANDJEAN Ann. Sci. nat. Paris (11) **10** 1948 [1949].

Atricholaelaps strandtmanni synonym of *Haemolaelaps glasgowi* p. 348; *A. reithrodontis* note p. 346 fig., STRANDTMANN **590.**

Austracarus **gen. nov.** [Leeuwenhoekiinae] defined p. 417; type species *A. procaviae* **sp. nov.** larva, from *Procavia natalensis*, Howick, Natal p. 417 fig., LAWRENCE Ann. Natal. Mus. P'mburg **11** 1949.

Austrombicula **gen. nov.** [Leeuwenhoekiinae] defined p. 419; type species *Leeuwenhoekia womersleyi* Lawrence 1948 additional description p. 419 fig., LAWRENCE Ann. Natal Mus. P'mburg **11** 1949.

Baicalacarus **gen. nov.** [Stygothrombidiidae non Protziidae ref. K. Viets] type species *B. vermiformis* **sp. nov.** Baikal Lake, Russia p. ?, SOKOLOW Scient. Mem. Leningrad State Univ. Biol. Sci. **2** 1948.

Bonzia sphagnicola redescribed p. 347 fig., WILLMANN Abh. naturw. Ver. Bremen **32** 1949.

Borinquolaelaps pennatus **sp. nov.** ♀ from *Rattus norvegicus*, San Juan (Santurce) Puerto Rico p. 39 fig.; *B. sexsetosus* **sp. nov.** ♀ from *Rattus norvegicus*, San Juan (Santurce), Puerto Rico p. 39 fig., Fox Florida Ent. **32** 1949.

Brachychthonius gisini **sp. nov.** Swiss National Park, Switzerland p. 28 fig., SCHWEIZER Res. Rech. scient. Parc Nation. Suisse N.F. **2** 20 1948; *B.* (*Brachychochthonius*) *cricoides* **sp. nov.** Mols, Djursland, Jutland p. 269 fig.; *B.* (*B.*) *furcatus* **sp. nov.** Mols, Djursland, Jutland p. 270 figs.; *B. berlesei* notes p. 269 fig.; *B. sellnicki* notes p. 267 figs., WEIS-FOGH Nat. Jutlandica, Aarhus **1** 1947; *B. furcillatus* **sp. nov.** Ufer des Sager Meeres, Germany p. 170 fig., WILLMANN Abh. naturw. Ges. Bremen **32** 1942.

Brevipalpus key to species p. 352; *B. browningi* **sp. nov.** ♀ on citrus, Gaza, Palestine p. 382 figs.; *B. chilensis* **sp. nov.** ♀ on lemon, Chile (intercepted at New York) p. 358 figs.; *B. confusus* **sp. nov.** ♀ on orchids, College Park, Maryland p. 380 figs.; *B. edwinae* **sp. nov.** ♀. ♂ on *Eupatorium glabratum*, Mexico-Cuernavaca Highway, Morelos, Mexico p. 356 figs.; *B. essigi* **sp. nov.** ♀ on *Acuba* sp., Berkeley, California p. 367 figs.; *B. garmani* **sp. nov.** ♀. ♂ on

elder, Hamden, Connecticut p. 363 figs.; *B. lilium* **sp. nov.** ♀. ♂ on *Lilium regale*, Mabton, Washington p. 369 figs.; *B. linki* **sp. nov.** ♀ on oak leaf, Orlando, Florida p. 370 figs.; *B. longisetosus* **sp. nov.** ♀ on undetermined plant, Yauco, Puerto Rico p. 377 figs.; *B. mcbridei* **sp. nov.** ♀ on English walnut, Orlando, Florida p. 374 figs.; *B. mcgregori* **sp. nov.** ♀ on lemon, Santa Paula, California p. 357 figs.; *B. oleae* **sp. nov.** ♀ on Olive, Morocco ? p. 361 figs.; *B. oncidii* **sp. nov.** ♀. ♂ on *Oncidium* sp., Jarvisbrook, England p. 361 figs.; *B. papayensis* **sp. nov.** ♀ on Papaya, Kailua, Oahu, Hawaii p. 375 figs.; *B. pini* **sp. nov.** ♂ on Monterey Pine, Glendale, California p. 383 figs.; *B. sayedi* **sp. nov.** ♀ on hickory, Monticello, Florida p. 367 figs.; *B. trinidadensis* **sp. nov.** ♀ on Lantana, St. Augustine, Trinidad p. 381 figs.; *B. yothersi* **sp. nov.** ♀ on Privet, Orlando, Florida p. 373 figs.; *B. australis* redescribed p. 379 figs.; *B. californicus* redescribed p. 377 figs.; *B. cardinalis* redescribed p. 365 figs.; *B. cuneatus* redescribed p. 364 figs.; *B. donnadieui* (Oudemans) **comb. nov.** p. 372 figs.; *B. geisenheyeri* p. 373 figs.; *B. grewiae* p. 382 figs.; *B. inornatus* redescribed p. 358 figs.; *B. lewisi* redescribed p. 365 figs.; *B. natalensis* p. 384 figs.; *B. obovatus* p. 373 figs.; *B. oudemansi* p. 371 figs.; *B. pereger* p. 360 figs.; *B. phoenicis* p. 360 figs.; *B. pseudocuneatus* redescribed p. 376 figs.; *B. pulcher* p. 360 figs.; *B. pyri* redescribed p. 371 figs.; *B. russulus* redescribed p. 368 figs.; *B. salviae* redescribed p. 384 figs.; *B. spinosus* p. 373 figs.; *B. woglumi* redescribed p. 378 figs., BAKER Amer. Midl. Nat. Notre Dame **42** 1949.

Brevisterna **gen. nov.** [Laelaptidae] defined p. 222; type species *Euhaemogamasus utahensis* Ewing, 1933, redescribed p. 224 figs., KEEGAN Trans. Amer. micr. Soc. Menasha **68** 1949.

Calepitrimerus fagi **sp. nov.** ♀ on *Fagus silvatica*, Lyngby-Taarbaek, Frederiksdal, Denmark p. 28 fig.; *C. periclymeni* **sp. nov.** ♀ on leaves of *Lonicera periclymenum*, Søllerød, Geelskov, Denmark p. 29 fig., ROIVAINEN Ann. ent. fenn. Helsinki **15** 1949.

Caloglyphus longipilus **sp. nov.** ♂. ♀ on bat guano, Cueva de Juxtlahuaca, Guerrero, Mexico p. 58 figs.; *C. paranomalus* **sp. nov.** ♂. ♀ on bat guano, Cueva de las Caleras, C. Hidalgo, Mexico p. 61 figs.; *C. armipes longisetosus* **subsp. nov.** ♂. ♀ on bat guano, Cueva de las Caleras, C., Hidalgo, Michoacan, Mexico p. 64, NESBITT Pan-Pacific Ent. S. Francisco **25** 1949.

Cecidopus Karsch 1879 synon. *Eupodolophus* Berlese 1914 and *Fessionella* Hirst 1924 p. 178, OUDEMANS **453.**

Celaenopsis cuspidata notes p. 81 fig., SCHWEIZER **551.**

Centrotrombidium schneideri larva described p. 2 fig., COOREMAN **147.**

Chelacaropsis **gen. nov.** (Cheyletidae) defined p. 315; type species *C. moorei* **sp. nov.** ♀ on *Glaucomys volans querceti*, Welaka, Florida p. 315 figs., BAKER Proc. U.S. Nat. Mus. **99** 1949.

Cheletogenes buckneri **sp. nov.** ♀ on lemon fruits, Santa Paula, California p. 308 figs.; *C. oaklandia* **sp. nov.** ♀ in fig buds, Oakland, California p. 306 figs.; *C. traubi* **sp. nov.** ♀ Assam, Stillwell Road, Burma p. 307 figs.; *C. ornatus* redescribed p. 305 figs.; *C.* key to species p. 305, BAKER Proc. U.S. Nat. Mus. **99** 1949.

Cheletomimus berlesei **comb. nov.** *Cheletes berlesi* Oudemans 1904 p. 293 figs., BAKER **40.**

Cheletonella key to species p. 292; *C. rugosa* **comb. nov.** pro *Cheletophanes rugosa* Womersley 1941 p. 292, BAKER **40.**

Cheletophyes hawaiiensis **sp. nov.** ♀. ♂ Kailua, Oahu, Hawaii p. 289 figs.; *C. marshalli* **sp. nov.** ♀ Imboden, Arkansas p. 290 figs.; *C. philippinensis* **sp. nov.** ♀ on *Pandanus tectorius*, Bataan, Philippine Islands p. 288 figs.; *C.* key to species p. 288, BAKER Proc. U.S. Nat. Mus. **99** 1949.

Cheletopsis key to species p. 309, BAKER **40.**

Chelonotus ewingi **sp. nov.** ♀ on *Callosciurus prevostii rubiventer*, Temboan, Celebes p. 311 figs.; *C. oudemansi* **sp. nov.** ♀ on *Baginia tenuis evidens* (squirrel), Pulosembeh, Celebes p. 311 figs.; *C. selenirhynchus* **comb. nov.** pro *Chelonotus selenirhynchus* Berlese 1893 p. 312, BAKER Proc. U.S. Nat. Mus. **99** 1949.

Cheyletia virginiensis **sp. nov.** ♀ associated with *Dendroctonus frontalis*, Gloucester, Virginia p. 299 figs.; *C. wellsi* **sp. nov.** ♀ on navel orange, Azores, intercepted at Philadelphia, Pa. p. 300 figs.; *C. pyriformis* **comb. nov.** pro *Cheyletus pyriformis* Banks 1904 p. 298 figs.; *C. squamosa* redescribed p. 301 figs. *C.* key to species p. 297, BAKER Proc. U.S. Nat. Mus. **99** 1949.

Cheyletiella parasitivorax ♀ redescribed p. 270 figs., BAKER **40**; *C. pinguis* ♂ p. 56 figs., WILLMANN **684**.

Cheyletus beauchampi **sp. nov.** ♀ Portugal, intercepted at Boston, Mass. p. 282 figs.; *C. cacahuamilpensis* **sp. nov.** ♀ in bat guano, Cave of Cacahuamilpa, Guerrero, Mexico p. 282 figs.; *C. davisi* **sp. nov.** ♀ Italy, intercepted at Boston, Mass. p. 283 figs.; *C. doddi* **sp. nov.** ♀ Ithaca, N.Y. p. 279 figs.; *C. hendersoni* **sp. nov.** ♀ Arkansas Cave, Arkansas p. 279 figs.; *C. linsdalei* **sp. nov.** ♀ on *Citellus beecheyi*, Monterey, California p. 281 figs.; *C. eruditus* redescribed p. 278 figs.; *C. fortis* redescribed p. 280 figs.; *C. malaccensis* redescribed p. 284 figs., *C.* key to species p. 276, BAKER Proc. U.S. Nat. Mus. **99** 1949; *C. polymorphus* **sp. nov.** in wheat, Smolensk, Russia p. 584 fig.; *C. truculentus* **sp. nov.** Karagand, Russia p. 586 fig., [VOLGIN] C.R. Acad. Sci. Moscow N.S. **64** 1949.

Cloquetia **gen. nov.** pro *Rhyncholophus medioareolatus* Kramer 1898, diagnosis p. 179, OUDEMANS Zool. Anz. Leipzig **136** 1941.

Cocceupodes paradoxus **sp. nov.** Mols, Djursland, Jutland p. 263 figs., WEIS-FOGH Nat. Jutlandica, Aarhus **1** 1947.

Copriphis orbinellus **sp. nov.** nymph, Swiss National Parks, Switzerland p. 76 fig.; *C. variola* **sp. nov.** nymph, Swiss National Parks p. 77 fig., SCHWEIZER Rés. Rech. scient. Parc Nation. Suisse N.F. **2** 21 1949.

Cosmolaelaps gurabensis ♂ described from *Rattus norvegicus*, Pensacola, Florida p. 496 figs., THURMAN **616**.

Demodex caprae new to India p. 287 figs., SREENIVASAN & RIZVI **585**.

Digamasellus key to spp. p. 55; *D. arvicolus* **sp. nov.** ♀ ♂ Admont, Austria p. 61 figs.; *D. brevipilis* **sp. nov.** ♀ ♂ Admont, Austria p. 62 figs.; *D. circuliformis* **sp. nov.** ♀ Admont, Austria p. 59 figs.; *D. fallax* **sp. nov.** ♀ ♂ Admont, Austria p. 60 figs.; *D. foveolatus* **sp. nov.** ♀ ♂ Admont, Austria p. 59 figs.; *D. latior* **sp. nov.** ♀ ♂ Admont, Austria p. 59 figs.; *D. longiusculus* **sp. nov.** ♀ ♂ Admont, Austria p. 60 figs.; *D. multidentatus* **sp. nov.** ♀ ♂ Melk, Austria p. 62 figs.; *D. perpusillus* notes p. 57 figs.; *D. presepum* notes p. 57 figs., LEITNER Zbl. GesamtGeb. Ent. Lienz **3** 1949.

Dogielacarus **gen. nov.** [Analgesidae] type species *D. uncitibia* **sp. nov.** in feathers of *Porzana parva parva*, Volga Delta, Astrakhan game protectorate park, Donau delta, Lake Kugurluy p. 777 figs., [DUBININ] C.R. Acad. Sci. Moscow N.S. **66** 1946.

Dupréia **gen. nov.** [Smarididae] type species *Smaridia pileifera* Karpelles 1891 p. 181, OUDEMANS Zool. Anz. Leipzig **136** 1941.

Eadiea **gen. nov.** [Myobiidae] defined p. 423; type species *E. condylurae* **sp. nov.** ♂. ♀ on star-nosed mole, *Condylura cristata*, Ithaca, Tompkins Co., New York p. 424 figs.; *E. brevihamata* ♂. ♀ redescribed p. 424 figs., JAMESON J. Parasit. Lancaster, Pa. **35** 1949.

Eatoniana georgei **nom. nov.** pro *Rhyncholophus plumipes* George 1896, non *Rhyncholophus plumipes* C. L. Koch 1856 p. 179; *E. plumifer* forma *transcaspica* **forma nov.** pro form unnamed Birula 1893 p. 179, OUDEMANS **453**.

Echinolaelaps echidninus incidence on rats in Buenos Aires p. 5 figs., MANSO SOTO & PLETNEFF **387**.

Emitrombidium **gen. nov.** [Trombidiidae] defined p. 69; type species *E. variepilosum* **sp. nov.** ♀ Rome, Italy p. 71 figs., LOMBARDINI Redia, Firenze **34** 1949.

Episeius aequalis **sp. nov.** ♂. ♀ Swiss National Parks, Switzerland p. 64 figs.; *E. handschini* **sp. nov.** ♂. ♀ Swiss National Parks p. 71 fig.; *E. ovaspini* **sp. nov.** ♂. ♀ Swiss National Parks p. 69 fig.; *E. corniger* ♀ redescribed p. 66 fig.; *E. major* redescribed p. 61 fig.; *E. michaeli* ♂ redescribed p. 59 fig.; *E. neocorniger* ♀ redescribed p. 67 fig.; *E. tenuipes* ♀ redescribed p. 60 fig., SCHWEIZER Res. Rech. scient. Parc Nation. Suisse N.F. **2** 21 1949; *E. salicorniae* **sp. nov.** ♀. ♂ Ciechocinek

Germany p. 118 figs.; *E.* key to ♀♀ European species p. 119, WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949.

Ereynetes minutus **sp. nov.** Ciechocinek, Germany p. 127 fig., WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949.

Erythraeus banksi **nom. nov.** pro *Rhyncolophus longipes* Banks 1894, non *Rhyncolophus longipes* Menge 1854 p. 179, OUDEMANS **453**; *E.* Latr. 1806 = *Leptus* q.v., OUDEMANS **453**; *E.* key to species p. 128, WILLMANN **685**.

Eucheyla panamensis **sp. nov.** among eggs of termites, Panama p. 291 figs.; *E. whartoni* **sp. nov.** ♀ Birnamwood, Wisconsin p. 292 figs.; *E.* key to species p. 291, BAKER Proc. U.S. Nat. Mus. **99** 1949.

Eucheyletia **gen. nov.** (Cheyletidae) defined p. 294; type species *E. bishoppi* **sp. nov.** ♀ on *Neotoma fuscipes*, Monterey, California p. 295 figs.; *E. flabellifera* **comb. nov.** pro *Cheletia flabellifera* (Michael 1878) p. 295; *E. hardyi* **sp. nov.** ♀ in *Neotoma micropus* nest, Harlingen, Texas p. 297 figs.; *E. harpyia* **comb. nov.** pro *Cheyletia harpyia* Rodendorf 1940 p. 294 figs.; *E.* key to species p. 294, BAKER Proc. U.S. Nat. Mus. **99** 1949.

Eugamasus cornutosimilis **sp. nov.** ♂. ♀ Swiss National Parks, Switzerland p. 19 figs.; *E. oudemansi* var. *alpinus* **var. nov.** ♀ Swiss National Parks, p. 24 fig.; *E. zschokkei* var. *fluri* **var. nov.** ♀ Swiss National Parks p. 23 fig.; *E. zschokkei* redescribed p. 21 figs., SCHWEIZER Rés. Rech. scient. Parc Nation. Suisse N.F. **2** 21 1949; *E. hyalinus* **sp. nov.** ♀ Ciechocinek, Germany p. 110 figs., WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949.

Eupalopsellus **gen. nov.** [Stigmaeidae] defined p. 132; type species *E. ölandicus* **sp. nov.** Öland, Sweden p. 132 figs., SELLNICK Ent. Tidskr. Stockholm **70** 1949.

Eupodolophus Berlese 1914 = *Cecidopus* q.v., OUDEMANS **453**.

Euryparasitus emarginatus palp described p. 504 fig., BIANCHI ET AL. **60**.

Eutalpacarus **gen. nov.** [Myobiidae] defined p. 427; type species *E. peltatus* **sp. nov.** ♂. ♀ on *Neurotrichus gibbsii* (shrew-mole), Quincy, Plumas Co., California p. 427 figs., JAMESON J. Parasit. Lancaster, Pa. **35** 1949.

Eutogenes **gen. nov.** (Cheyletidae) defined p. 304; type species *E. foxi* **sp. nov.** ♀ on rose stems, Brownsville, Texas p. 304 figs., BAKER Proc. U.S. Nat. Mus. **99** 1949.

Eutrombicula aenigma **sp. nov.** larva from *Mabuya varia* [Lizard], Beit Bridge, South Rhodesia p. 447 fig.; *E. agamae* **sp. nov.** larva from *Agama hispida armata* [Lizard], Weenen, Natal p. 444 fig.; *E. draconensis* **sp. nov.** larva from *Pseudocordylus subviridis* [Lizard], Mullers Pass, Newcastle, Natal p. 441 fig.; *E. gerrhosauri* **sp. nov.** larva from *Gerrhosaurus grandis* [Lizard], Skukuza Game Reserve, Transvaal p. 446 fig.; *E. homopholis* **sp. nov.** larva from *Homopholis wahlbergii* [Lizard], Nelspruit, Eastern Transvaal p. 441 fig.; *E. montensis* **sp. nov.** larva from *Pseudocordylus subviridis* [Lizard], Giant's Castle, Drakensberg Mts., Natal p. 444 fig.; *E. pachydactyli* **sp. nov.** larva from *Pachydactylus laevigatus laevigatus* [Lizard], Rheoboth, South-West Africa p. 443 fig.; *E. rhodesiensis* **sp. nov.** larva from *Mabuya 5-taeniata margaritifer* [Lizard], Bulawayo, South Rhodesia p. 448 fig.; *E. rhoptropi* **sp. nov.** larva from *Rhoptropus afer* [Lizard], Namib, South-West Africa p. 445 fig., LAWRENCE Ann. Natal Mus. P'mburg **11** 1949; *E. talicei* **sp. nov.** nymph and adult for *E. irritans* var. *uruguayensis*, Montevideo, Uruguay p. 92 figs., LOPEZ FERNÁNDEZ & TORRES DE LA LLOSA An. Inst. Hig. Montevideo **11** 1948 [1949]; *E.* revision of sub-genus, see *Trombicula*, JENKINS **306**; *E. alfreddugesi* new data on distribution and hosts in Mexico p. 189, HOFFMANN **289**.

Fessionella Hirst 1924 = *Cecidopus* q.v., OUDEMANS **453**.

Gamasellus nivalis **sp. nov.** ♂. ♀ Swiss National Parks, Switzerland p. 34 figs.; *G. falcifer* var. *alpinus* **var. nov.** ♂ Swiss National Parks p. 34 fig., SCHWEIZER Rés. Rech. scient. Parc Nation. Suisse N.F. **2** 21 1949.

Gamasiphis illotus **sp. nov.** ♀ from *Rattus norvegicus*, San Juan (Santurce), Puerto Rico p. 37 fig., FOX Florida Ent. **32** 1949.

Geholaspis mandibularis notes p. 507 figs., BIANCHI ET AL. **60**.

Gigantolaelaps sp. new record, on rice-rat (*Oryzomys palustris*), Texas and South Georgia p. 217, MORLAN & STRANDTMANN **432**.

Grognieria **gen. nov.** pro *Rhyncholophus agilis* Can. 1884, characters p. 179; *Rhyncolophus roseus* Banks 1894 also added p. 179, OUDEMANS Zool. Anz. Leipzig **136** 1941.

Haemolaelaps history of gen. p. 329; characters p. 333; key to spp. p. 336; classified list of hosts p. 349; *H. geomys* **sp. nov.** ♂. ♀ on pocket gopher, *Geomys* sp., Brooks Co., Georgia p. 339 figs.; *H. morlani* **sp. nov.** ♀ on *Rattus rattus*, Grady Co., Georgia p. 337 figs.; *H. glasgowi* redescribed p. 343 figs.; *H. megaventralis* redescribed p. 337 figs.; *H. sigmodomi* synonym of *H. glasgowi* p. 348, STRANDTMANN J. Parasit. Lancaster, Pa. **35** 1949.

Hehlenia **gen. nov.** [Smarididae] defined p. 181; type species *Rhyncholophus papillosus* C. L. Koch 1837, non *Trombidium papillosum* Herm. 1804 p. 181; *H. kochi* **nom. nov.** pro *Rhyncholophus papillosus* C. L. Koch 1837 p. 181; *H. plumulosa* **nom. nov.** pro *Smaridia papillosa* Berlese 1884, non *Trombidium papillosum* Herm, nec *Rhyncholophus papillosus* C. L. Koch 1837 p. 181; *H. hermanni* **sp. nov.** for an unnamed species of Hermann 1804 p. 181; *H. villosa* Dugès 1834 **comb. nov.** for *Smaridia villosa* p. 181; *H. singularis* Oudemans 1910 **comb. nov.** for *Trombidium fuliginosum* Krendowsky 1880 (non Hermann 1804) = *Erythraeus singularis* Oudms. 1910 p. 181, OUDEMANS Zool. Anz. Leipzig **136** 1941.

Hirstiella pelaezi **sp. nov.** ♀ nymph on *Sceloporus ferrari-perezi* [Lizard], Mexico D.F. p. 25 figs., CUNLIFFE Proc. ent. Soc. Washington **51** 1949.

Hydrozetes revision of species p. 224, chaetotaxy discussed p. 226, GRANDJEAN **260**.

Hypoaspis murinus **sp. nov.** ♀ on *Rattus norvegicus*, Galveston, Texas p. 479 figs., STRANDTMANN & MENZIES Ann. ent. Soc. Amer. Columbus **41** 1948 [1949]; *H. neglectus* **sp. nov.** ♂ Panten, Silesia p. 341 fig., WILLMANN Abh. naturw. Ver. Bremen **32** 1949; *H. praesternalis* **sp. nov.** ♀ ♂ Ciechocinek, Germany p. 115 figs., WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949; *H. cricetophilus* synonym of *Haemolaelaps glasgowi* p. 346, STRANDTMANN **590**; *H. macropilis* redescribed, life history p. 209 figs., SMITH & SUMMERS **571**.

Hyracarus **gen. nov.** [Leeuwenhoekiinae] defined p. 420; type species *H. typicus* **sp. nov.** larva, from *Procavia natalensis*, Pietermaritzburg, Natal p. 420 fig.; *H. longipilosus* **sp. nov.** larva, from *Procavia natalensis*, Pietermaritzburg, Natal p. 422 fig.; *H. natalensis* **sp. nov.** larva from *Mabuya striata* [Lizard], Giant's Castle, Drakensberg Mts., Natal p. 459 fig., LAWRENCE Ann. Natal Mus. P'mburg **11** 1949.

Ichoronyssus hubbardi **sp. nov.** ♂. ♀ deutonymph, on mountain beaver (*Aplodontia rufa*), Skamania, Skamania Co., Washington p. 109 figs.; *I.* key to species p. 114, JAMESON J. Parasit. Lancaster, Pa. **35** 1949.

Ingrassiella **gen. nov.** [Analgesidae] type species *I. listrophoroides* **sp. nov.** in feathers of *Dendrocygna autumnalis* and *D. viduata*, Texas and East Africa p. 779 figs., [DUBININ] C.R. Acad. Sci. Moscow N.S. **66** 1946.

Isothrombium **gen. nov.** [Trombidiidae] between *Euthrombidium* and *Sercothrombium*, defined p. 354; type species *I. oparbellae* **sp. nov.** larva on Solifugae, *Oparbella fagei*, Agades, Air, French West Africa p. 355 figs., ANDRÉ Bull. Mus. Hist. nat. Paris (2) **21** 1949.

Johnstoniana errans synonymy, distribution, redescription p. 1 figs., COOREMAN **146**.

Laelaps californicus note p. 346 figs.; *L. stegemani* synonym of *Haemolaelaps glasgowi* p. 348; *L. virginianus* note p. 346 figs., STRANDTMANN **590**.

Lasioseius alpinus **sp. nov.** ♀ Swiss National Parks, Switzerland p. 46 fig.; *L. elegantulus* **sp. nov.** ♀ Swiss National Parks p. 58 fig.; *L. jüradeus* **sp. nov.** ♂ Swiss National Parks p. 52 fig.; *L. müstairi* **sp. nov.** ♂. ♀ Swiss National Parks p. 50 fig.; *L. similis* **sp. nov.** ♀ Swiss National Parks p. 49 fig.; *L. ventritrichosus* **sp. nov.** ♀ Swiss National Parks p. 47 fig.; *L. cetratus* ♂ described p. 53 fig.; *L. minusculus* ♂ redescribed p. 56 fig.; *L. muricatus* ♀ notes pl 46 fig.; *L. venustulus* ♀ redescribed p. 57 fig., SCHWEIZER Rés.

Rech. scient. Parc Nation. Suisse N.F. **2** 21 1949; *L. polonicus* **sp. nov.** ♀ Ciechocinek, Germany p. 117 figs.; *L. berlesi* **nom. nov.** pro *L. muricatus* Berl. non Koch p. 117, WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949.

Legneria **gen. nov.** pro *Erythraeus arvensis* Banks 1912, diagnosis p. 179, OUDEMANS Zool. Anz. Leipzig **136** 1941.

Leptus Latr. 1796 synon. *Erythraeus* Latr. 1806 p. 178, OUDEMANS **453.**

Leuchsia **gen. nov.** [Smarididae] defined p. 182; type species *L. grandjeani* **sp. nov.** Colon, Panama p. 182 figs.; *L. vestita* Gervais 1849 **comb. nov.** for *Smaridia vestita* p. 186; *L. nicoletii* Gervais 1849 **comb. nov.** for *Smaridia nicoletii* p. 186, OUDEMANS Zool. Anz. Leipzig **136** 1941.

Liponyssus bacoti functional morphology of the mouth parts p. 349 figs., HUGHES **296**; *L. bacoti* new record for Helsinki, Finland p. 70 figs., PIRILÄ & KILPIÖ **467.**

Listrophorus bakeri **sp. nov.** ♂. ♀ on cotton rat (*Sigmodon hispidus texianus*), Thomasville, Georgia p. 934 figs.; *L. floridanus* **sp. nov.** ♂ on Gopher (*Geomys tuza tuza*), Folkston, Georgia p. 936 fig., RADFORD Proc. zool. Soc. London **118** 1949.

Macronyssus carnifex note p. 502 fig., BIANCHI ET AL. **60.**

Microthrombidium (s. str.) *mexicanum* sp. nov. Fortin de las Flores, Vera Cruz, Mexico p. 232 figs., ANDRÉ Bull. Mus. Hist. nat. Paris (2) **21** 1949; *M.* (*E.*) *kervillei* var. *diversipalpis* characters p. 72 figs., ANDRÉ **17**; *M.* Haller 1882, type species *M. purpureum* sensu Haller, syn. *Trombidium pusillum* Hermann 1804, non syn. *Trombidium purpureum* C. L. Koch 1837 = *Dinothrombium purpureum* (C. L. Koch), Oudemans 1917 p. 255, WILLMANN **688.**

Morieria **nom. nov.** pro *Erythrolophus* Berl. 1920 preocc. *Erythrolophus* Swinhoe 1892 p. 179; *M. novae-hollandiae* **nom. nov.** pro *Erythraeus* (*Erythrolophus*) *froggatti* Berl. 1920 non *Erythraeus froggatti* Oudms. 1910 p. 179, OUDEMANS **453.**

Myialgopsis trinotoni ♂ described on *Trinoton aculeatum* [Mallophaga], Kitereka, Busoga, Uganda p. 934 figs., RADFORD **493.**

Myobia stewardi **sp. nov.** ♂ on *Rattus rattus rufescens*, Kangla Tongbi, Manipur State, India p. 529 figs.; *M. longa* ♂. ♀ redescribed p. 525 figs.; *M. simplex* ♂ described, on short tailed shrew (*Blarina brevicauda talpoides*), Silverspring, Maryland, U.S.A. p. 527 figs., RADFORD Bull. Mus. Hist. nat. Paris (2) **20** 1948 [1949].

Myonyssus dubinini **sp. nov.** ♀ on *Apodemus speciosus* and *Mustela sibirica*, Primorsk, Russia p. 751 fig.; *M.* key to species p. 752, [BREGETOVA] C.R. Acad. Sci. Moscow N.S. **67** 1949.

Myrmonyssus eidmanni **sp. nov.** ♀ in nest of ant, *Crematogaster impressa*, Fernando Po p. 221 figs.; *M. minor* **sp. nov.** ♂. ♀ in nest of ant, *Crematogaster impressa*, Fernando Po p. 225 figs., SELLNICK Zool. Anz. Leipzig **136** 1941.

Nanhermannia hirsuta **sp. nov.** ♀ in armadillo nest, Travis County, Texas p. 169 fig.; *N.* key to spp. p. 169, HARTMAN Proc. ent. Soc. Washington **51** 1949.

Nanorchestes arboriger variation of descriptions p. 260 figs., WEIS-FOGH **671.**

Neocheyletiella **gen. nov.** [Cheyletidae] defined, key to species p. 271; type species *N. rohweri* **sp. nov.** ♀ on *Sitta pygmaea melanotis* [Aves], Guffey, Colorado p. 274 fig.; *N. smallwoodae* **sp. nov.** ♀ on *Leucosticte australis* [Aves], Guffey, Colorado p. 273 figs.; *N. canadensis* **comb. nov.** pro *Cheyletiella canadensis* Banks 1909 p. 272 figs.; *N. chanayi* **comb. nov.** pro *Cheyletiella chanayi* Berl. & Trt. 1889 p. 274 figs.; *N. heteropalpus* **comb. nov.** pro *Cheletiella heteropalpa* (Megnin 1878) p. 272; *N. macronycha* **comb. nov.** pro *Cheletiella macronycha* (Megnin 1878) p. 272; *N. microrhyncha* **comb. nov.** pro *Cheletiella microrhyncha* (Berl. & Trt. 1889) p. 272; *N. pinguis* **comb. nov.** pro *Cheletiella pinguis* (Berlese 1889) p. 275, BAKER Proc. U.S. Nat. Mus. **99** 1949.

Neoichoronyssus wernecki new record, on opossums (*Didelphis*), Texas and South Georgia p. 217, MORLAN & STRANDTMANN **432.**

Niemannia **gen. nov.** [Smarididae] type species *Smaridia ampulligera* Berl, 1887 p. 181, OUDEMANS Zool. Anz. Leipzig **136** 1941.

Ophionyssus historical review p. 583 ; *O. serpentium* (Hirst, 1915), *O. easti* (Ewing, 1925) and *Steatonyssus arabicus* (Hirst, 1921) placed in synonymy under *Ophionyssus natricis* (Gervais) p. 589 fig., CAMIN **95**.

Oplitis paradoxa notes p. 226 fig., SELLNICK **557**.

Oppia melisi **sp. nov.** in cave, Skippola, Bologna, Italy p. 39 figs., VALLE Monit. zool. ital. Firenze **57** 1949.

Oribatula pannonica **sp. nov.** Ciechocinek, Germany p. 130 fig., WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949.

Pachylaelaps sculptus ♂ described p. 38 fig., SCHWEIZER **551**.

Panteniphis **gen. nov.** (Laelaptidae) defined p. 342 ; type species *P. mirandus* **sp. nov.** ♀ Panten, Silesia p. 344 figs., WILLMANN Abh. naturw. Ver. Bremen **32** 1949.

Parasitus digitus **sp. nov.** ♂ from *Rattus norvegicus*, San Juan (Santurce), Puerto Rico p. 37 fig., FOX Florida Ent. **32** 1949 ; *P. jugulatus* **sp. nov.** ♂ . ♀ Swiss National Parks, Switzerland p. 10 figs. ; *P. bombophilus* ♀ described p. 16 figs. ; *P. fimetorum* notes p. 8 fig. ; *P. fucorum* redescribed p. 14 fig., SCHWEIZER Rés. Rech. scient. Parc Nation. Suisse N.F. **2** 21 1949.

Paratetranychus unungius, systematic position and biology p. 339 figs., CIAMPOLINI **127**.

Paratydeus **gen. nov.** [Paratydeidae] defined p. 119 ; type species *P. alexanderi* **sp. nov.** ♀ intercepted at Brownsville, Texas on twig with bananas from Mexico p. 120 figs., BAKER Proc. ent. Soc. Washington **51** 1949.

Parazercon sellnicki **sp. nov.** ♂ . ♀ Swiss National Park, Switzerland p. 23 figs. ; *P. willmanni* **sp. nov.** ♂ . ♀ Swiss National Parks, Switzerland p. 25 fig., SCHWEIZER Rés. Rech. scient. Parc Nation. Suisse N.F. **2** 20 1948 ; *P. sarekensis* note p. 86 fig., SCHWEIZER **551**.

Pavania **gen. nov.** [Tarsonemidae] defined p. 67 ; type species *P. fusiformis* **sp. nov.** on *Scarabaeus sacer* [Coleopt.], Tortona, Italy p. 68 figs., LOMBARDINI Redia, Firenze **34** 1949.

Pediculoides ipidurius **sp. nov.** on *Ips typographus* (Bark beetle), European Russia p. 247 fig., [REDIKORTZEV] Ent. Obozr. Moscow **29** 1947.

Pediculopsis graminum new to Britain p. 65, MASSEE **395**.

Pergamasus lapponicus var. *silesiacus* **var. nov.** ♂ . ♀ Panten, Silesia p. **341**, WILLMANN Abh. naturw. Ver. Bremen **32** 1949 ; *P. lapponicus* redescribed p. 28 fig., SCHWEIZER **551**.

Phaulotrachytes **gen. nov.** [Phaulodinychidae] defined p. 510 ; type species *Trachyuropoda rackei* Oudemans, 1912 p. 511, BIANCHI ET AL. Comment. pont. Acad. Scient. **13** 1949.

Phrynacarus **gen. nov.** [Trombiculidae] defined p. 463 ; type species *P. fitzsimonsi* **sp. nov.** larva from *Heleophryne regis* [Snake], Jonkersberg Mts., Cape Province p. 463 fig., LAWRENCE Ann. Natal Mus. P'mburg **11** 1949.

Phyllocoptes roivaineni **comb. nov.** pro *Eriophyes roivaineni* Liro 1942 p. 26 fig., ROIVAINEN **527**.

Pimeliaphilus isometri **sp. nov.** ♀ on *Isometrus* sp., Manila, P.I. p. 123 figs., CUNLIFFE Proc. ent. Soc. Washington **51** 1949.

Platytrombidium trispinum measurements of palps p. 4 fig., COOREMAN **147**.

Pomerantzia **gen. nov.** [Pomerantziidae] defined p. 269 ; type species *P. charlesi* **sp. nov.** ♀ Upson County, Georgia p. 269 figs., BAKER J. Wash. Acad. Sci. **39** 1949.

Prodinychus cicatricosus **sp. nov.** ♂ in *Sphagnum*, Hermsdorf, Erzgebirge, Germany p. 73 figs., FRANKE Zool. Anz. Leipzig **136** 1941.

Protoholaspis **gen. nov.** [Macrochelidae] defined p. 319 ; type species *P. peruanus* **sp. nov.** ♀ Peru p. 319 figs., TRÄGÅRDH Ent. Medd., Copenhagen **25** 1949.

Protomyobia claparedei redescribed p. 93 figs., RADFORD **491**.

Pseuduropoda breviunguiculata **sp. nov.** Ciechocinek, Germany p. 122 figs., WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949.

Pygmephorus togatus **sp. nov.** ♀ Jahrsmoor, Hamburg-Altona, Germany p. 175 figs., WILLMANN Abh. naturw. Ges. Bremen **32** 1942 ; *P. abdominalis polonicus* **subsp. nov.** ♀ Ciechocinek.

Germany p. 124, WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949.

Radfordia ensifera redescribed p. 95 figs., RADFORD **491**; *R. brevihamata* redescribed p. 427 figs.; *R. lemnina* redescribed p. 425 figs., RADFORD **492**.

Rhizoglyphus mexicanus **sp. nov.** p. 66 figs.; *R. mexicanus mexicanus* **subsp. nov.** ♂. ♀ in leaf mould, Apatzingan, Michoacan, Mexico p. 67; *R. mexicanus major* **subsp. nov.** in leaf mould, Popalgapan, Oaxaca, Mexico p. 68 fig.; *R. mexicanus minor* **subsp. nov.** ♂. ♀ in leaf mould, Orizaba, Veracruz, Mexico p. 69, NESBITT Pan-Pacific Ent. S. Francisco **25** 1949.

Rhyncaphytoptus alnicola **sp. nov.** ♀ on leaves on *Alnus incana* f. *parvifolia*, Gilleleje, Denmark p. 30 fig.; *R. gracilipes* **comb. nov.** pro *Phyllocoptes gracilipes* Nal. 1896 p. 31 fig.; *R. longitarsus* **comb. nov.** pro *Trimerus longitarsus* Nal. 1898 p. 31, ROIVAINEN Ann. ent. fenn. Helsinki **15** 1949.

Samouellea **gen. nov.** [Smarididae] type species *Smaridia depilata* Berlese 1888 p. 181, OUDEMANS Zool. Anz. Leipzig **136** 1941.

Saprogamasus **gen. nov.** [Saprogamasidae] near Parasitidae, defined p. 136; type species *S. ambulacralis* **sp. nov.** ♂. ♀ nymph on rotting potato, Bremen, Germany p. 136 figs., WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949.

Sarcoptes scabiei var. *cameli* redescribed p. 12 figs., SAID **530**.

Sauracarella **gen. nov.** [Trombiculidae] defined p. 448; type species *S. whartoni* **sp. nov.** larva from *Pseudocordylus subviridis* [Lizard], Bushman's Peak, Drakensberg Mts., Natal p. 450 fig.; *S. africana* **sp. nov.** larva from *Tetradactylus seps seps* [Lizard], French Hoek, Cape Province p. 451 fig.; *S. montanus* **sp. nov.** larva from *Tropidosaura cotrelli* [Lizard], Mont-aux-Sources, Drakensberg Mts., Natal p. 452 fig., LAWRENCE Ann. Natal Mus. P'mburg. **11** 1949.

Sauriscus **gen. nov.** [Trombiculidae] defined p. 452; type species *S. ewingi* **sp. nov.** larva from *Pachydactylus bibronii turneri* [Lizard], Aus, Great Namaqualand, South-West Africa p. 453 fig., LAWRENCE Ann. Natal Mus. P'mburg **11** 1949.

Schizotetranychus graminicola **sp. nov.** ♂. ♀ larva, on Graminaceae, Bessenay, Rhône, France p. 100 figs., GOUX Bull. Soc. linn. Lyon **18** 1949.

Schöngastia gerrhosauri **sp. nov.** larva from *Gerrhosaurus flavigularis* [Lizard], Kranzkop, Natal p. 426 fig.; *S. mabuyana* **sp. nov.** larva from *Mabuya striata* [Lizard], Chishawasha, S. Rhodesia p. 423 fig.; *S. monticola* **sp. nov.** larva from *Pseudocordylus subviridis* [Lizard], Champagne Castle, Drakensberg Mts., Natal p. 425 fig.; *S. platysauri* **sp. nov.** larva from *Platysaurus guttatus rhodesiensis* [Lizard], Bulawayo, S. Rhodesia p. 428 fig.; *S. pseudocordyli* **sp. nov.** larva from *Pseudocordylus spinosus* [Lizard], Champagne Castle, Drakensburg Mts., Natal p. 429 fig.; *S. scincicola* **sp. nov.** larva from *Mabuya varia* [Lizard], Vumba, S. Rhodesia p. 427 fig., LAWRENCE Ann. Natal Mus. P'mburg. **11** 1949.

Scutacarus tackei **sp. nov.** Königsmoor, Oyten, Germany p. 171 figs., WILLMANN Abh. naturw. Ges. Bremen **32** 1942.

Smaridia intermedia **sp. nov.** on *Musca domestica*, Rome, Italy p. 72 figs., LOMBARDINI Redia, Firenze **34** 1949.

Stygothrombium gallicum **sp. nov.** Sur le Tech, Pyrénées-Orientales, France p. 68 figs., ANDRÉ Bull. Mus. Hist. nat. Paris (2) **21** 1949.

Tarsonemoides belemnitoides **sp. nov.** Mols, Djursland, Jutland p. 258 figs.; *T. brevilobus* **sp. nov.** Mols, Djursland, Jutland p. 258 figs.; *T. monoporus* **sp. nov.** Mols, Djursland, Jutland p. 260 figs., WEIS-FOGH Nat. Jutlandica, Aarhus **1** 1947; *T. polonicus* **sp. nov.** Ciechocinek, Germany p. 125 fig., WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949; *T. silesiacus* **sp. nov.** ♀ Panten, Silesia p. 245 figs., WILLMANN Abh. naturw. Ver. Bremen **32** 1949; *T. uliginosus* **sp. nov.** ♀ Konigsmoor, Oyten, Germany p. 178 figs., WILLMANN Abh. naturw. Ges. Bremen **32** 1942.

Terpnacarus subterraneus **sp. nov.** Mols, Djursland, Jutland p. 261 figs., WEIS-FOGH Nat. Jutlandica Aarhus **1** 1947.

Tetranychus lintearius spinning gland and chaetotaxy of tibia and tarsus p. 517 figs., GRANDJEAN **258**.

Tetrasejaspis **gen. nov.** [Dinychidae] defined p. 145; type species *T. dinychoides* **sp. nov.** in moss and humus, La Guayra, Venezuela p. 145 figs., SELLNICK Zool. Anz. Leipzig **135** 1941.

Thecarthra theca morphology p. 421, [DUBININ] **191.**

Trombicula claviglicola **sp. nov.** larva, from South African dormouse, *Claviglis murinus*, South Africa p. 410 figs.; *T. natalensis* **sp. nov.** larva, Horse-shoe bat, *Rhinolophus geoffroyi zuluensis*, Noodsberg, Natal p. 413 fig.; *T. nivaria* **sp. nov.** larva from *Œdura nivaria* [Lizard], National Park, Drakensberg Mts., Natal p. 439 fig.; *T. rhodesiana* **sp. nov.** larva from *Mabuya 5-taeniata margaritifer* [Lizard], Bulawayo, South Rhodesia p. 437 fig., LAWRENCE Ann. Natal Mus. P'mburg **11** 1949; *T. beltrani* **sp. nov.** larva on bat, *Nycteris borealis mexicana*, Santo Domingo, Matamoros, Puebla, Mexico p. 185 figs., HOFFMANN Rev. Soc. Mexicana Hist. nat. **10** 1949; *T. psittaci* **sp. nov.** larva on parrot, French Guiana p. 1 figs., FLOCH & ABONNENC Pub. Inst. Pasteur Guyane, Cayenne no. 191 1949; *T. talicei* **sp. nov.** Uruguay p. 92 figs., FERNANDEZ & LLOSA An. Inst. Hig. Montevideo **2** 1948; *T. deliensis* details on morphology, life-history, habits p. 159, MEHTA **403**; *T. splendens* notes on larva and adult p. 201 figs., JENKINS **307**; *T.* (*Eutrombicula*) key to American larvae p. 296: *T. alfreddugèsi* redescribed p. 305 figs.; T. *batatas* redescribed p. 298 figs.; *T. goldii* redescribed p. 312 figs.; *T. multisetosa* redescribed p. 298 figs.; *T. splendens* redescribed p. 303 figs., JENKINS **306.**

Trombidium ewingi **nom. nov.** pro *T. glabrum* Walch, 1927 preocc. p. 1, FULLER **237.**

Turbinoptes **gen. nov.** [Epidermoptidae] defined p. 295; type species *T. strandtmanni* **sp. nov.** ♂. ♀ nymph larva from nasal cavity of ring-billed gull *Larus delawarensis* Ord., Galveston, Texas p. 295 figs., BOYD J. Parasit. Lancaster, Pa. **35** 1949.

Tydeus ellipticus **sp. nov.** ♀. ♂ Rome, Italy p. 73 fig., LOMBARDINI Redia, Firenze **34** 1949; *T. tridactylus* **sp. nov.** Mols, Djursland, Jutland p. 262 figs., WEIS-FOGH Nat. Jutlandica, Aarhus **1** 1947.

Tyrophagus key to spp. p. 385; *T. parvulus* **sp. nov.** ♂. ♀ on decaying stems of *Cineria*, Smolensk, U.S.S.R. p. 388 figs.; *T. similis* **sp. nov.** ♂. ♀ in granary, Smolensk, U.S.S.R. p. 387 figs., [VOLGIN] C.R. Acad. Sci. Moscow N.S. **65** 1949.

Valgothrombium longipes **sp. nov.** in *Sphagnum*, Kempfenbergmoor, Crossen/Oder, Germany p. 166 figs., FRANKE Zool. Anz. Leipzig **137** 1942.

Variatiopsis **gen. nov.** [Scutacaridae] defined p. 123; type species *V. longitarsis* **sp. nov.** ♀ Ciechocinek, Germany p. 123 figs., WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949.

Vasates acericola **comb. nov.** pro *Phyllocoptes acericola* Nal. 1894 p. 24; *V. alni-incanae* **comb. nov.** pro *Phyllocoptes alni-incanae* Roiv. 1947 p. 24 fig.; *V. aucupariae* **comb. nov.** pro *Phyllocoptes aucupariae* Liro 1943 p. 25 fig., *V. fockeui* **comb. nov.** pro *Phyllocoptes fockeui* Nal. & Trt. 1896 p. 26; *V. oblongus* **comb. nov.** pro *Phyllocoptes oblongus* Nal. 1896 p. 26, ROIVAINEN **527.**

Veigaia herculeanus ♀ redescribed p. 32 fig.; *V. nemorensis* ♀ notes p. 30 fig.; *V. transisalae* notes p. 31 fig., SCHWEIZER **551**; *V. nemorensis* note p. 505 figs.; *V. serrata* note p. 507 fig., BIANCHI ET AL. **60.**

Veithia **gen. nov.** [Smarididae] defined p. 182; type species *V. schneideri* **sp. nov.** San Remo, Italy p. 182; *V. assmuthi* **sp. nov.** on bat, Chandala, Bombay p. 182, OUDEMANS Zool. Anz. Leipzig **136** 1941.

Vitzthumia granulata **sp. nov.** ♀. ♂ Ciechocinek, Germany p. 112 figs.; *V. spinosa* **sp. nov.** ♀ Ciechocinek, Germany p. 114 figs., WILLMANN Veröff. Mus. Nat. Bremen No. 1A 1949; *V. magniscutum* **sp. nov.** ♀ Mols, Djursland, Jutland p. 253 figs., WEIS-FOGH Nat. Jutlandica, Aarhus **1** 1947.

Uropoda exigua **sp. nov.** ♀ from *Rattus norvegicus*, San Juan (Santurce), Puerto Rico p. 40 fig., FOX Florida Ent. **32** 1949.

Whartonia nudosetosa new data on distribution and hosts in Mexico p. 189, HOFFMANN **289.**

Zercon keiseri **sp. nov.** Swiss National Parks, Switzerland p. 82 fig.; *Z. sarasinorum* **sp. nov.** ♀ Swiss National Parks p. 84 fig., SCHWEIZER Rés. Rech. scient. Parc Nation. Suisse N.F. **2** 21 1949.

IXODOIDEA

Key to chaetotaxy of larvae of Russian species p. 247, GLASHCHINSKAIA-BABENKO **250.**

Distribution of species in Yugoslavia, MIKAČIĆ **411.**

Faunal list.—Argasidae of Italy, STARKOFF **588**; Kiev, Russia, [EMTCHUK] **198**; Portuguese Guinea, TENDEIRO **600**; Banningville, Belgian Congo, FAIN **207.**

Amblyomma ovale kriegi **subsp. nov.** ♂. ♀ Azarafuchs, Lapango, Gran Chaco, Argentina p. 184 fig., SCHULZE Zool. Anz. Leipzig **134** 1941; *A. nuttalli* teratology p. 229 figs., DIAS **177**; *A. tholloni*, egg, larva and nymph redescribed p. 45 figs., DIAS **182**; *A. variegatum*, three cases of malformations p. 47 figs., DIAS **183.**

Aponomma gervaisii toreuma **subsp. nov.** ♂. ♀ Beluchistan p. 181 figs.; *A. oudemansi galactites* **subsp. nov.** ♀ Sydney, New South Wales p. 183 fig., SCHULZE Zool. Anz. Leipzig **134** 1941; *A. transversale* ♂. ♀ nymph redescribed p. 127 figs., DIAS **176.**

Boophilus calcaratus sense organs p. 1, figs., DINNIK & ZUMPT **184.**

Ceratixodes uriae on yellow-billed albatross (*Nealbatros chlororhynchus*), Kleinemonde, nr. Port Alfred, Cape Province p. 158, COOPER & COOPER **142.**

Dermacentor daghestanicus and *D. marginatus* chaetotaxy of larva p. 389 figs., [LOTOTZKII] **371.**

Haemaphysalis centropi **sp. nov.** ♂. ♀ on lesser coucal, *Centropus bengalensis bengalensis*, Myitkyina area, Upper Burma p. 388 figs., KOHLS J. Parasit. Lancaster, Pa. **35** 1949.

Hyalomma synonymy p. 464; *H. aegyptium* p. 468; *H. brumpti* p. 470; *H. detritum* p. 471 figs.; *H. dromedarii* p. 473 figs.; *H. excavatum* p. 474 figs.; *H. impressum* p. 478 fig.; *H. rufipes* p. 479 fig.; *H. savignyi* p. 479 figs.; *H. schulzei* p. 483; *H. transiens* p. 483 figs., DELFY **165**; *H. dromedarii* sense organs p. 1 figs., DINNIK & ZUMPT **184**; *H. savignyi* notes, distribution in Spain p. 47 figs., PRADA **479**; *H. savignyii* characters p. 319 fig., TENDEIRO **601.**

Ixodes (*Pholeoixodes*) *hirundinicola* **sp. nov.** nymph, on *Delichon urbica* [House-martin], Oiti-Gebirge, Lamia, Greece p. 213 figs., SCHULZE Zool. Anz. Leipzig **144** 1944; *I. transcaucasicus hystrix* **subsp. nov.** ♂. ♀ on *Apodemus scherman*, Langadas, Salonika p. 148 figs., SCHULZE Zool. Anz. Leipzig **144** 1944; *I. ricinus* scutum variation p. 235, ARTHUR **27**; *I. scapularis* new host, nymph on lizard, *Ophisaurus ventralis* p. 238, EADS **194.**

Ornithodoros hermsi new record, from bluebird nest, West Summerland, British Columbia, attacking man p. 15, GREGSON **263.**

Rhipicephalinus **subgen. nov.** see *Rhipicephalus*, ZUMPT **690.**

Rhipicephalus revision of genus with key to adults p. 57; *R.* (s. str.) *arnoldi* **sp. nov.** ♂. ♀ Theiler & Zumpt, ex *Lepus* sp., Toverwater, Murraysburg, Cape, South Africa p. 111 figs.; *R.* (s. str.) *bequaerti* **sp. nov.** ♂. ♀ ex buffalo, (*Syncerus caffer*), Central Africa p. 119 figs.; *R.* (*Rhipicephalinus* **subgen. nov.**) type species *R. cuspidatus* Neumann p. 60; *R. appendiculatus* p. 75 figs.; *R. bursa* p. 82 fig.; *R. capensis capensis* p. 79 figs.; *R. capensis longus* p. 80 fig.; *R. duttoni* p. 69 fig.; *R. dux* p. 94 figs.; *R. humeralis* p. 97 fig.; *R. lunulatus* p. 90 figs.; *R. maculatus* p. 95 figs.; *R. masseyi* p. 78 figs.; *R. neavei* p. 73 figs.; *R. oculatus* p. 65 figs.; *R. planus complanatus* p. 93 fig.; *R. planus planus* p. 93 figs.; *R. pravus* p. 72 figs.; *R. pusillus* p. 82 fig.; *R. reichenowi* p. 92 fig.; *R. sanguineus sanguineus* p. 86 figs.; *R. simus senegalensis* p. 91 figs.; *R. supertritus* p. 71 figs.; *R. theileri* p. 61 figs.; *R. ziemanni* p. 79 fig., ZUMPT Moçambique, Lourenço Marques No. 60 1949; *R. appendiculatus*, *R. sanguineus* sense organs p. 1 figs., DINNIK & ZUMPT **184**; *R. maculatus* all stages redescribed, hosts, biology and life history p. 81 figs., DIAS **179.**

HYDRACHNOIDEA

Designation of families p. 311, VIETS **653.**

P. Kramer's Collection of Hydrachnellae in Berlin Museum, VIETS **655.**

Faunal lists.—Halacaridae, England, FOUNTAIN **229**; England, MACAN **375**; South Wales, JONES **310**; France, CHAUDONNERET **123**; Bottenviken, Sweden, SVENONIUS **596**; Lake Maggiore, Italy, RAMAZZOTTI **496**; Otterstedter Sea, Germany, VIETS **658**; Hydrachnellae of Albert National Park, Belgian Congo, LUNDBLAD **373**; Of subterranean waters, SZALAY **597**.

ATRACTIDINAE subfam. for *Atractides spinipes* C. L. Koch 1837 not *Megapusinae*: synon. *Megapus*, type species *Atractides spinipes* C. L. Koch 1837 p. 178, OUDEMANS **453**.

ATURAE superfam. for ATURIDAE for ATURUS Kramer 1875 p. 178, OUDEMANS **453**.

BOGATIIDAE **fam. nov.** for *Bogatia* q.v., MOTAS & TANASACHI Ann. Sci. Univ. Jassy (2) **31** 1948 [**436**].

BRACHYPODINAE subfam. for *Brachypoda* Lebert 1879 and *Axonopsis* Piersig 1893 not AXONOPSINAE p. 178, OUDEMANS **453**.

DIPLODONTAE **superfam. nov.** non Hydryphantae p. 210, VIETS Zool. Anz. Leipzig **138** 1942.

DIPLODONTIDAE **fam. nov.** for Hydryphantidae p. 210; for *Diplodontus* Dugès 1833 non *Hydryphantes* Koch 1841 p. 210, VIETS Zool. Anz. Leipzig **138** 1942.

HYDRACHNIDAE on the family name p. 177, OUDEMANS **453**.

HYDROCHOREUTAE **superfam. nov.**, HYDROCHOREUTIDAE **fam. nov.** for Pionidae p. 210; HYDROCHOREUTINAE **subfam. nov.** for Acerinae p. 211, VIETS Zool. Anz. Leipzig **138** 1942.

KRENDOWSKIAE **superfam. nov.** to embrace Athienemanniidae and Krendowskijidae p. 211, VIETS Zool. Anz. Leipzig **138** 1942.

LIMNESIAE superfam. not PIONAE for *Limnesia* C. L. Koch 1836 is older than *Piona* C. L. Koch 1842 p. 178, OUDEMANS **453**.

MIDEOPSAE superfam. for *Mideae*, *Midea* Bruzelius 1854 p. 178, OUDEMANS **453**.

NILOTONIIDAE to include *Nilotonia* Thor, May 1905 and *Anisitsiella* Daday, June 1905 p. 177, Subfamilies NILOTONIINAE and ANISITSIELLINAE p. 177, OUDEMANS **453**.

OXIDAE for subfamilies OXINAE and LEBERTINAE: *Oxus* Kramer 1877 and *Lebertia* Neuman 1880 p. 178, OUDEMANS **453**.

PARTNUNIIDAE **fam. nov.** and PARTNUNIINAE **subfam. nov.** for Protziidae and Protziinae, *Partnunia* Piers. 1896 prior to *Protzia* Piers. 1896 p. 210, VIETS Zool. Anz. Leipzig **138** 1942.

SPERCHONAE superfamily not LEBERTIAE p. 178, OUDEMANS **453**.

TIPHYSIDAE and TIPHYSINAE, not Acercinae for *Tiphys* C. L. Koch 1836 p. 178, OUDEMANS **453**.

TORRENTICOLIDAE and subfamily TORRENTICOLINAE for *Torrenticola* Piersig 1897, type species *Atractides anomalus* C. L. Koch 1837 p. 178, OUDEMANS **453**.

ZSCHOKKEINAE **subfam. nov.** for Euthyasinae, *Zschokkea* Koen. 1892, *Euthyas* Piers. 1896 p. 210, VIETS Zool. Anz. Leipzig **138** 1942.

Acercus nomenclature discussed p. 298, VIETS **653**.

Africobates **gen. nov.** [Hygrobatidae] defined p. 43; type species *A. szalayi* **sp. nov.** ♂. ♀ Kishushu, Belgian Congo p. 43 fig., LUNDBLAD Explor. Parc Nation. Albert, Bruxelles, Mission H. Damas (1935–36) Fasc. 18 1949.

Agaue bradypus **sp. nov.** ♀ Yaquina Head, Oregon p. 9 figs., NEWELL Amer. Mus. Nov. No. 1411 1949.

Allolemienia **subgen. nov.** see *Neumania*, LUNDBLAD **373**.

Alloneumania **subgen. nov.** see *Ecpolus*, LUNDBLAD **373**

Anomalohalacarus **gen. nov.** defined p. 21; type species *Halacarus anomalus* Trouessart, 1894 p. 21, NEWELL Amer. Mus. Nov. no. 1411 1949.

Arrenurus (*Megaluracarus*) *iniquiformis* **sp. nov.** ♂ Ngesho Sea, Belgian Congo p. 73 fig.; *A.* (*M.*) *geniculatus* subsp. *damasi* **subsp. nov.** ♂. ♀ Kalondo: Ngesho Sea, Belgian Congo p. 71 fig.; *A.* (*M.*) *insecutus* redescribed p. 70 fig.; *A.* (*Micruracarus*) *cylindripetiolatus* **sp. nov.** ♂. ♀ Kalondo, Belgian Congo p. 79 fig.; *A.* (*M.*) *walteri* **sp. nov.** ♂ Kibuya: Kisenyi, Belgian Congo p. 75 fig.; *A.* (*M.*) *calamifer* var. *congoensis* **var. nov.** ♂ Kalondo: Ngesho Sea: Kisenyi, Belgian

Congo p. 81 fig.; *A.* (*M.*) *sinipetiolatus* notes p. 81 fig.; *A.* (*M.*) *tubifer* redescribed p. 77 fig., LUNDBLAD Explor. Parc Nation. Albert, Bruxelles. Mission H. Damas (1935–36) Fasc. 18 1949; *A. biscissus* new to Italy p. 335; *A. cylindratus* new to Italy p. 334 fig.; *A. forpicatus* new to Italy p. 335; *A. nobilis* new to Italy p. 332, RAMAZZOTTI **496**; *A.* (s. str.) *ornatus* new to Germany, ♂. ♀ redescribed p. 336 figs., VIETS **658**.

Atractides (s. str.) *afer* **sp. nov.** Magera Sea, Belgian Congo p. 28 fig.; *A.* (s. str.) *bryki* redescribed p. 31 fig.; *A.* (s. str.) *ventriosus* redescribed p. 29 fig., LUNDBLAD Explor. Parc Nation. Albert, Bruxelles. Mission H. Damas (1935–36) Fasc. 18 1949; *A. fagei* **sp. nov.** ♂. ♀ Eastern Pyrenees, France p. 88, ANGELIER Bull. Mus. Hist. nat. Paris (2) **21** 1949; *A.* (*Atractides*) *nipponicus* **sp. nov.** ♂. ♀ Mitukuri, River Inôzawa, Izu, Japan p. 221 figs.; *A.* (*A.*) *ellipticus* ♀ redescribed p. 213 figs.; *A.* (*A.*) *stadleri* ♂. ♀ redescribed p. 216 figs.; *A.* (*Rusetria*) *semisutus* ♂. ♀ redescribed p. 225 figs., ENAMI Sci. Rep. Tôhoku Univ. (4) Biol. **15** 1940; *A. africanus* **nom. nov.** for *Megapus algeriensis* Lundblad 1942 p. 297; *A. kamerunensis* **nom. nov.** for *Megapus damköhleri* Viets 1916 p. 297; *A. latipalpis dragonensis* **nom. nov.** for *Megapus latipalpis affinis* Szalay 1946 p. 297; *A. cordatus* **nom. nov.** for *Megapus lundbladi* Halik 1947 p. 297; *A. madericolus* **nom. nov.** pro *Megapus maderensis* Lundblad 1941 p. 297; *A. dentiferus* **nom. nov.** pro *Megapus rectipes* Walter 1947 p. 297; *A. gracilirostris* **nom. nov.** pro *Megapus* (*Tympanomegapus*) *spinirostris* Thor 1923 p. 297; *A.* nomenclature discussed and synonymy p. 292, VIETS **653**.

Aturus caudatus **sp. nov.** ♂. ♀ River Inôzawa, O'Kiti-ga-Futi, Izu, Japan p. 249 figs.; *A. miyashitai* ♂. ♀ redescribed p. 244 figs., ENAMI Sci. Rep. Tôhoku Univ. (4) Biol. **15** 1940.

Axonopsalbia (*Pseudaxonopsalbia* **subgen. nov.**) type species *A. separata* **nom. nov.** = syn. *A. procera* Walt. 1937 p. 211 fig.; *A.* (*Hexaxonopsalbia* **subgen. nov.**) type species *A. hexapora* Viets 1935 p. 212, VIETS Zool. Anz. Leipzig **138** 1942.

Axonopsis (*Hexaxonopsis*) *trituberculata* redescribed p. 68 fig., LUNDBLAD **373**.

Azugofeltria **gen. nov.** type species *A. mira* **sp. nov.** Roumania, MOTAS & TANASACHI Ann. Sci. Univ. Jassy (2) **31** 1948 [**436**].

Bogatia **gen. nov.** [*Bogatiidae*] type species *B. maxillaris* **sp. nov.** Roumania, MOTAS & TANASACHI Ann. Sci. Univ. Jassy (2) **31** 1948 [**436**].

Brachypoda (*Plesiobrachypoda* **subgen. nov.**) p. 212, VIETS Zool. Anz. Leipzig **138** 1942; *B. versicolor* var. ♂. ♀ River Inôzawa, Otiai, Izu, Japan p. 238 figs., ENAMI **199**.

Calonyx japonicus ♂. ♀ redescribed p. 204 figs., ENAMI **199**.

Centrolimnesia geijskesi **sp. nov.** ♀ Litani, Fetikreek, Surinam p. 163 figs., BESSELING Tijdschr. Ent. Amsterdam **91** (1948) 1949.

Copidognathus pseudosetosus **sp. nov.** ♂. ♀ St. Paul Id., Alaska p. 14 figs., NEWELL Amer. Mus. Nov. no. 1411 1949; *C.* (s.s.) *loricifer* new record for England p. 809, FOUNTAIN **229**.

Dadayella hirtipalpis **sp. nov.** ♀ Waremapan-kreek, Toemoek-Hoemak, Surinam p. 173 figs., BESSELING Tijdschr. Ent. Amsterdam **91** (1948) 1949.

Dartia (*Dartiella*) *micropora* redescribed p. 24 fig., LUNDBLAD **373**.

Diplodontus schaubi notes p. 17 fig., LUNDBLAD **373**.

Ecpolus (*Alloneumania* **subgen. nov.**) *dorsofenestratus* **sp. nov.** ♂. ♀ Kalondo: Kisenyi: Kamanda: Bita Sea: Lukulu Sea: Magera Sea: Ngesho, Belgian Congo p. 59 figs.; *E.* (*Subneumania*) *durus* var. *circumscriptus* **var. nov.** ♂. ♀ Kibuga: Ishango: Katwe, Belgian Congo p. 57 fig., LUNDBLAD Explor. Parc Nation. Albert, Bruxelles. Mission H. Damas (1935–36) Fasc. 18 1949.

Encentridophorus acutipes redescribed p. 44 fig., LUNDBLAD **373**.

Esekalla **subgen. nov.** see *Koenikea*, VIETS **657**.

Eylais planipons novata **nom. nov.** pro *E. planipons magna* Walter 1931 non *E. variabilis magna* Thor 1902 p. 211, VIETS Zool. Anz. Leipzig **138** 1942; *E.* (*Proteylais*) *degenerata* notes p. 12 fig., LUNDBLAD **373**; *E. extendens* variability p. 41 figs., VIETS **659**.

Feltria denticulata **sp. nov.** ♂ Eastern Pyrenees, France p. 89, ANGELIER Bull. Mus. Hist. nat. Paris (2) **21** 1949.

Forelia cetrata new to Italy p. 339; *F. curvipalpis* new to Italy p. 339; *F. gibberipes* new to Italy p. 340 figs., RAMAZZOTTI **496**; *F.* nomenclature discussed p. 307, VIETS **653**.

Heteratax falcipes redescribed p. 51 fig., LUNDBLAD **373**.

Hexaxonopsalbia **subgen. nov.** see *Axonopsalbia*, VIETS **657**.

Hungarohydracarus multiporus **sp. nov.** ♀ nymph Eastern Pyrenees. France p. 90, ANGELIER Bull. Mus. Hist. nat. Paris (2) **21** 1949.

Hydrachna (*Scutohydrachna*) *clavipalpis* **sp. nov.** ♂ ♀ Kalondo, Belgian Congo p. 10 fig.; *H.* (s. str.) *dartevellei* redescribed p. 8 fig.; *H.* (*Rhabdohydrachna*) *spinosa* characters p. 3 figs., LUNDBLADExplor. Parc. Nation. Albert, Bruxelles. Mission H. Damas (1935–36) Fasc. 18 1949; *H.* (*Rhabdohydrachna*) *dividua rhopaloidea* **subsp. nov.** ♂ Spain p. 211, VIETS Zool. Anz. Leipzig **138** 1942.

Hydrodroma motasi **sp. nov.** ♂. ♀ Tech, Eastern Pyrenees, France p. 85 figs., ANGELIER Bull. Mus. Hist. nat. Paris (2) **21** 1949.

Hydrovolzia vietsi **sp. nov.** Left bank of Tech, between Tech-sur-Tech and Arles-sur-Tech, Eastern Pyrenees, France p. 83 figs., ANGELIER Bull. Mus. Hist. nat. Paris (2) **21** 1949.

Hydryphantes (*Hydryphantes*) *novatus* **nom. nov.** for *H. novus* Viets 1939 p. 311, VIETS **653**; *H.* (s. str.) *peltatus* redescribed p. 12 fig.; *H.* (*Octohydryphantes*) *octoporus* notes p. 16 fig., LUNDBLAD **373**.

Hygrobates (s. str.) *damasi* **sp. nov.** ♂. ♀ Katwe, Belgian Congo p. 40 fig.; *H.* (*Monobates*) *chappuisi* redescribed p. 42 fig.; *H.* (s. str.) *soari* redescribed p. 39 fig., LUNDBLAD Explor. Parc Nation. Albert, Bruxelles. Mission H. Damas (1935–36) Fasc. 18 1949; *H.* (s. str.) *curvipalpis* **sp. nov.** ♂ ♀ Litani, Fetikreek, Surinam p. 164 figs., BESSELING Tijdschr. Ent. Amsterdam **91** (1948) 1949; *H.* (*H.*) *calliger* ♂. ♀ redescribed p. 230 figs., ENAMI **199**; *H. longiporus* discussion of nomenclature p. 312, VIETS **653**; *H. prosiliens* new to Italy p. 352; *H. trigonicus* new to Italy p. 353, RAMAZZOTTI **496**.

Koenikea (*Recifella*) *lundbladi* **sp. nov.** ♂ ♀ Litani, Fetikreek, Surinam p. 168 figs.; *K.* (subgen. ?) *truncata* **sp. nov.** ♀ Litani, Fetikreek, Surinam p. 170 figs.; *K.* (s. str.) *excavata* notes p. 166 figs.; *K.* (s. str.) *pallida* notes p. 167 figs., BESSELING Tijdschr. Ent. Amsterdam **91** (1948) 1949; *K.* (*Esekalla* **subgen. nov.**) type species *K. oxyura* Viets 1925 p. 211, VIETS Zool. Anz. Leipzig **138** 1942.

Kongsbergia concava praegracilis **nom. nov.** pro *K. concava longipalpis* Viets 1939 non *K.* (*Pseudokongsbergia*) *longipalpis* Walt. 1935 p. 212, VIETS Zool. Anz. Leipzig **138** 1942; *K.* (*Parakongsbergia* **subgen. nov.**) type species *K.* (*P.*) *hansvietsi* **sp. nov.** ♂ Vardar, Skoplje, South Serbia p. 328 figs., VIETS Abh. naturw. Ver. Bremen **32** 1949; *K. materna* ♂ redescribed p. 255 figs., ENAMI **199**.

Lebertia hibernica **nom. nov.** pro *L. koenikei* Halbert 1944 (non Thor 1913) p. 297; *L. laticoxalis* **nom. nov.** pro *L. latiepimerata* Halbert 1944 (non Husiat 1937) p. 297; *L. minuticornis* **nom. nov.** pro *L. minutipalpis* Halbert 1944 (non Viets 1920) p. 297; *L.* (*Lebertia*) *pilosa* redescribed p. 320 figs., VIETS **653**; *L. dubia* new to Italy p. 355; *L. exuta* new to Italy p. 355, RAMAZZOTTI **496**; *L.* (*Pilolebertia*) *leioderma* ♂. ♀ redescribed p. 210 figs., ENAMI **199**.

Lethaxona gallica **sp. nov.** ♂. ♀ Eastern Pyrenees, France p. 89, ANGELIER Bull. Mus. Hist. nat. Paris (2) **21** 1949.

Limnesia (*Tetralimnesia*) *damasi* **sp. nov.** ♂. ♀ Kishushu: Ishango, Belgian Congo p. 35 fig.; *L.* (*T.*) *damasi* var. *processifera* **var. nov.** ♂. ♀ Kamande, Belgian Congo p. 38 fig.; *L.* (s. str.) *longidens* **sp. nov.** ♀ Magera, Belgian Congo p. 32 fig.; *L.* (*T.*) *macropora* redescribed p. 34 fig., LUNDBLAD Explor. Parc. Nation. Albert, Bruxelles. Mission H. Damas (1935–36) Fasc. 18 1949; *L.* (*Duralimnesia*) *surinamensis* **sp. nov.** ♂ Boschbeek, Temomairen, Surinam p. 161 figs.; *L. dorsalis* var. **l. var. nov.** ♀ Waremapan-kreek, Toemoek-Hoemak, Surinam p. 160 figs.; *L. hesperia* measurements p. 159 figs., BESSELING Tijdschr. Ent. Amsterdam **91** 1949; *L. turki* **sp. nov.** Lake District, Westmorland, England p. 37 figs., FOUNTAIN

J. Quekett micr. Cl. (4) **3** 1949; *L.* (*Pterolimnesia* subgen. nov.) type species *L. armata* Koen. 1895 p. 211, VIETS Zool. Anz. Leipzig **138** 1942.

Lundbladia plumifera **sp. nov.** ♀ nymph Tech, Pyrénées Orientales p. 358 figs., ANGELIER Bull. Mus. Hist. nat. Paris (2) **21** 1949.

Mamersa testudinata redescribed p. 17 figs., LUNDBLAD **373.**

Megapus (*P.*) *elegans, M. magnirostris, M. microphtalmus, M. phreaticus, M. prosiliens, M. pygmaeus, M. sokolowi, M. szalayi* Roumania; *M.* (*Rhynchomegapus* **subgen. nov.**), MOTAS & TANASACHI Ann. Sci. Univ. Jassy (2) **31** 1948; *M.* (*Megapus*) *izuensis* **sp. nov.** ♂. ♀ River Inôzawa, Mitukuri, Izu, Japan p. 233 figs., ENAMI Sci. Rep. Tôhoku Univ. (4) Biol. **15** 1940; *M. similis* **sp. nov.** ♂. ♀ Eastern Pyrenees, France p. 89, ANGELIER Bull. Mus. Hist. nat. Paris (2) **21** 1949; *M.* nomenclature discussed and synonymy p. 292, VIETS **653.**

Neoaxona (? s. str.) *aculeata* **sp. nov.** ♀ Boschkreek, Temomairem, Toemoek-Hoemak, Surinam p. 172 fig., BESSELING Tijdschr. Ent. Amsterdam **91** (1948) 1949.

Neumania (*Allolemienia* **subgen. nov.**) *fissiseta* **sp. nov.** ♂. ♀ Kasinga: Kamande: Katwe: Vitshumbi: Kibuga: Kishushu, Belgian Congo p. 54 figs.; *N.* (*L.*) *falcipes* subsp. *polypora* **subsp. nov.** ♂. ♀ Ngesho Sea, Belgian Congo p. 52 fig., LUNDBLAD Explor. Parc Nation. Albert, Bruxelles, Mission H. Damas (1935–36) Fasc. 18 1949; *N.* (s. str.) *phreaticola* **sp. nov.** Bosna Valley, Yugoslavia, MOTAS ET AL. Bull. Ecole Polytech. Jassy **3** 1948; *N.* (*Leptopterotrichophorus*) *manokensis* **nom. nov.** pro *Leptopterotrichophorus verrucosus* Viets 1914 non *Neumania verrucosus* Koen. 1895 p. 211, VIETS Zool. Anz. Leipzig **138** 1942.

Oxus stuhlmanni redescribed p. 26 fig., LUNDBLAD **373.**

Parathyasella **subgen. nov.** see *Thyasella*, VIETS **653.**

Piona (*Dispersipiona*) *damasi* **sp. nov.** ♂. ♀ Gando: Kibga: Katana, Belgian Congo p. 62 fig.; *P.* (s. str.) *tridens* redescribed p. 65 fig., LUNDBLAD Explor. Parc Nation. Albert, Bruxelles, Mission H. Damas (1935–36) Fasc. 18 1949; *P. uncata exigua* **var. nov.** ♂. ♀ New Zealand p. 322 figs., VIETS Abh. naturw. Ver. Bremen **32** 1949; *P. conglobata lacustricola* **nom. nov.** pro *P. conglobata lacustris* Halbert 1944 (non *lacustris* Koch 1836) p. 297, VIETS **653**; *P. rotundoides* new to Italy p. 371 figs., RAMAZZOTTI **496**; *P. neumani* and *P. circularis* discussion on nomenclature p. 317, VIETS **653.**

Plesiobrachypoda **subgen. nov.** see *Brachypodia*, VIETS **657.**

Pseudaxonopsalbia **subgen. nov.** see *Axonopsalbia*, VIETS **657.**

Pterolimnesia **subgen. nov.** see *Limnesia*, VIETS **657.**

Rhombognathus (*Rhombognathides*) *trionyx* new record for England p. 808, FOUNTAIN **229.**

Rhynchomegapus **subgen. nov.** to replace *Tympanomegapus* Thor. 1923, MOTAS & TANASACHI **435.**

Sperchon longimanus **nom. nov.** for *S. longipes* Halbert 1944 (non Thon 1901) p. 297; *S. tenuicornis* **nom. nov.** for *S. tenuipalpis* Halbert 1944 (non Koenike 1895) p. 297, VIETS **653.**

Thalassacarus **gen. nov.** [Halacaridae] defined p. 2; type species *T. commatops* **sp. nov.** ♂ Yaquina Head, Oregon: ♀ Pacific Grove and Laguna Beach, California p. 3 figs., NEWELL Amer. Mus. Nov. No. 1411 1949.

Thalassarachna Packard, 1871 raised to generic rank p. 21, NEWELL **448.**

Thoracophoracarus (*Thoracophorurus* **subgen. nov.**) type species *T. petioluriger* Viets 1925, VIETS Zool. Anz. Leipzig **138** 1942.

Thoracophorurus **subgen. nov.** see *Thoracophoracarus*, VIETS **657.**

Thyasella (*Parathyasella* **subgen. nov.**) type of subgen. *Thyas frigida* Lundblad 1925 p. 310, VIETS Abh. naturw. Ver. Bremen **32** 1949.

Torrenticola subaffinis **nom. nov.** for *Atractides affinis* Lundblad 1941 p. 297; *T. subangulata* **nom. nov.** pro *Atractides angulatus* Walter 1928 p. 297; *T. diffissa* **nom. nov.** for *Atractides fissus* Lundblad 1942 p. 297; *T. procerirostris* **nom. nov.** pro *Atractides longirostris* Szalay 1933 p. 297; *T. valens* **nom. nov.** pro *Atractides robustus* Halbert 1944 (non *A. nodipalpis robustus* Sokolow 1940) p.

298; *T. rotundoides* **nom. nov.** pro *A. rotundus* Lundblad 1941 p. 298; *T.* (*Rusetria*) *minuscula* **nom. nov.** pro *A.* (*R.*) *minutus* Lundblad 1941 p. 298; *T. dudichi prilepensis* **nom. nov.** pro *A. dudichi cognatus* Viets 1936 p. 298. VIETS **653**.

Unionicola (*Hexatax*) *crassipes minor* var. *octopora* **var. nov.** Lake Como p. 378 fig.; *U.* (*Pentatax*) *finis belli* **subsp. nov.** Island of Borromee, Lake Maggiore, Italy p. 379 fig., RAMAZZOTTI Mem. Ist. Ital. Idrobiol. Milano **3** 1947; *U.* (*Pentatax*) *levipalpis* **sp. nov.** ♀ Litani, Fetikreek, Surinam p. 166 figs., BESSELING Tijdschr. Ent. Amsterdam **91** (1948) 1949; *U.* (*Hexatax*) *inflexa* redescribed p. 46 fig.; *U.* (*Pentatax*) *falcifera* redescribed p. 46 fig.; *U.* (*P.*) *uncata* redescribed p. 49 fig., LUNDBLAD **373**; *U. aculeata* new to Italy p. 378; *U. crassipes minor* new to Italy p. 376; *U. hankoi* new to Italy p. 380 figs.; *U. tricuspis* new to Italy p. 383 fig., RAMAZZOTTI **496**; *U.* nomenclature discussed p. 302, VIETS **653**.

Vietsaxona **gen. nov.** type species not defined, MOTAS & ROUMANIA Ann. Sci. Univ. Jassy (2) **31** 1948 [**436**].

†ANTHRACOMARTI

Order emended with remarks p. 192, PETRUNKEVITCH **466**.

†ANTHRACOMARTIDAE key to genera p. 209, PETRUNKEVITCH **466**.

†*Brachypyge carbonis* note p. 232 figs., PETRUNKEVITCH **466**.

†*Cleptomartus* **gen. nov.** defined p. 211; type species *C. plautus* **sp. nov.** ♀ - ♂ from bed of nodular ironstone, Coseley, Staffs., England p. 212 figs.; *C. planus* **sp. nov.** from bed of nodular ironstone, Coseley, Staffs., England p. 220 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†*Coryphomartus triangularis* figure revised p. 232 figs., PETRUNKEVITCH **466**.

†*Cryptomartus hindi* redescribed p. 223 figs.; *C. priesti* redescribed p. 227 figs., PETRUNKEVITCH **466**.

†*Maiocercus carbonis* note p. 233 figs., PETRUNKEVITCH **466**.

†*Pleomartus* redefined p. 211; *P. trilobitus* notes p. 211 figs., PETRUNKEVITCH **466**.

†KUSTARACHNIDA

[No record.]

†HAPTOPODA

†*Plesiosiro* gen. redefined p. 186; *P. madeleyi* redescribed p. 187 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†TRIGONOTARBI

†**Order** nov. characterised p. 235; key to families p. 236, PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†EOPHRYNIDAE key to genera p. 245, PETRUNKEVITCH **466**.

†TRICOGONOTARBIDAE **fam. nov.** characterised p. 250, PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†TRIGONOMARTIDAE key to genera p. 256, PETRUNKEVITCH **466**.

†*Anthracosiro woodwardi* redescribed p. 239 figs., PETRUNKEVITCH **466**.

†*Aphantomartus pococki* p. 258 fig., PETRUNKEVITCH **466**.

†*Areomartus ovatus* note p. 249 fig., PETRUNKEVITCH **466**.

†*Eophrynus varius* **sp. nov.** Middle Coal Measures, Crawcrook, near Ryton-on-Tyne, Durham, England p. 247 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†*Lissomartus* **gen. nov.** [Trigonomartidae] defined p. 257; genotype *Trigonotarbus schucherti* Petrunkevitch, 1913 p. 257 fig., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†*Palaeocharinoides hornei* p. 237 figs., PETRUNKEVITCH **466**.

†*Palaeocharinus rhyniensis* note p. 237 fig., PETRUNKEVITCH **466**.

†*Phrynomartus waechteri* note p. 258 fig., PETRUNKEVITCH **466**.

†*Pleophrynus ensifer* note p. 248 figs., PETRUNKEVITCH **466**.

†*Trigonomartus pustulatus* p. 257 fig., PETRUNKEVITCH **466**.

†*Trigonotarbus johnsoni* redescribed p. 250 figs., PETRUNKEVITCH **466**.

†PHALANGIOTARBI

[No record.]

†ARCHITARBI

Key to families p. 162; key to European species p. 179, PETRUNKEVITCH **466**.

†ARCHITARBIDAE

Key to genera p. 164, PETRUNKEVITCH **466**.

†*Architarbus minor* p. 165 fig., PETRUNKEVITCH **466**.

†*Goniotarbus* **gen. nov.** defined p. 168; type species *G. tuberculatus* **sp. nov.** Upper Carboniferous Coal Measures, Coseley, Staffs., England p. 168 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

†*Mesotarbus* **gen. nov.** defined p. 167; type species *M. intermedius* **sp. nov.** Upper Coal Measures, Coseley, Staffs., England p. 167 figs., PETRUNKEVITCH Trans. Conn. Acad. Arts Sci. **37** 1949.

TARDIGRADA

Faunal list. — Spain, RODRIGUEZ-RODA **521**; In Slovakian mosses, BARTOŠ **44**.

Echiniscus canadensis redescribed, new to Spain p. 35 figs.; *E. mediantus* redescribed, new to Spain p. 34 figs.; *E. testudo* redescribed, new to Spain p. 30 figs.; *E. trisetosus* redescribed, new to Spain p. 32 figs., RODRIGUEZ-RODA **521**.

Hypsibius (*Hypsibius*) *dujardini* redescribed, new to Spain p. 38 figs.; *H.* (*Calohypsibius*) *ornatus* redescribed, new to Spain p. 37 figs., RODRIGUEZ-RODA **521**.

Macrobiotus pullari redescribed new to Spain p. 36 figs., RODRIGUEZ-RODA **521**.

PENTASTOMIDA

Annotated bibliography, HILL **281**.

Linguatula serrata in *Nesocia bandicota* [Muridae, Mamm.], Bangalore, India p. 18 fig., PUJATTI **486**.

CHILOPODA

Survey of Eastern Fennoscandian (Finland and Soviet Karelia) species, with remarks on their taxonomy and distribution, PALMÉN **454**.

Faunal list. — Bourgogne, France, RAVOUX **499**; Pyrenées-Orientales, France, DEMANGE **166**; Ostalpen, Austria, ATTEMS **31**; Bialowieża National Park, Poland, JAWŁOWSKI **305**.

Catalogue of collection of Inst. Sci. Chérifen, BRÖLEMANN **80**.

CRYPTOPSIDAE key to British spp. p. 227, TURK **624**.

GEOPHILINAE key to Turkish genera p. 40, VERHOEFF **643**.

LITHOBIIDAE key to Balkan species, FOLKMANOVA **220**.

SCUTIGEROMORPHA reviewed with description and distribution of genera p. 12, BÜCHERL **86**.

Arebius integrior **sp. nov.** ♀, ♂ Alaska 68° 21′ N., 151° 30′ W. p. 13, CHAMBERLIN Ent. News Lancaster, Pa. **60** 1949.

Bebekium **gen. nov.** [Geophilidae] defined p. 41; type species *B. mirabile* **sp. nov.** Turkey p. 41, VERHOEFF Zool. Anz. Leipzig **135** 1941.

Bithyniphilus **gen. nov.** [Geophilidae] defined p. 40; type species *B. bosporanus* **sp. nov.** Turkey p. 40, VERHOEFF Zool. Anz. Leipzig **135** 1941.

Brachygeophilus rupestris **sp. nov.** ♀ Alleghany River, Olean, Cattaraugas Co., New York: ♂ Clifton Gorge, Alleghany Co., Virginia p. 210, CRABILL Ent. News Lancaster, Pa. **60** 1949.

Brahmaputrus **gen. nov.** [Mecistocephalidae] defined p. 50; type species *B. poriger* **sp. nov.** Schigatse, Himalayas, India p. 51 figs., VERHOEFF Zool. Anz. Leipzig **137** 1942.

Brasilophora margaritata redescribed p. 24 figs.; *B. paulista* redescribed p. 26 figs., BÜCHERL **86**.

Brasiloscutigera viridis redescribed p. 27 fig., BÜCHERL **86**.

†*Calciphilus* **gen. nov.** [Geophilidae] defined p. 118; type species *C. abboti* **sp. nov.** in onyx marble pen base, Bonner Quarry, near Ashfork, Arizona p. 118 figs., CHAMBERLIN Trans. San Diego Soc. nat. Hist. **11** 1949.

Cormocephalus (*Tangopleurus* **subgen. nov.**) type species *C.* (*T.*) *ungueserratus* **sp. nov.** Morogoro, Tanganyika p. 199 figs.; *C.* (*C.*) *anceps serrulatus* **subsp.**

nov. South West Africa p. 203 fig.; *C.* key to subgenera p. 198, VERHOEFF Zool. Anz. Leipzig **135** 1941.

Cryptops hortensis hortensis new record, Ithaca, New York p. 101, CHAMBERLIN **148**.

Escimobius **gen. nov.** [Lithobiidae] defined p. 12; type species *E. cryophilus* **sp. nov.** ♂ Alaska 68° 20' N., 151° 30' W p. 13, CHAMBERLIN Ent. News Lancaster, Pa. **60** 1949.

Ethmostigmus australianus stechowi **subsp. nov.** Matia, Tanganyika p. 202 fig., VERHOEFF Zool. Anz. Leipzig **135** 1941.

Geophilus paiberyi **sp. nov.** between Trifels and Scharfenberg, Germany p. 236 figs.; *G.* (*Bothrogeophilus*) *rhenanorum* **sp. nov.** Finstertal, Neustadt Germany p. 239 figs., VERHOEFF Ber. naturf. Ges. Freiburg **36** 1939; *G. proximus* redescribed p. 311 figs., JAWLOWSKI **305**; *G.* (*Bothrogeophilus*) *scillyensis* redescribed, new record Scilly Is. p. 227, TURK **624**.

Harpacticilus **subgen. nov.** see *Polygonarcus*, VERHOEFF **647**.

Harpeithobius komaridi **sp. nov.** ♂ Hrjma, ♀ Prahovac a Prelina, Balkans p. 10, FOLKMANOVA Přírodn. Brno **38** 1946.

Kronocephalus **gen. nov.** [Lithobiidae] defined p. 40; type species *K. lossongi* **sp. nov.** Turkey p. 40, VERHOEFF Zool. Anz. Leipzig **138** [illegible]

Lamyctes insulanus **sp. nov.** Nordhang des Pic. Santa Isabel, Fernando Po p. 97 fig., VERHOEFF Zool. Anz. Leipzig **136** 1941.

Lithobius grenzs **sp. nov.** Grenzgipfel, Ostalpen, Austria p. 5; *L.* (*Lo*) *[illegible]* **sp. nov.** [illegible] **subsp. nov.** [illegible] **subsp. nov.** [illegible] **subs

Polygonarea (*Harpacticellus* **subgen. nov.**) *arborum* **sp. nov.** Nordhang des Pic, Santa Isabel, Fernando Po p. 95 figs., VERHOEFF Zool. Anz. Leipzig **136** 1941.

Scutigera parcespinosa **sp. nov.** ♂ ♀ Sant' Ana, S. Paulo, Brazil p. 29 fig., BÜCHERL Mem. Inst. Butantan S. Paulo **21** 1949; *S. coleoptrata* new record. Channel Is. p. 226, TURK **624**.

Tangopleurus **subgen. nov.** see *Cornocephalus*, VERHOEFF **644**.

Thereuopoda niricomes **sp. nov.** Source of Yangtzekiang. Dji-tu, Hzifan-Bergland, China p. 41 figs.; *T. jamashinai* redescribed p. 41 fig.; *T.* key to species p. 37, VERHOEFF Zool. Anz. Leipzig **137** 1942.

Thereuoquima **gen. nov.** [Thereuoneminae, Scutigeridae] defined p. 32; type species *T. admirabilis* **sp. nov.** ♂. ♀ Queimada, Pequena Id., S. Paulo. Brazil p. 32 figs., BÜCHERL Mem. Inst. Butantan S. Paulo **21** 1949.

Tygarrup key to species p. 49. VERHOEFF **648**.

DIPLOPODA

Faunal list. — Finland and Soviet Karelia, PALMÉN **455**; Ostalpen, Austria, ATTEMS **31**; Bialowiéza National Park, Poland, JAWLOWSKI **305**; Ilhas Paulistas, Brazil with key to species, SCHUBART **540**; Virginia, HOFFMAN **288**.

BLANIULIDAE key to British spp. p. 233, TURK **624**.

CAMBALOIDEA nomenclature of Indian forms p. 285, CARL **108**.

ERGETHIDAE **fam. nov.** defined p. 7 [suborder Chordeumidea], CHAMBERLIN Proc. biol. Soc. Washington **62** 1949.

OKEANOBATINAE **subfam. nov.** Isobatidae p. 206, VERHOEFF Zool. Anz. Leipzig **137** 1942.

PAEROMOPIDAE list of known species p. 2, CHAMBERLIN **117**.

SIPHONOPHORIDAE key to genera p. 215; key to subfam. p. 220, VERHOEFF **642**.

Acrochordum tarnovanum **sp. nov.** ♂. ♀ Hang, Buchen- und Fichtenwald, North Italy p. 220 figs.; *A.* key to species p. 223, STRASSER Zool. Anz. Leipzig **138** 1942.

Aigon **gen. nov.** [Paeromopidae] defined p. 2; type species *A. rodocki* **sp. nov.** ♂ Nez Perce Co., Idaho p. 2 figs., CHAMBERLIN Nat. Hist. Misc. Chicago no. 52 1949.

Alloproctus peruanus **sp. nov.** Matucama, Peru p. 6 fig., SILVESTRI Boll. Lab. Ent. agr. Portici **8** 1948.

Amplocheir **gen. nov.** [Xystodesmidae] defined p. 97; type species *Xystocheir sequoia* Chamberlin, 1941 p. 97 figs., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Annamnium **gen. nov.** [Siphonophoridae] for *Siphonophora dawydoffi* Attems p. 217, VERHOEFF Zool. Anz. Leipzig **134** 1941.

Apheloria asburna **sp. nov.** ♂ N. of Nashville, Tennessee p. 101; *A. tortua* **sp. nov.** ♂ Mountain Lake, Virginia p. 101 fig., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949; *A. antrostomicola* **sp. nov.** ♂. ♀ Stull's Cave, Lowmoor, Alleghany Co., Virginia p. 372 figs.; *A. kleinpeteri* **sp. nov.** ♀ ♂ Burkes Garden, Tazewell Co., Virginia p. 375 figs.; *A. picta* **sp. nov.** ♀ ♂ Mountain Lake, Giles Co., Virginia p. 376 figs.; Records of other Virginian species p. 372, HOFFMAN Proc. U.S. nat. Mus. **99** 1949; *A. coriacea* identity discussed p. 1 figs., HOFFMAN **284**.

Atopetholus barbaranus **sp. nov.** ♂ Santa Barbara Co. at Orcutt, California p. 168, CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Auxobolus **gen. nov.** [Spirobolidae] defined p. 163; type species *A. ergus* **sp. nov.** ♂. ♀ Madero Co., Kern Co., California p. 163 figs.; *A. discipulus* **sp. nov.** ♂. ♀ Ione, California p. 165 figs.; *A. friantus* **sp. nov.** ♂. ♀ Fresno Co., California p. 165 figs.; *A. monachus* **sp. nov.** ♂ Hastings Reservation, Monterey Co., California p. 165 figs.; *A. simulatus* **sp. nov.** ♂ Riverside, California p. 165 figs.; transferred to gen. *Tylobolus castaneus* Chamberlin, 1918, *Tylobolus claremontus* Chamberlin, 1918, p. 163 and *Tylobolus stebbinsi* Chamberlin, 1944 p. 165, CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Balizonium **gen. nov.** [Siphonophoridae] for *Siphonophora verrucosa* Attems 1931, p. 217, VERHOEFF Zool. Anz. Leipzig **134** 1941.

Brachydesmus (*Schizobrachydesmus*) *attenuatus* **sp. nov.** ♂ Vodizze, Podcrai, Birnbaumer Wald, North Istria p. 213 figs.; *B.* (*Chromobrachydesmus*) *croaticus* **sp. nov.** ♂ Ozaljska Spilja, Kulpatal, Croatia p. 215 figs.; *B.* (*C.*) *histricus* **sp. nov.** ♂ Dorf Praproce, Piedimonte, North Istria p. 217 figs., STRASSER Zool. Anz. Leipzig **138** 1942; *B. superus capreae* **subsp. nov.** ♂ Id. of Capri, Italy p. 232 fig., VERHOEFF Zool. Anz. Leipzig **139** 1942; *B. superus* notes on variation p. 231, TURK **624.**

Brachychaeteuma peniculatum **sp. nov.** ♂. ♀ Perte du Crès, Salles-la-Source, Marcillac, France p. 159 figs., RIBAUT Bull. Soc. Hist. nat. Toulouse **83** 1949.

Californibolus oregonus **sp. nov.** ♂ Springfield, Oregon p. 166 figs.; *C. pontis* **sp. nov.** ♂ Bridgeville, California p. 166 figs.; *C. rectus* **sp. nov.** ♂ Solano Co., California p. 166 figs.; included in gen. *Tylobolus uncigerus* (Wood), 1864 and *Tylobolus utahensis* Chamberlin, 1925 p. 166, CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Californizonium **gen. nov.** [Siphonophoridae] for *Siphonophora pseustes* Chamberlin, 1923, p. 217, VERHOEFF Zool. Anz. Leipzig **134** 1941.

Carniosoma abietum illyricum **subsp. nov.** Monte Cucco, Roditti, North Istria p. 225 figs., STRASSER Zool. Anz. Leipzig **138** 1942.

Ceratosoma (*Illyriosoma* **subgen. nov.**) *manfredii* **sp. nov.** ♂ Planik, Alpe Grande, North Istria p. 228 figs.; *C.* (*Triakontazona*) *attemsi* ♂ notes p. 231; *C. pusillum carniolense* ♂ redescribed p. 232 figs., STRASSER Zool. Anz. Leipzig **138** 1942.

Chamberlinium **gen. nov.** [Siphonophoridae] for *Siphonophora fallens* Chamberlin 1922, *S. telana* Chamberlin 1922 and *S. corynetes* Chamberlin 1922 p. 215, VERHOEFF Zool. Anz. Leipzig **134** 1941.

Cheirauxus **gen. nov.** [Xystodesmidae] defined p. 97; type species *C. sapiens* **sp. nov.** ♂ Palo Alto, California p. 97 figs., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Cherokia **gen. nov.** defined p. 3; type species *Fontaria georgiana* Bollman p. 3 fig., CHAMBERLIN Proc. biol. Soc. Washington **62** 1949.

Cladostreptus thalattophilus **sp. nov.** ♂. ♀ Island of Alcatrazes: Island Grande, São Paulo, Brazil p. 226 figs.; *C. sebastianus* redescribed p. 211 figs., SCHUBART Mem. Inst. Butantan, S. Paulo **21** 1949.

Columbianum **gen. nov.** [Siphonophoridae] for *Siphonophora gracilicornis* Carl. 1914, p. 216, VERHOEFF Zool. Anz. Leipzig **134** 1941.

Columbiozonium **gen. nov.** [Siphonophoridae] for *Siphonophora pearsii* Chamberlin, p. 216, VERHOEFF Zool. Anz. Leipzig **134** 1941.

Cordillerium **gen. nov.** [Siphonophoridae] for *Siphonophora fuhrmanni* Carl, 1914, p. 217, VERHOEFF Zool. Anz. Leipzig **134** 1941.

Delocheir **gen. nov.** [Xystodesmidae] defined p. 99; type species *Xystocheir taibona* Chamberlin, 1912 p. 99 figs.; *D. conservata* **sp. nov.** ♂. ♀ Hasting Reservation, Monterey Co., California p. 99 fig.; *D. dalea* **sp. nov.** ♂. ♀ Brookdale, California p. 99 fig., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Deltotaria coronata **sp. nov.** ♀ ♂ Mount Rogers and White Top Mountain, Virginia p. 380 figs., HOFFMAN Proc. U.S. nat. Mus. **99** 1950.

Dendrobrachypus **gen. nov.** [Trichopolydesmidae] defined p. 89; type species *D. pusillus* **sp. nov.** ♂. ♀ Nordhang des Pic, Santa Isabel, Fernando Po p. 91 figs., VERHOEFF Zool. Anz. Leipzig **136** 1941.

Dimastosternum franzi **sp. nov.** Grossglockner-Gebiet, Grosser Pocher, Austria p. 8 figs., ATTEMS Mitt. naturw. Ver. Steiern. **77–78** 1949.

Diploiulus boleti anulatus **subsp. nov.** Presseggen, Gailtal, Austria p. 10, ATTEMS Mitt. naturw. Ver. Steiern. **77–78** 1949.

Dynoria medialis **sp. nov.** ♂ Atlanta, Georgia p. 3 figs., CHAMBERLIN Proc. biol. Soc. Washington **62** 1949.

Epanerchodus (*Niponchodus* **subgen. nov.**) *albulus* **sp. nov.** ♂ Aziro, Japan p. 213 figs.; *E.* (*Antrochodus*) *isikawai* Verh. characters p. 213 fig., VERHOEFF Zool. Anz. Leipzig **137** 1942.

Epeloria nannoides **sp. nov.** ♂ Gainesville, Florida p. 101 fig., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Ergethus **gen. nov.** [Ergethidae] defined p. 7 ; type species *E. perditus* **sp. nov.** ♂ . ♀ near Kerrville, Texas p. 7 figs., CHAMBERLIN Proc. biol. Soc. Washington **62** 1949.

Ergodesmus **gen. nov.** [Polydesmidae] defined p. 94 ; type species *E. compactus* **sp. nov.** ♂ between Goldendale and Mayfield, Washington p. 94 fig., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

†*Euphoberia llarenae* **sp. nov.** palaozoic, Estefaniense de Llombera, León, Spain p. 737 figs., MELÉNDEZ Bol. Soc. esp. Hist. nat. **46** 1949.

Fontaria (*Parafontaria*) *aculeata* **sp. nov.** ♂ Unajuki, Japan p. 67 figs. ; *F.* (*P.*) *kuhlgatzi montana* **subsp. nov.** Mt. Ontake, Nippon, Japan p. 68 figs. ; *F.* (*P.*) key to species p. 67 ; *F.* (*Japonaria*) key to species p. 65, VERHOEFF Zool. Anz. Leipzig **136** 1941.

Fusiulus (*F.*) *pinetorum nivalis* **subsp. nov.** ♂ Mt. Kurobegoro, Japan p. 69 figs. ; *F.* (s. str.) for *pinetorum* Att. p. 70 ; *F.* (*Parfusiulus* **subgen. nov.**) for remaining species p. 70, VERHOEFF Zool. Anz. Leipzig **136** 1941.

Glomeris guttata capreae **subsp. nov.** ♂ ♀ Mt. Solaro, Id. of Capri, Italy p. 233, VERHOEFF Zool. Anz. Leipzig **139** 1942.

Gosichelus **gen. nov.** [Atopetholidae] defined p. 168 ; type species *Onychelus medolus* Chamberlin, 1941 p. 168 ; included in gen. *Onychelus jaegeri* Chamberlin, 1947 p. 168, CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Guatemalium **gen. nov.** [Siphonophoridae] for *Siphonophora barberi* Chamberlin, 1922, p. 217, VERHOEFF Zool. Anz. Leipzig **134** 1941.

Hyleoglomeris (*Okeanomeris* **subgen. nov.**) *nigra* **sp. nov.** South Island Sikoku, Koti, Japan p. 216 figs. ; *H. sulcata* **sp. nov.** (? subgen.) Takashima, Jimmuji Zuschi, Japan p. 216, VERHOEFF Zool. Anz. Leipzig **137** 1942.

Illyriosoma **subgen. nov.** see *Ceratosoma*, STRASSER **592.**

Indiozonium **gen. nov.** [Siphonophoridae] for *Siphonophora pellita* Attems 1930 and *S. coniceps* Attems 1936 p. 215, VERHOEFF Zool. Anz. Leipzig **134** 1941.

Japonaria notes p. 5, HOFFMAN **285.**

Japoniobates **gen. nov.** [Isobatidae, subfam. Okeanobatinae] defined p. 206 ; type species *J. serratus* **sp. nov.** ♂ Saiko, Berges Huzi, Japan p. 209 figs., VERHOEFF Zool. Anz. Leipzig **137** 1942.

Kepolydesmus hesperus **sp. nov.** ♂ Ashland, Oregon p. 94 fig. ; *K. pungo* **sp. nov.** ♂ . ♀ Horsetail Falls, Oregon p. 95 fig. *K. anderisus* records p. 94 fig., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Klansolus zantus **sp. nov.** ♀ East of Cave Junction, Oregon p. 5, CHAMBERLIN Nat. Hist. Misc. Chicago no. 52 1949.

Lomboknium **gen. nov.** [Siphonophoridae] for *Siphonophora zehntneri* Att. 1912 and *S. ibis* Att., 1931, p. 217, VERHOEFF Zool. Anz. Leipzig **134** 1941.

Lophoproctinus diversunguis **sp. nov.** Orizaba, Mexico p. 3 figs. ; *L. mexicanus* **sp. nov.** Jalapa, Mexico p. 1 fig. ; *L. notandus* **sp. nov.** S. Francisco, Vera Cruz, Mexico p. 4 fig., SILVESTRI Boll. Lab. Ent. agr. Portici **9** 1948.

Mastigonodemus hirsutus **sp. nov.** ♀ Grotte de Bessugue, Saint-Geniez-d'Olt, France p. 160 figs., RIBAUT Bull. Soc. Hist. nat. Toulouse **83** 1949.

Monographis gen. defined p. 261, VERHOEFF **641.**

Nannaria cayugae **sp. nov.** ♂ Ithaca, New York p. 4 fig. ; *N. equalis* **sp. nov.** ♂ . ♀ Knoxville, Tennessee p. 4 fig. ; *N. ohionis* Loomis & Hoffman, 1948 syn. with *N. castanea* p. 4 ; *N. ursa* Chamberlin, 1938 syn. with *N. tuobita* p. 4, CHAMBERLIN Proc. biol. Soc. Washington **62** 1949 ; *N. ericacea* **sp. nov.** ♂ McGraws Gap, Clifton Forge, Alleghany Co., Virginia p. 381 figs. ; *N. laminata* **sp. nov.** ♂ Glen Lyn, Virginia p. 383 figs. ; *N. simplex* **sp. nov.** ♂ McGraws Gap, Clifton Forge, Alleghany Co., Virginia p. 384 figs. ; *N. wilsoni* **sp. nov.** ♂ Mountain Lake, Giles Co., Virginia p. 386 figs., HOFFMAN Proc. U.S. nat. Mus. **99** 1949 ; *N. shenandoa* **sp. nov.** ♂ . ♀ Shenandoah Mountain, Harrisonburg, Rockingham Co., Virginia p. 82 figs., HOFFMAN Proc. biol. Soc. Washington **62** 1949.

Nearctodesmus amissus **sp. nov.** ♂ . ♀ Oregon p. 96 fig. ; *N. brunnior* **sp. nov.** N. of Crescent City, California p. 96 fig. ; *N. campicolens* **sp. nov.** ♂ . ♀ Prairie Creek Park, California p. 96

fig.; *N. pseustes* **sp. nov.** ♂ Boyer, Oregon p. 96 fig.; *N. renigens* **sp. nov.** ♂. ♀ Oregon p. 97 fig.; *N. salix* **sp. nov.** ♂. ♀ W. of Willow Creek, California p. 97 fig., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Neptunobolus **gen. nov.** [Pachybolidae] defined p. 16; type species *N. hogei* **sp. nov.** ♂. ♀ Island of Queimada Grande, São Paulo, Brazil p. 218 figs., SCHUBART Mem. Inst. Butantan, S. Paulo **21** 1949.

Niponchodus **subgen. nov.** see *Epanerchodus*, VERHOEFF **649.**

Niponiothauma **gen. nov.** [Diplomaragnidae, subfam. Tokyosominae] defined p. 204; type species *N. inflatum* **sp. nov.** ♂. ♀ Karnizawa, Japan p. 205 figs., VERHOEFF Zool. Anz. Leipzig **137** 1942.

Okeanomeris **subgen. nov.** see *Hyleoglomeris*, VERHOEFF **649.**

Okeanozonium **gen. nov.** [Siphonophoridae] defined p. 222; type species *O. cylindricum* **sp. nov.** Palau Is., Philippine Is. p. 223 figs., VERHOEFF Zool. Anz. Leipzig **134** 1941.

Pachybolus arboreus **sp. nov.** ♀ Santa Isabel, Fernando Po p. 45, VERHOEFF Zool. Anz. Leipzig **136** 1941.

Parfusiulus **subgen. nov.** see *Fusiulus*, VERHOEFF **646.**

Partelsodolichus **gen. nov.** [Strongylosomidae] defined p. 45; *P. perplexus* **sp. nov.** ♂ Nordhang des Pic, Santa Isabel, Fernando Po p. 50 figs., VERHOEFF Zool. Anz. Leipzig **136** 1941.

Phanoria **gen. nov.** [Xystodesmidae defined p. 101; type species *P. philia*] **sp. nov.** ♂ Clarkesville, Georgia p. 101 fig., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Polydesmus coriaceus var. *securiformis* re-examination of type p. 229 fig.; *P. edentulus* status in Great Britain p. 229, TURK **624.**

Polyphematia antrobius **sp. nov.** ♂ Ödelsteinhöhle, Johnsbach, Austria p. 6 figs., ATTEMS Mitt. naturw. Ver. Steiern **77–78** 1949.

Polyxenus germanicus **sp. nov.** ♀ Königssee, Germany p. 263 figs.; *P. trivittatus* **sp. nov.** Asia Minor p. 262; *P. argentifer* characters p. 263 fig.; *P.* key to species p. 262, VERHOEFF Zool. Anz. **133** 1941.

? *Propolyxenus lawrencei* **sp. nov.** ♂ Drakensberg Mts., near Loskop, Natal p. 126 figs., CONDÉ Bull. Soc. ent. Fr. **54** 1949.

Pseudopolydesmus caddo **sp. nov.** ♂. ♀ Caddo Parish, Louisiana p. 97 fig., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949; *P. americanus* gonopods described p. 291 figs., CARL **108.**

Pseudonannolene halophila **sp. nov.** ♂. ♀ Island of Alcatrazes: Island of Farol, São Paulo, Brazil p. 234 figs.; *P. maritima* **sp. nov.** ♂. ♀ Island of Queimada Pequena, São Paulo, Brazil p. 214 figs., SCHUBART Mem. Inst. Butantan, S. Paulo **21** 1949.

Rhinocricus insularis **sp. nov.** ♂. ♀ Island of Queimada Pequena, São Paulo, Brazil p. 207 figs., SCHUBART Mem. Inst. Butantan, S. Paulo **21** 1949.

Rhinosiphora raised to generic status for *Siphonophora* (*R.*) *mjöbergi* Verh. 1924, *S.* (*R.*) *nasuta* Verh. 1924 and *S.* (*R.*) *nodulosa* Verh. 1924 p. 218, VERHOEFF **642.**

Riukiaria notes p. 5, HOFFMAN **285.**

Saiulus montanus **sp. nov.** ♂. ♀ Mount Rogers, Grayson Co., Virginia p. 81 figs., HOFFMAN Proc. biol. Soc. Washington **62** 1949.

Sarmatiulus vilnensis note on gonopods p. 315 fig., JAWLOWSKI **305.**

Schubartia (*S.*) *lohmanderi* notes p. 225, STRASSER **592.**

Semionellus tertius **sp. nov.** ♂ near Kerrville (?), Texas p. 259 figs., CHAMBERLIN Ent. News Lancaster, Pa. **59** [1949].

Serradium hirsutipes in cave, Buso de la Dona, Verona, Italy p. 293 figs., MANFREDI **384.**

Sigmoria furcifera **sp. nov.** ♂ near Pineville, Wyoming Co., W. Virginia p. 387 figs., HOFFMAN Proc. U.S. nat. Mus. **99** 1949; *S. zyga* **sp. nov.** ♂. ♀ between Hot Springs and Paint Rock, North Carolina p. 3 fig., CHAMBERLIN Proc. biol. Soc. Washington **62** 1949.

Siphonophora (s. str.) for *S. braueri* Attems 1900, *S. tropiphora* Attems 1900, *S. columbiana* Carl 1914, *S. coatichira* Attems, *S. nematoides* Attems and *S. villosa* Attems p. 218, VERHOEFF **642.**

Storthotropis systematic position discussed p. 17 ; *S.* key to spp. p. 24 ; *S. giganteus* **sp. nov.** ♂ Espirito Santo, Brazil p. 22 figs. ; *S. clarazianus* redescribed p. 20 figs., SCHUBART Rev. Brasil. Biol. Rio de J. **9** 1949.

Telodeinopus **gen. nov.** [Spirostreptoidea] defined p. 35 ; type species *T. eidmanni* **sp. nov.** ♂ Santa Isabel, Fernando Po p. 40 figs., VERHOEFF Zool. Anz. Leipzig **136** 1941.

Telomicropus **gen. nov.** [Spirostreptidae] defined p. 42 ; type species *T. spiriger* **sp. nov.** ♂ Nordhang des Pic, Santa Isabel, Fernando Po p. 44 figs., VERHOEFF Zool. Anz. Leipzig **136** 1941.

Tidolus **gen. nov.** [Atopetholidae] defined p. 168 ; type species *Atopetholus parvus* Chamberlin, 1918 p. 169, CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Toltecolus parvunguis **sp. nov.** Frio County, Texas p. 1 figs., HOFFMAN Nat. Hist. Misc. Chicago no. 46 1949.

Watichelus **gen. nov.** [Atopetholidae] defined p. 169 ; type species *Onychelus smithi* Chamberlin, 1947 p. 169, CHAMBERLIN J. Wash. Acad. Sci. **39** 1949 ; *W. cooki* **sp. nov.** ♂ . ♀ Descanso, Lower California p. 243 figs. ; *W. edentatus* **sp. nov.** ♂ between San Diego and El Centro, California p. 241 figs. ; *W. emarginatus* **sp. nov.** ♂ . ♀ below Tia Juana, Lower California p. 243 figs. ; *W. parallelus* **sp. nov.** ♂ Chula Vista, California p. 244 figs. ; *W. robustus* **sp. nov.** ♂ . ♀ Chula Vista, California p. 241 figs., LOOMIS J. Wash. Acad. Sci. **39** 1949.

Xystocheir francisca **sp. nov.** ♂ San Francisco, California p. 99 fig. ; *X. milpitas* **sp. nov.** E. of Milpitas, California p. 99 figs. ; *X. tularea* **sp. nov.** ♂ . ♀ Sugar Loaf Mt., Tulare Co., California p. 101 fig., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949.

Yaetakaria **gen. nov.** [Xystodesmidae] defined p. 1 ; type species *Y. youngi* **sp. nov.** ♂ Yaetake, Okinawa Island, Riu Kiu Archipelago p. 2 figs., HOFFMAN Nat. Hist. Misc. Chicago no. 45 1949.

Yukatanium **gen. nov.** [Siphonophoridae] for *Siphonophora sabachana* Chamberlin, 1938 p. 217, VERHOEFF Zool. Anz. Leipzig **134** 1941.

Zinaria mima **sp. nov.** ♂ . ♀ Greene Co., Pennsylvania p. 101 fig., CHAMBERLIN J. Wash. Acad. Sci. **39** 1949 ; *Z. rubrilata* **sp. nov.** ♂ . ♀ State Highway, Kilmarnock, Lancaster Co., Virginia p. 84 figs., HOFFMAN Proc. biol. Soc. Washington **62** 1949.

SYMPHILIDA

Faunal list.—Ostalpen, Austria, ATTEMS **31** ; Switzerland, GISIN **247** ; Corsica with notes on species, REMY **509**.

Geophilella pyrenaica new to Bourgogne, France p. 54, ANON. **4**.

PAUROPODA

Faunal list.—Ostalpen, Austria, ATTEMS **31** ; Corsica with notes on species, REMY **509**.

Allopauropus acutus **sp. nov.** ♀ Le Banco, Ivory Coast p. 138 fig. ; *A. aspergillifer* **sp. nov.** ♀ Bouaké, Ivory Coast p. 128 fig. ; *A. bifurcus* **sp. nov.** ♀ Le Banco, Ivory Coast p. 124 fig. ; *A. bucinator* **sp. nov.** ♂ Le Banco, Ivory Coast p. 119 fig. ; *A. clavator* **sp. nov.** ♀ Orombo Bocca, Ivory Coast p. 137 fig. ; *A. delamarei* **sp. nov.** ♀ Man, Ivory Coast p. 125 fig. ; *A. liticen* **sp. nov.** ♂ Le Banco, Ivory Coast p. 117 fig. ; *A. mandingus* **sp. nov.** ♀ Le Banco, Ivory Coast p. 126 fig. ; *A. minutissimus* **sp. nov.** ♀ Le Banco, Ivory Coast p. 133 fig. ; *A. pachypus* **sp. nov.** ♀ Le Banco, Ivory Coast p. 132 fig. ; *A. pauliani* **sp. nov.** ♂ Le Banco, Ivory Coast p. 135 fig. ; *A. pusillus* **sp. nov.** ♀ Le Banco, Ivory Coast p. 123 fig. ; *A. socius* **sp. nov.** Bouaké, Ivory Coast p. 130 fig. ; *A. sphaeruliger* **sp. nov.** ♀ Bouaké, Ivory Coast p. 116 fig. ; *A. tenuis* **sp. nov.** Le Banco, Ivory Coast p. 131 fig. ; *A. tropicus* **sp. nov.** Le Banco, Ivory Coast p. 131 fig. ; *A. vouauxi* **sp. nov.** ♂ Bouaké, Ivory Coast p. 121 fig. ; ? *A. megalochaetus* **sp. nov.** ♂ Le Banco, Ivory Coast p. 141 fig. ; ? *A. microchaetus* **sp. nov.** ♂ Bouaké, Ivory Coast p. 139 fig. ; *A.* cf. *caldarius* notes p. 129 fig., REMY Mém. Mus. nat. Hist. Nat. Paris N.S. **27** 1948 ; *A. ludovicae* **sp. nov.** Lavasina, Corsica p. 130 fig. ; *A. milloti* **sp. nov.** ♀ Marine de Sisco, Corsica p. 136 fig. ; *A. hessei* var. *insulanus* **var. nov.** Corsica p. 132 fig., REMY Mém. Mus. nat. Hist. nat. Paris N.S. **21** 1945 [1946].

Hemipauropus africanus **sp. nov.** ♂. ♀ Le Banco, Ivory Coast p. 142 fig.; *H. richardi* **sp. nov.** ♂. ♀ Le Banco, Ivory Coast p. 145 fig., REMY Mém. Mus. nat. Hist. nat. Paris N.S. **27** 1948.

Polypauropus legeri var. *propinquus* **var. nov.** ♀ Le Banco, Ivory Coast p. 147 fig., REMY Mém. Mus. nat. Hist. nat. Paris N.S. **27** 1948.

Scleropauropus (*S.*) *cyrneus* **sp. nov.** ♂ Vizzavona, Corsica p. 139 figs.; *S.* (*S.*) *lyrifer* notes p. 139 fig., REMY Mém. Mus. nat. Hist. nat. Paris N.S. **21** 1945 [1946]; *S.* (*S.*) *squameus* **sp. nov.** ♀ Orombo Bocca, Ivory Coast p. 148 fig., REMY Mém. Mus. nat. Hist. nat. Paris N.S. **27** 1948.

Stylopauropus tiegsi **sp. nov.** ♂ Belgrave, Victoria p. 54 fig., REMY Mem. nat. Mus. Victoria no. 16 1949; *S. pedunculatus* notes p. 123 fig., REMY **509.**

ONYCHOPHORA

Peripatopsis balfouri, P. capensis, P. moseleyi, P. sedgwicki early embryonic stages p. 483 figs., MANTON **388.**